

Student 9 **GANESHRAM.M** 192321060RD

5 / 5 submitted

Q1. Program based on Classes and Objects

Score: 3.33 TC: 2/3 passed

CODE

```
import java.util.Scanner;
class Student{
    int rollno;
    String name;
    double marks;
    void displaydetails(){
        System.out.println("Roll No: "+rollno);
        System.out.println("Name: " +name);
        System.out.println("Marks: " +marks);
    }
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        Student s = new Student();
        s.rollno = sc.nextInt();
        sc.nextLine();
        s.name = sc.nextLine();
        s.marks = sc.nextDouble();

        s.displaydetails();
    }
}
```

INPUT

```
2
ram
25
```

OUTPUT

```
Roll no: 2
Name: ram
marks: 25.0
```

Q2. Initialize Object Data Using Setter Methods

Score: 5.00 TC: 3/3 passed

CODE

```
import java.util.Scanner;
class student{
    int rollno;
    String name;
    double marks;
    void setrollno(int rollno){
        this.rollno=rollno;
    }
    void setname(String name){
        this.name=name;
    }
    void setmarks(double marks)
    {
        this.marks=marks;
    }
    void displayDetails(){
        System.out.println("Roll No: "+rollno);
        System.out.println("Name: "+name);
        System.out.println("Marks: "+marks);
    }
    public static void main(String[] args)
    {
        Scanner sc=new Scanner(System.in);
        student s= new student();
        int rollno=sc.nextInt();
        sc.nextLine();
        String name=sc.nextLine();
        double marks=sc.nextDouble();
        s.setrollno(rollno);
        s.setname(name);
        s.setmarks(marks);

        s.displayDetails();
    }
}
```

INPUT

21
Ramesh
70

OUTPUT

Roll no:21
Name:Ramesh
Marks:70.0

Q3. Student Details Using Default and Parameterized Constructors

Score: 10.00 TC: 3/3 passed

CODE

```
import java.util.Scanner;

class student{
    int rollno;
    String name;
    double marks;

    student(){
        rollno=101;
        name="Rahul";
        marks=85.5;
    }
    student(int rollno,String name,double marks){
        this.rollno=rollno;
        this.name=name;
        this.marks=marks;
    }
    void displayDetails(){
        System.out.println("Roll No: "+rollno);
        System.out.println("Name: "+name);
        System.out.println("Marks: "+marks);
    }
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        student s1=new student();
        s1.displayDetails();

        int rollno=sc.nextInt();
        sc.nextLine();
        String name=sc.nextLine();
        double marks=sc.nextDouble();

        student s2=new student(rollno,name,marks);
        s2.displayDetails();
    }
}
```

INPUT

```
101
Rahul
85
```

OUTPUT

```
Roll No: 101
Name: Rahul
Marks: 85.5
Roll No: 101
Name: Rahul
Marks: 85.0
```

Q4. Net Salary Calculation Using Single Inheritance

Score: 10.00 TC: 3/3 passed

CODE

```
import java.util.Scanner;
public class Employee{
    int empid;
    String empname;
    double basicSalary;

    void getEmployeeDetails(int empid,String empname,double basicSalary){
        this.empid=empid;
        this.empname=empname;
        this.basicSalary=basicSalary;
    }
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        int empid=sc.nextInt();
        sc.nextLine();
        String empname=sc.nextLine();
        double basicSalary=sc.nextDouble();

        salary s1=new salary();
        s1.getEmployeeDetails(empid,empname,basicSalary);
        s1.calculatesalary();
        s1.displayDetails();
    }
}
class salary extends Employee{
    double hra,da,netSalary;

    void calculatesalary()
    {
        hra=basicSalary*0.20;
        da=basicSalary*0.10;
        netSalary=basicSalary+hra+da;
    }
    void displayDetails(){
        System.out.println("Employee ID: " +empid);
        System.out.println("Employee Name: "+empname);
        System.out.println("Basic Salary: "+basicSalary);
        System.out.println("HRA: "+hra);
        System.out.println("DA: "+da);
        System.out.println("Net Salary: "+netSalary);
    }
}
```

INPUT

564
monish
90000

OUTPUT

Employee ID: 564
Employee Nmae: monish
Basic salary: 90000.0
HRA: 18000.0
DA: 9000.0
Net Salary: 117000.0

Q5. Employee Gross Salary Calculation Using Multilevel Inheritance

Score: 10.00 TC: 3/3 passed

CODE

```
import java.util.Scanner;
public class Employee{
    int empid;
    String empname;

    void getEmployeeDetails(int empid,String empname){
        this.empid=empid;
        this.empname=empname;
    }
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        int empid=sc.nextInt();
        sc.nextLine();
        String empname=sc.nextLine();
        double basicsalary=sc.nextDouble();

        Grosssalary g1=new Grosssalary();
        g1.getEmployeeDetails(empid,empname);
        g1.getbasicSalary(basicsalary);
        g1.calculateSalary();
        g1.displayDetails();
    }
}
class Salary extends Employee{
    double basicsalary;

    void getbasicSalary(double basicsalary){
        this.basicsalary=basicsalary;
    }
}
class Grosssalary extends Salary{
    double hra,da,grosssalary;
    void calculateSalary(){
        hra=basicsalary*0.20;
        da=basicsalary*0.10;
        grosssalary=basicsalary+hra+da;
    }
    void displayDetails(){
        System.out.println("Employee ID: "+empid);
        System.out.println("Employee Name: "+empname);
        System.out.println("Basic Salary: "+basicsalary);
        System.out.println("HRA: "+hra);
        System.out.println("DA: "+da);
        System.out.println("Gross Salary: "+grosssalary);
    }
}
```

INPUT

```
203
ram
35000
```

OUTPUT

```
Exception in thread "main" java.util.NoSuchElementException
    at java.base/java.util.Scanner.throwFor(Scanner.java:937)
    at java.base/java.util.Scanner.next(Scanner.java:1594)
    at java.base/java.util.Scanner.nextInt(Scanner.java:2258)
    at java.base/java.util.Scanner.nextInt(Scanner.java:2212)
    at Employee.main(Employee.java:12)
```