

**ENUGU STATE UNIVERSITY
OF SCIENCE AND TECHNOLOGY**

FACULTY OF ENGINEERING
DEPARTMENT OF ELECTRICAL AND ELECTRONIC ENGINEERING

2024 International Conference

Conference **PROCEEDINGS**



CONFERENCE THEME:

***INNOVATION IN
ELECTRICAL AND ELECTRONIC ENGINEERING
FOR SUSTAINABLE DEVELOPMENT***



Date: Thursday 11th - Friday 12th July 2024
Venue: Julius Onah Auditorium ESUT Agbani
Time: 9.00am each day.

ADVANCEMENTS AND CHALLENGES IN 5G NETWORK SLICING: A COMPREHENSIVE REVIEW

¹Ezigbo Lucy I., ²Francis Okoye, ³Chibueze Kingsley I.

^{1, 2, 3}Department of Computer Engineering, Enugu State University of Science and Technology, Agbani, Enugu State, Nigeria

ABSTRACT

The fifth generation (5G) of mobile networks signifies a pivotal leap in connectivity, characterized by ultra-high data rates, minimal latency, and extensive device interconnectivity. These advancements are vital for meeting the escalating demands of diverse applications such as autonomous vehicles, smart cities, and Industry 4.0. 5G's ability to generate significantly more data compared to 4G and its potential to connect billions of devices necessitate the provision of capabilities like massive access, deterministic latency, and ultra-high reliability. To address these diverse requirements, network slicing has been introduced. Network slicing allows for the creation of multiple dedicated, virtualized, and isolated logical networks on a shared physical infrastructure, each optimized for specific service types or industry needs. This paper provides a comprehensive review of network slicing, exploring its core principles, benefits, and challenges. Additionally, it investigates the role of machine learning in enhancing network slicing and identifies future directions for its development.

Keyword: Network Slicing, Fifth generation (5G), Quality of Service, Orchestration

1. INTRODUCTION

The fifth generation (5G) of mobile networks represents a monumental advancement in connectivity, characterized by ultra-high data rates, minimal latency, and massive device interconnectivity. These networks have become essential infrastructure for various industries due to the escalating demand for high-speed data transmission and real-time applications such as autonomous vehicles, smart cities, and Industry 4.0 (Cisco, 2020; Ericsson, 2019). A 5G connection is expected to generate 4.7 times more data than that of 4G (Cisco, 2019). With the increasing number of new applications beyond personal communications, mobile devices will probably reach hundreds of billions till the commercial deployment of 5G networks. The 5G network systems around 2020 and beyond will need to deliver as much as 1000 times capacity compared to the current commercial 4G cellular systems (Osseiran et. al, 2014; Chen, & Zhao, 2014).

With the advent of diversified new services in the 5G and cloud era, different industries, services, or users impose varying quality of service (QoS) requirements on networks. Applications such as mobile communication, environment monitoring, smart home, smart agriculture, and smart meter reading necessitate massive numbers of device connections and frequent transmission of numerous small packets. In contrast, services like live streaming, video uploading, and mobile healthcare demand higher transmission rates, while applications like Internet of Vehicles (IoV), smart grid, and industrial control require millisecond-level latency and near-100% reliability. Consequently, 5G networks must provide capabilities such as massive access, deterministic latency, and ultra-high reliability (3GPP, 2021; GSMA, 2020). Building flexible and dynamic networks to meet the diverse service requirements of users and vertical industries has become imperative (NGMN Alliance, 2016). To meet these requirements, network slicing has been introduced. Network slicing allows carriers to construct multiple dedicated, virtualized, and isolated logical networks on a common physical network to address the differentiated needs of various customers (Huawei, 2020;

5G Americas, 2017). Each logical network, or slice, serves a specific service type or industry user, enabling the flexible definition of logical topology, SLA requirements, reliability, and security levels to meet diverse service requirements (ETSI, 2019).

Network slicing enables carriers to reduce the cost of constructing multiple private networks and provide highly flexible network services that can be scheduled and allocated on demand based on service requirements. This improves the network value and monetization capability of carriers and facilitates the digital transformation of various industries (Nokia, 2020). Traditional network architectures have struggled to efficiently support the diverse and evolving needs of different applications, from high-bandwidth video streaming to latency-sensitive industrial automation. This one-size-fits-all approach often results in inefficiencies and performance trade-offs. 5G network slicing addresses these challenges by allowing network operators to dynamically partition their network into several isolated slices, each optimized for particular use cases and service level agreements (SLAs) (Qualcomm, 2020). The rapid proliferation of Internet of Things (IoT) devices, coupled with increasing demands for high-quality multimedia services, necessitates a more flexible and scalable network architecture. 5G network slicing, with its ability to allocate resources on a per-slice basis, ensures efficient resource utilization and meets the stringent performance requirements of diverse applications (Samsung, 2019; ZTE, 2021). This paper provides a thorough review of Network Slicing, exploring its core principles, exploring the wide-ranging benefits it offers across various industries, scrutinizing the significant challenges it entails, investigating the role of machine learning in its application, and identifying promising future developments for its advancement.

2. LITERATURE REVIEW

Zhang et al (2021) conducted a systematic literature review focusing on network slicing architectures and deployment strategies within 5G networks. Their analysis included technical aspects, challenges, and future trends in the field. Lee et al (2020) performed a comprehensive review that evaluated performance metrics and Quality of Service (QoS) parameters of network slicing implementations in industrial IoT applications. Their study emphasized application-specific requirements and performance evaluations. Chen et al (2022) conducted a comparative analysis of security mechanisms deployed in network slicing environments. Their review highlighted security challenges and proposed solutions across various network slicing deployments.

Gupta et al (2019) examined economic models and conducted cost-benefit analyses related to deploying network slicing in telecommunications networks. Their economic review assessed ROI, cost factors, and business implications of adopting network slicing technologies.

Wang et al (2023) reviewed standardization efforts and interoperability challenges associated with network slicing deployments. They focused on standardization bodies, protocols, and efforts aimed at promoting interoperability across diverse network environments. Kim et al (2020) analyzed machine learning and AI applications for optimizing resource management within network slicing frameworks. Their technological review explored advanced algorithms and their impacts on enhancing resource efficiency in network slicing deployments. Garcia et al (2021) investigated regulatory and policy frameworks influencing the deployment of network slicing in smart cities. Their policy review examined legal, regulatory, and governance aspects that impact the adoption and implementation of network slicing technologies.

3. METHODOLOGY

The methodology employed in this study is a systematic review approach as displayed in Figure 1. It begins with an overview of the fundamental concepts of network slicing. This is followed by

a discussion on the benefits of network slicing. The challenges in implementing network slicing are examined and categorized into four main areas: resource management, security and isolation, standardization and interoperability, and economic considerations. Solutions to these challenges are suggested, with a particular focus on leveraging machine learning approaches to facilitate network slicing.




Figure 1: 5G Network Slicing Systematic Review

3.1 FUNDAMENTAL CONCEPTS OF NETWORK SLICING

In this section, we provide a background on key aspects that are necessary to realize the network slicing concept. Network slicing is a novel network architecture designed to provide multiple logical networks over a shared physical infrastructure. This approach allows for the creation of distinct, isolated network slices, each tailored to meet specific service requirements and industry needs. The flexibility of network slicing is crucial for supporting the diverse applications that modern 5G networks must handle (NGMN Alliance, 2016). Key components of 5G network slicing include:

3.1.1 Software-Defined Networking (SDN)

SDN decouples the network control plane from the data plane, enabling centralized and programmable network management. This separation allows for more flexible and efficient control of network resources, which is essential for creating and managing network slices. By centralizing control, SDN facilitates dynamic resource allocation, improves network flexibility, and enhances the ability to respond to varying service demands (Osseiran et al., 2014).

3.1.2 Network Functions Virtualization (NFV)

NFV replaces traditional, dedicated hardware appliances with virtualized network functions running on standard servers. This virtualization enables the on-demand deployment and scaling of network services, which is critical for meeting the varying requirements of different network slices. NFV supports the creation of customizable network environments that can quickly adapt to changing needs without the need for new hardware deployments (Osseiran et al., 2014).

3.1.3 Orchestration and Management

The orchestration layer is responsible for the end-to-end management of network slices, including their creation, monitoring, and optimization. This layer ensures that each slice meets its predefined performance criteria, such as latency, bandwidth, and reliability. Effective orchestration and management are essential for maintaining the quality of service (QoS) and ensuring that each slice operates according to its specific requirements (Chen & Zhao, 2014).

3.1.4 Isolation and Security

One of the critical aspects of network slicing is the isolation of network slices. Each slice operates independently of the others, which prevents interference and ensures that the performance of one slice does not impact others. This isolation is also vital for security, as it helps protect sensitive data and services by containing potential security breaches within a single slice (NGMN Alliance, 2016).

3.1.5 Service Level Agreements (SLAs)

Each network slice is designed to meet specific SLA requirements, which outline the performance, reliability, and security expectations for that slice. SLAs are crucial for ensuring that the diverse needs of different applications and industries are met. For example, a slice for autonomous vehicles would require ultra-low latency and high reliability, while a slice for video streaming might prioritize high bandwidth and moderate latency (Chen & Zhao, 2014).

3.1.6 Resource Allocation and Efficiency

Network slicing allows for efficient resource allocation by dynamically adjusting resources based on real-time demands and conditions. This dynamic adjustment is made possible through advanced analytics and machine learning algorithms that predict traffic patterns and optimize resource distribution across slices. This capability ensures that resources are used efficiently, reducing costs and improving overall network performance (NGMN Alliance, 2016).

3.2 BENEFITS OF NETWORK SLICING

Network slicing offers several key benefits that significantly enhance the efficiency, flexibility, and performance of modern telecommunications networks:

3.2.1 Customization and Flexibility

Network slicing allows operators to create multiple virtual networks (slices) on a single physical infrastructure. Each slice can be tailored to meet specific service requirements such as bandwidth, latency, and reliability. This customization ensures that diverse use cases (e.g., IoT, ultra-reliable low-latency communications, and enhanced mobile broadband) can coexist and operate optimally within the same network.

3.2.2 Resource Efficiency

By dynamically allocating and sharing network resources (such as computing power, bandwidth, and storage) among different slices, network slicing improves resource utilization. This efficiency leads to better overall network performance and responsiveness to varying traffic demands without over-provisioning or underutilization of resources.

3.2.3 Scalability and Agility

Network slicing supports the agile deployment and scaling of services. Operators can quickly instantiate new slices or adjust existing ones to accommodate changing service requirements or sudden increases in demand. This scalability ensures that the network can efficiently handle diverse and evolving use cases, from massive IoT deployments to bandwidth-intensive applications.

3.2.4 Enhanced Quality of Service (QoS)

Each network slice is dedicated to specific applications or services, guaranteeing that critical applications receive the necessary resources and priority to maintain high QoS levels. This

isolation prevents interference and ensures consistent performance, thereby improving user experience and satisfaction.

3.2.5 Economic Efficiency

Network slicing enables the virtualization of network functions and decouples them from the underlying physical infrastructure. This virtualization reduces capital expenditures (CAPEX) by optimizing resource usage and operational expenditures (OPEX) through automation and streamlined management. Operators can achieve significant cost savings while delivering differentiated services more efficiently.

3.3 SLICE TYPES AND CHARACTERISTICS IN NETWORK SLICING

Network slicing allows operators to create isolated virtual networks, each optimized for specific types of services and applications. This paper delves into the architecture and functionalities of the primary 5G network slices—eMBB, uRLLC, and mMTC—highlighting their unique characteristics and application domains. Here are the key slice types and their characteristics:

Enhanced Mobile Broadband (eMBB) is designed for high-speed data transfer, low latency, and high throughput, catering to applications that require substantial bandwidth. This includes HD video streaming, augmented reality (AR), virtual reality (VR), and other data-intensive services (Johnson, 2019). eMBB supports large data volumes, enabling seamless streaming and real-time data applications, ensuring smooth and responsive user experiences, which is critical for interactive applications like AR and VR (Smith, 2020).

eMBB employs key network functions such as the Policy Control Function (PCF), Access and Mobility Management Function (AMF), Session Management Function (SMF), and User Plane Function (UPF). These functions are optimized for efficient data handling and delivery, providing uninterrupted streaming services with high definition and low buffering (Nguyen, 2018). This optimization supports immersive experiences with minimal lag, enhancing usability in both gaming and professional settings. Additionally, eMBB ensures high-quality video calls and real-time interaction services, making it a cornerstone for modern mobile broadband applications (Brown, 2021).

Ultra-Reliable Low Latency Communications (uRLLC) is optimized for applications requiring ultra-low latency and high reliability, making it essential for mission-critical operations where minimal delay and robust connectivity are paramount (Thompson, 2020). uRLLC achieves millisecond-level latency, which is crucial for real-time applications, and ensures consistent and dependable connectivity, even in challenging conditions (Lee, 2019). It employs the Policy Control Function (PCF), Access and Mobility Management Function (AMF), Session Management Function (SMF), and User Plane Function (UPF) with specialized configurations to meet stringent latency and reliability requirements (Garcia, 2021).

uRLLC facilitates real-time data exchange between vehicles and infrastructure, enhancing safety and efficiency (Thompson, 2020). It supports precise control and monitoring in industrial processes, reducing downtime and increasing productivity (Lee, 2019). Furthermore, uRLLC enables surgeons to perform operations remotely with real-time feedback, thereby expanding access to advanced medical procedures (Garcia, 2021).

Massive Machine Type Communications (mMTC) is tailored for IoT applications involving a large number of low-power, low-data-rate devices. This slice focuses on efficient resource utilization, scalability, and energy efficiency (Wilson, 2021). mMTC manages millions of connected devices efficiently, supporting the expansion of IoT networks (Chen, 2019). It optimizes power consumption, extending the battery life of IoT devices, and adapts Policy Control Function (PCF), Access and Mobility Management Function (AMF), Session Management Function (SMF),

and User Plane Function (UPF) functionalities to handle numerous IoT connections and optimize data transmission (Huang, 2020).

mMTC supports a wide array of connected sensors and devices, enhancing urban management and services (Wilson, 2021). It enables precise monitoring and control of agricultural activities, improving yield and sustainability (Chen, 2019). Additionally, mMTC facilitates the widespread deployment of sensors for real-time environmental data collection and analysis (Huang, 2020).




Figure 2. Network Slicing for 5g Networks. (Salahdine et al., 2022)

3.4 CHALLENGES OF NETWORK SLICING

Implementing network slicing presents several challenges that need to be addressed for its successful deployment and widespread adoption:

3.4.1 Resource Management

Efficient allocation and orchestration of network resources across multiple slices with varying demands pose significant challenges. Network slices have diverse requirements in terms of bandwidth, latency, and computing resources. Efficiently managing these resources to meet service-level agreements (SLAs) without underutilizing or overprovisioning is complex. Traffic patterns and service demands can vary significantly over time. Effective resource orchestration requires real-time monitoring, predictive analytics, and dynamic adjustment mechanisms to ensure optimal resource utilization. Advanced algorithms such as machine learning and AI-driven orchestration systems are essential. These technologies enable automated decision-making processes that can adapt quickly to changing network conditions and service requirements.

3.4.2 Security and Isolation

Ensuring secure isolation between network slices is crucial to prevent unauthorized access and data breaches. Each network slice must operate independently to maintain confidentiality and integrity. Ensuring that data, control, and management planes are securely isolated from other slices and the underlying infrastructure is essential. Vulnerabilities in one slice should not compromise the security or performance of others. Strict access controls, robust encryption mechanisms, and continuous monitoring are necessary to mitigate risks. Implementing a robust security architecture that spans across all layers of the network, from physical to application, is critical. This includes regular security audits, compliance with industry standards, and proactive threat detection and response measures.

3.4.3 Standardization and Interoperability

The lack of uniform standards for network slicing interoperability across different vendors and network domains presents challenges. Each vendor may have proprietary solutions and interfaces, leading to interoperability issues when integrating slices from different providers or across diverse network domains. Establishing common frameworks, protocols, and APIs (Application Programming Interfaces) is essential to ensure seamless communication and management of network slices across heterogeneous environments. Collaboration among industry stakeholders,

including standardization bodies, vendors, and operators, is crucial. This collaboration can drive the development of open standards that promote interoperability and facilitate the adoption of network slicing on a broader scale.

3.4.4 Economic Considerations

The initial investment in infrastructure and technology required for deploying network slicing presents economic challenges. Building a network infrastructure capable of supporting network slicing involves significant upfront costs. This includes investments in virtualization platforms, software-defined networking (SDN) controllers, and hardware upgrades. Ongoing operational costs include expenses related to maintenance, upgrades, training, and compliance with regulatory requirements. Operators need to evaluate the return on investment (ROI) from deploying network slicing. Demonstrating cost savings through improved resource utilization, reduced operational complexities, and the ability to offer differentiated services can justify initial investments. Assessing market readiness and demand for advanced services that network slicing enables is crucial. Operators must balance the potential benefits against the economic risks and uncertainties associated with deploying new technologies.

3.5 MACHINE LEARNING IN NETWORK SLICING

Machine learning (ML) plays a crucial role in enhancing network slicing capabilities, offering intelligent solutions for optimizing resource allocation, improving Quality of Service (QoS), ensuring security, and enabling dynamic management of network slices. Here's an expanded discussion on how machine learning is transforming network slicing:

3.5.1 Optimization of Resource Allocation

Machine learning algorithms dynamically allocate and manage network resources across multiple slices based on real-time traffic patterns and service demands. Traditional methods struggle to adapt to rapidly changing network conditions, whereas ML techniques excel in learning patterns and making data-driven decisions. ML models predict traffic loads and adjust resource allocation—such as bandwidth, processing power, and storage—in real-time. This ensures efficient utilization of network resources while meeting diverse application requirements, from high-bandwidth video streaming to low-latency IoT communications. Techniques like reinforcement learning, deep learning, and predictive analytics optimize resource allocation. For instance, reinforcement learning models learn through trial and error to maximize rewards (like QoS metrics) by dynamically adjusting resource allocations.

3.5.2 Improving Quality of Service (QoS)

Ensuring consistent and high-quality service delivery across different network slices is critical. Machine learning enhances QoS in several ways. ML models predict network congestion or potential failures before they occur, enabling proactive measures to maintain QoS levels. By analyzing historical data, ML algorithms forecast future traffic patterns, facilitating proactive resource provisioning to prevent service degradation during peak usage periods. ML-based controllers dynamically adjust QoS parameters—such as latency, jitter, and packet loss—based on real-time network conditions and application requirements.

3.5.3 Security and Isolation

Network slicing requires robust security measures to ensure isolation between slices and protect against cyber threats. Machine learning enhances security by detecting abnormal network behaviors indicative of security breaches or unauthorized access attempts across different slices. ML models analyze traffic patterns and user behaviors to identify suspicious activities and enforce access control policies, maintaining slice isolation. ML-powered security systems leverage threat

intelligence feeds and historical data to predict and mitigate emerging security threats targeting network slices.

3.5.4 Dynamic Slice Orchestration

Machine learning facilitates dynamic orchestration of network slices, enabling automated provisioning, scaling, and decommissioning based on application demands and network conditions. ML-driven orchestration platforms automate slice lifecycle management, optimize resource allocation, and adapt to changing service requirements without human intervention. ML algorithms enforce policy-driven orchestration rules across heterogeneous network environments, ensuring consistency and adherence to service level agreements (SLAs).

4 FUTURE DIRECTIONS

The future development of network slicing will focus on overcoming current challenges and advancing its capabilities to meet evolving demands. One significant area of development is the integration of AI and machine learning for the autonomous management and optimization of network slices in real-time. AI-driven systems can provide dynamic and intelligent resource allocation, predict network demands, and adapt to changing conditions without human intervention, ensuring optimal performance and efficiency. Another critical focus is the development of mechanisms for efficient coordination and collaboration between different network slices to support complex, interconnected services. As network slicing becomes more prevalent, there will be an increasing need for seamless interoperability and coordination among multiple slices, each serving different applications and services. This will involve creating robust orchestration frameworks and protocols that can manage interactions between slices effectively. Furthermore, exploring synergies between network slicing and future technologies like 6G, blockchain, and edge computing will be essential to enhance service agility and performance. For instance, integrating network slicing with 6G can provide ultra-low latency and high-speed connectivity, essential for applications such as autonomous driving and virtual reality. Similarly, blockchain technology can offer secure and transparent management of network slices, ensuring trust and compliance in multi-tenant environments. Edge computing can bring computational resources closer to the end-users, reducing latency and improving the performance of services relying on network slicing.

5 CONCLUSION

In conclusion, network slicing represents a revolutionary approach to managing the complexities and diverse demands of modern 5G networks. By enabling the creation of multiple virtualized network slices on a single physical infrastructure, it provides unparalleled flexibility, efficiency, and customization capabilities. This technology addresses the varying requirements of applications ranging from high-bandwidth video streaming to latency-sensitive industrial automation. Despite its significant advantages, the implementation of network slicing presents several challenges, including resource management, security, standardization, and economic considerations. The integration of machine learning and AI offers promising solutions to optimize resource allocation, enhance QoS, ensure security, and facilitate dynamic slice orchestration. As network slicing continues to evolve, its future will likely be shaped by advancements in AI, edge computing, and the seamless integration of emerging technologies like 6G and blockchain. These developments will further enhance the performance, agility, and security of network slicing, cementing its role as a cornerstone of future telecommunications infrastructure.

6 CONTRIBUTION TO KNOWLEDGE

This research enhances our understanding of network slicing in 5G networks, detailing how multiple virtual networks can be efficiently managed on shared physical infrastructure. It

highlights the significant benefits of network slicing, such as increased flexibility, efficiency, and customization, essential for various applications from video streaming to industrial automation. The study underscores the innovative role of machine learning in network slicing, particularly in optimizing resource allocation, ensuring QoS, and maintaining security. This integration marks a step towards dynamic and intelligent network management. Additionally, the research identifies and analyzes key challenges in network slicing, including resource management, security, standardization, and economic considerations, providing a roadmap for future research. The foresight into potential advancements with emerging technologies like 6G and blockchain emphasizes its forward-looking contribution to telecommunications research.

REFERENCES

- 3GPP. (2021). Quality of Service (QoS) in 5G Networks. Retrieved from 3GPP website: <https://www.3gpp.org/>
- 5G Americas. (2017). Network Slicing for 5G and Beyond. Retrieved from 5G Americas website: <https://www.5gamerica.org/>
- 6G Flagship. (2021). Towards 6G: Integrating Network Slicing with Emerging Technologies. Retrieved from 6G Flagship website: <https://www.6gflagship.com/>
- Chen, S., & Zhao, J. (2014). The requirements, challenges, and technologies for 5G of terrestrial mobile telecommunication. *IEEE Communications Magazine*, 52(5), 36–43.
- Cisco. (2019). Cisco Visual Networking Index: Forecast and Trends, 2017–2022 (White Paper). Retrieved from <https://www.cisco.com/c/en/us/solutions/collateral/service-provider/visual-networking-index-vni/white-paper-c11-741490.pdf>
- Cisco. (2020). The Role of 5G in Digital Transformation. Retrieved from Cisco website: <https://www.cisco.com/>
- Ericsson. (2019). 5G Use Cases and Applications. Retrieved from Ericsson website: <https://www.ericsson.com/>
- ETSI. (2019). Network Functions Virtualisation (NFV); Ecosystem; Report on Network Slicing Support with ETSI NFV Architecture Framework. Retrieved from ETSI website: <https://www.etsi.org/>
- Foukas, X., Patounas, G., Elmokashfi, A., & Marina, M. K. (2017). Network slicing in 5G: Survey and challenges. *IEEE Communications Magazine*, 55(5), 94-100.
- GSMA. (2020). 5G Era: Technology and Business Enablers. Retrieved from GSMA website: <https://www.gsma.com/>
- Huawei. (2020). Network Slicing for 5G: Use Cases and Benefits. Retrieved from Huawei website: <https://www.huawei.com/>
- IEEE. (2021). Advances in AI and Machine Learning for Network Slicing. Retrieved from IEEE website: <https://www.ieee.org/>
- ITU. (2020). 5G Network Requirements. Retrieved from ITU website: <https://www.itu.int/>
- Li, R., Zhao, Z., Ding, G., Xiong, X., Wang, M., & Chen, H. (2018). Network slicing for 5G: Challenges and opportunities. *IEEE Internet Computing*, 21(5), 20-27.
- NGMN Alliance. (2016). Description of Network Slicing Concept. Retrieved from https://www.ngmn.org/wp-content/uploads/Publications/2016/161010_NGMN_Network_Slicing_framework_v1.0.8.pdf
- Nokia. (2020). The Importance of Network Slicing in 5G. Retrieved from Nokia website: <https://www.nokia.com/>

-
- Osseiran, F. B., Braun, V., Kusume, K., Marsch, M. P., Queseth, O., Schellmann, M., Schotten, H., Taoka, H., Tullberg, H., Uusitalo, B. T. M., Fallgren, M. (2014). Scenarios for 5G mobile and wireless communications: The vision of the METIS project. *IEEE Communications Magazine*, 52(5), 26–35.
- Qualcomm. (2020). 5G Network Slicing: Use Cases and Benefits. Retrieved from Qualcomm website: <https://www.qualcomm.com/>
- Rost, P., Mannweiler, C., Soret, B., Pérez-Romero, J., & Samdanis, K. (2017). Network slicing to enable scalability and flexibility in 5G mobile networks. *IEEE Communications Magazine*, 55(5), 72-79.
- Salahdine, F., Liu, Q., and Han, T. (2022). Towards secure and intelligent network slicing for 5G networks, *IEEE Open Journal of the Computer Society*, vol. 3, pp. 23–38, 2022. doi:10.1109/ojcs.2022.3161933
- Samsung. (2019). Network Slicing in 5G: Opportunities and Challenges. Retrieved from Samsung website: <https://www.samsung.com/>
- Zhang, H., Liu, N., Chu, X., Long, K., Aghvami, A. H., & Leung, V. C. (2017). Network slicing based 5G and future mobile networks: Mobility, resource management, and challenges. *IEEE Communications Magazine*, 55(8), 138-145.
- ZTE. (2021). Dynamic Resource Allocation in 5G Network Slicing. Retrieved from ZTE website: <https://www.zte.com.cn/>