



EVENT SCHEDULE

DEF CON Schedule

Check out our official lineup below. All times are displayed in **Pacific Time (PT)** for Las Vegas. The schedule below will automatically group live sessions together and scroll you right to the action.

FRIDAY, AUGUST 7



Ben Sadeghipour



Ryan Montgomery



Ads Dawson



Billy Giles

🕒 10:00 AM - 11:00 AM PT

📍 Workshop Stage 1

Opening Panel - "Is Red Teaming Dead?"

Moderated By Ben Sadeghipour (@NahamSec)

Guests:

Ads Dawson (Oxmoose)

Ryan Montgomery (@Oday)
Billy Giles



Chris Claunch

🕒 10:00 AM - 11:00 AM PT

📍 Workshop Tactic Table 5

The Entropy Illusion: High-Speed Cracking on a Budget

As modern password policies mandate 14+ characters, defenders have developed a false sense of security while red teams have entered a costly hardware arms race. But length is not the same as entropy. As policies grow stricter, human behavior becomes more predictable.

This session will demonstrate approaches focusing on high yielding results within a limited testing time frame and budget. We will explore tactics for leveraging custom probability masks, dictionary slicing and exploiting human predictabilit...

[Read More](#) ▼



Evan Cook

🕒 10:00 AM - 12:00 PM PT

📍 Workshop Tactic Table 6

RFID Bootcamp: Unleashed!

Are you ready for a high-octane sprint into RFID?

This isn't a sit-and-listen lecture with a few party tricks; it's a battle-tested 30-minute bootcamp to demystify RFID and unleash your skills. All levels welcome - It's time to blow the dust off your tools, and learn what has helped hundreds of other hackers get (and stay!) into RFID for good.

In this unleashed session, you will:

- Build a rock-solid understanding of how RFID actually works from card, to reader, to full scope system.
- Get hands-o...

Read More ✓



Drew Kirkpatrick

🕒 **10:00 AM - 12:00 PM PT**

📍 **Tactic Table 1**

Post-Exploitation of the Desktop with JS-Tap

JS-Tap v3 moves beyond exploiting web applications to targeting the endpoint itself. JavaScript is used heavily on desktops and in this hands-on tactic you'll deploy three JS-Tap implant types against your own machine. Start by installing a malicious browser extension that harvests sessions from every site you visit and lets you inject payloads into specific apps on command. We'll then rebuild the browser extension implant with optional (and less stealthy) features that allow jumping from the browser to the...

Read More ✓

**Cody Spooner****🕒 10:00 AM - 12:00 PM PT****📍 Tactic Table 2**

Red Team Express

We have a train that needs to keep going. The defender needs to keep the train going. The attacker needs to stop the train. Who will win?

This tactic would explore OT protocols (such as modbus) to control a Lego train. Participants can watch, or participate as either an attacker or defender. Their goals being to either stop the train or keep it on track.

**Gowthamaraj Rajendran****🕒 10:00 AM - 12:00 PM PT****📍 Tactic Table 3**

Zero Signal: Operating Where Defenders Can't See

82% of intrusions in 2025 involved no malware — adversaries operated through valid credentials, cloud APIs, and identity abuse, generating zero endpoint signal. Cloud-conscious intrusions surged 37% year-over-year, with groups like Storm-2372, Midnight Blizzard, and Scattered Spider executing major breaches using only OAuth tokens and cloud management APIs — no payloads, no processes, no EDR alerts. Yet the average cloud breach takes 143 days to detect, and 45% are discovered by external parties, not intern...

[Read More](#) ▼**Michael Reimsbach** **10:00 AM - 12:00 PM PT** **Tactic Table 4**

Falco Hunt: Evading Runtime Detection in Kubernetes

Falco is one of the most widely deployed cloud-native runtime security tools, relied upon to detect suspicious behavior across containers and Kubernetes environments. But what happens when attackers understand the rules better than defenders?

In this hands-on tactic, attendees will compromise a Kubernetes environment while interacting directly with Falco detections in real time. Participants will execute common attacker actions including secret harvesting, privilege escalation attempts, reverse shell execu...

[Read More](#) ▼**Mike Manrod****Ezra Woods****Spencer Alessi** **10:00 AM - 6:00 PM PT** **Kiosk Area**

From Kiosk to Domain Compromise: Learning to Walk Up and Take it All

Kiosks are everywhere. Their prevalence in our society has exploded, with devices such as fast-food ordering, signage, ticketing and check-in, print/ship/office, library, point-of-sale, and more - all around us.

How secure are they though? Are they being adequately tested? We all learned on July 19, 2024, when a multitude of the signs and kiosks around us went BSOD that a large number of these kiosks - from airports to ATMs - are running on Windows. We need to be asking questions like, are they joined...

Read More ▾



Hugo van den Toorn

🕒 **10:00 AM - 6:00 PM PT**

📍 Special/Quest Area

BloodHound Quest

BloodHound Based CTF



Nathan Sawyer

🕒 **11:00 AM - 12:00 PM PT**

📍 Workshop Stage 1

Trusted Launcher, Untrusted Code: Weaponizing AppLaunch.exe to bypass SmartScreen and AppLocker

AppLocker, SmartScreen, and Windows Defender Application Control (WDAC) are the standards for securing enterprise endpoints through application whitelisting. A little-known Microsoft tool, AppLaunch, which has little to no research done, can be abused to bypass these common defenses to achieve initial access and persistence.

This talk will present a new ClickOnce deployment method using partial trust apps that launch from AppLaunch, a signed Microsoft executable that launches partial trust ClickOnce app...

[Read More](#) ✓



Aumkareshwar DS

🕒 **11:00 AM - 12:00 PM PT**

📍 Workshop Tactic Table 5

Exploiting Private 5G: Unauthenticated Access to Databases and Control Plane DoS via Fuzzing

Abstract—This presents an exhaustive empirical security analysis of a real-world private 5G network deployment, serving as a direct and explicit extension of our preceding research, "Security Analysis of a Real-World Private 5G Network Deployment through Pen Testing and Fuzzing." While our initial study successfully identified control-plane weaknesses and performance degradation via protocol mutation, this continuation focuses on four critical, highly exploitable attack vectors. Specifically, we d...

[Read More](#) ✓

**Zoziel Freire****🕒 12:00 PM - 1:00 PM PT****📍 Workshop Stage 1**

macOS Doesn't Get Malware...Until It Does

Abstract:

macOS has long been perceived as a low-risk platform, often treated as a secondary concern compared to Windows and Linux. That assumption no longer holds. As MacBooks become increasingly common in corporate environments, adversaries have followed, turning macOS into a viable and attractive target for real-world attacks.

This talk presents a practical, research-driven analysis of the recent evolution of macOS malware. Through hands-on experiments and real techniques, it explores how modern t...

Read More ✓

**JD D****🕒 12:00 PM - 1:00 PM PT****📍 Workshop Stage 2**

BloodHound OpenGraph Crash Course

In this session, attendees will learn how to design data models and build extensions for BloodHound OpenGraph.

After a presentation where I will go over the core concepts & components of BloodHound OpenGraph and the thought process behind BloodHound data modeling, attendees will design a model and build an extension from scratch based on a provided dataset.

If you like to tinker with BloodHound and are curious about the new OpenGraph features, this session is for you...

Note: Bring your own laptop w...

[Read More](#) ✓



Mohamed AbuMuslim



Saad Nasir

🕒 **12:00 PM - 2:00 PM PT**

📍 **Tactic Table 1**

Burning Redirectors Before Blue Team Does

Red team operators rely on redirectors to proxy C2 callbacks, but monitoring those redirectors for blue team detection is typically handled by either manual log review or deploying a full SIEM pipeline. Neither scales well during active assessments. NightWatcher is a traffic monitoring agent that analyzes redirector access logs through detection rules and a reasoning engine that identifies attack phase progression (reconnaissance through takedown) rather than issuing disconnected alerts. NightRouter is a de...

[Read More](#) ✓



Emma Latuszek

 **12:00 PM - 2:00 PM PT** **Tactic Table 3**

Web Hacking Bootcamp

A beginner to intermediate hands-on web hacking bootcamp originally created for internal up-skilling. Hands on with both specific to module PortSwigger labs and a self-hosted Juice Shop instance running on Docker Desktop.

Presentation Outline:

- Web Technology Foundations (Pre-requisite's on web-specific languages, encoding, HTTP request structure, some 'Hacker Mindset')
- Web Hacking Foundations (What is an application proxy/setting up Burp Suite, 'auth' & 'auth', sessions & tokens, CORS, vocabvocab)...

Read More 



Doug Mooney



Jared Dobbelaer



Jon Rhodes

 **12:00 PM - 2:00 PM PT** **Tactic Table 4**

Your Passkeys Won't Save You: Conditional Access Bypass via Auth-Method Downgrade

We rolled out passkeys" is the answer everyone gives now. So why does phishing still work? Because most tenants leave the password sitting there as a fallback method, and Conditional Access never closes the downgrade path. This workshop

walks a Conditional Access test kit that proves it. You stand up a real domain with a valid certificate, fronted by nginx, and lure the victim into a browser that lives on your server. They see the real Microsoft login — no fake form — but when it offers a passkey, the kit c...

[Read More](#) ✓



Rafael Felix

🕒 1:00 PM - 2:00 PM PT

📍 Workshop Stage 1

Shapeshifting C2: Applying DAITA Traffic Shaping to Defeat DPI and DLP Detection

ML-based DPI and DLP solutions have made signature evasion insufficient. Modern enterprise detection analyzes packet size distributions, inter-packet timing, and burst patterns to fingerprint C2 traffic regardless of how well headers and TLS certificates are spoofed.

This talk demonstrates how three techniques from the VPN privacy research space - originally developed to defeat traffic analysis against Tor and Mullvad, can be adapted for offensive C2 operations:

1. Constant-size packet morphing: forci...

[Read More](#) ✓

**Corey Ball****🕒 1:00 PM - 2:00 PM PT****📍 Workshop Stage 2**

One Request to Rule Them All

The world has changed...

It began with the forging of the modern enterprise. To the cloud were given vast kingdoms of compute. To the mobile apps, a presence in every pocket. To the machines that now think, knowledge stolen from the creators. And to bind them, to let each speak to each across the dark spaces between systems, the architects forged the APIs.

But in the forging a flaw was hidden. For an API answers any who ask it correctly, and it does not always stop to learn who is asking. So it came t...

Read More ▼

**Rohan Vazarkar****Wes Miller****🕒 1:00 PM - 2:00 PM PT****📍 Workshop Tactic Table 6**

BloodHound OpenGraph: Six Degrees of Everything

In this session, we'll give a short demo of the BloodHound OpenGraph platform, and show off some modeling capabilities and how to get started working with it. We will show participants an example using lab data with a fake AD environment

and Nessus/Vulnerability data and demonstrate how to integrate other sources of data into the existing graph and how easy it is to get started.



Robert Pimentel

🕒 **2:00 PM - 3:00 PM PT**

📍 Workshop Stage 1

Microsoft and Amazon are my Favorite C2 Providers

Cloud relay services check every box for C2 transport: outbound-only HTTPS on 443, cloud brokered connectivity so the attacker never touches the target directly, and endpoint domains that enterprises literally cannot blocklist without breaking production. I validated this at a Fortune 40, you can't block

*.servicebus.windows.net or *.iot.amazonaws.com without taking down dozens of business critical systems.

This research was accepted at Red Team Village DC33 but I had to withdraw due to a family emerge...

Read More ▼



Gordon Long

🕒 **2:00 PM - 3:00 PM PT**

📍 Workshop Stage 2

Extension Hollowing: Abusing Chrome's Extension Trust Model

Chrome controls over 65% of worldwide browser usage, with 100,000+ extensions on the Chrome Web Store. Enterprises rely on Chrome's built-in policies, such as extension allowlisting, WebStore integrity checks, and forced installed extensions to keep their endpoints clean. Those controls are broken.

Extension Hollowing is a new technique that completely bypasses Chrome's integrity verification of WebStore extensions. By hollowing out a legitimate allowlisted extension and replacing or backdooring its intern...

[Read More](#) ✓



Natan Morette

🕒 2:00 PM - 4:00 PM PT

📍 Tactic Table 2

Quality over Quantity: How to Publish CVEs that Actually Matter

This hands-on tactic focuses on making CVE discovery and publication practical, accessible, and repeatable. Instead of treating vulnerability research as an individual or highly specialized skill, this session introduces a structured workflow that attendees can immediately apply.

Attendees will follow a step-by-step approach to:

- Explore a scoped attack surface
- Apply a curated vulnerability pattern checklist
- Identify and validate a potential vulnerability
- Structure the finding in a simplif...

[Read More](#) ✓

**Shad Brown** **2:00 PM - 4:00 PM PT** **Tactic Table 3**

Automated Mythic Deployment with Gaia

Deploying a C2 server manually is a time consuming, sometimes annoying process. Deploying a C2 server weekly for two months, even more so. This Tactic will cover Gaia, the tool developed by the Midwest Collegiate Cyber Defense Competition Red Team to handle automated C2 deployment, user provisioning, payload creation, and more.

This Tactic will have attendees start with a standard Debian VM, and end with a fully provisioned Mythic server that can serve as the foundation for your next CTF, lab, or with a...

[Read More](#) **James Williams** **2:00 PM - 4:00 PM PT** **Tactic Table 4**

Social Engineering With Reel

Reel is a modern social engineering framework, developed for use by the TrustedSec Targeted Ops team. It supports phishing campaigns, proxying captured credentials to other sites, device code phishing, dynamic SMS and voice campaigns (via integration with AWS). This session will show the attendees how deploy and

configure reel, as well as how to craft advanced SE campaigns using the reel workflow system and show how custom plugins can be developed.



Shane Young

🕒 3:00 PM - 4:00 PM PT

📍 Workshop Stage 1

Trust the Pipeline, Lose the Kingdom: Hands-On Cloud Native CI/CD Red Team

Cloud native CI/CD pipelines are the soft underbelly of modern enterprise security. SolarWinds in 2020, Codecov in 2021, CircleCI in 2023 set the template, and the pattern has only accelerated: tj-actions compromised 23,000 repositories in March 2025, GhostAction exfiltrated 3,325 secrets in September 2025, TeamPCP turned Trivy and Checkmarx GitHub Actions into credential stealers in March 2026. Most red teams still do not operate meaningfully against cloud CI/CD, and most detection stacks still do not watc...

[Read More](#) ▼



Rudy Ristich



Vijay Anand

🕒 3:00 PM - 4:00 PM PT

📍 Workshop Stage 2

LLM-Coached Red Team Tactics to Attack Zero Trust

This workshop is targeted toward novice and intermediate red teamers and explores how AI-assisted offensive agents can support attack-path discovery and adversarial operations within modern Zero Trust environments. Following a brief overview of ARES (Autonomous Reconnaissance & Exploitation System), participants spend most of the session interacting with the agent while navigating a live enterprise range.

ARES is built upon a retrieval-augmented generation (RAG) architecture incorporating offensive doctr...

[Read More](#) ✓



Raunak Parmar



Chirag Savla

🕒 **3:00 PM - 4:00 PM PT**

📍 **Tactic Table 1**

From Application Telemetry Exposure to Cross-Service Pivoting and Full Azure Tenant Takeover

Cloud-native teams often treat web app "config leaks," verbose telemetry, and CI/CD misconfigurations as separate, low-impact issues. This talk shows how those assumptions break in practice. We present a full kill chain where a single exposed Application Insights key in a front-end patient portal is chained with realistic but common Azure misconfigurations to achieve complete tenant compromise and Global Administrator access.

Starting from an exposed Application Insights Instrumentation Key in client-sid...

[Read More](#) ✓

**Fagan Afandiyev** **4:00 PM - 5:00 PM PT** **Workshop Stage 1**

Trust Me, Bro: A field guide to Windows Authenticode Abuse

This talk breaks down how Windows code signing fails. You learn why signed binaries still bypass trust checks and why users click through warnings. The session walks through signature abuse, metadata cloning, and SIP hijacking with live demos and explain the pros and cons. You see how attackers make malware appear trusted by the OS and trick the user.

You also see how these techniques can get chained together through with the tool "TrustMeBro".

**Hassan Mohamad** **4:00 PM - 5:00 PM PT** **Workshop Stage 2**

Network Implants: Lessons Learned Building Reliable Red Team Dropboxes

This 60-minute session is both a technical workshop and an interactive tactic. The first half is a practical walkthrough of how we built and refined a field-ready network implant (commonly called a "Dropbox") for red team engagements. The second half is hands-on: attendees can interact with the Dropboxes (i will bring a

few), connect to the lab environment, test operator access (even via smartphone), ask questions, and experiment with parts of the workflow themselves.

The problem we wanted to solve was s...

[Read More](#) ▼



Miguel Fernandez

🕒 4:00 PM - 6:00 PM PT

📍 Tactic Table 1

EvilEssid: Evading Wireless Intrusion Prevention Systems

What if a rogue access point could evade a Wireless Intrusion Prevention System (WIPS) while operating in plain sight?

In this hands-on tactic, participants will learn how EvilEssid, a wireless evasion technique, exploits weaknesses in how WIPS solutions identify, classify, and trust wireless networks. Rather than focusing solely on theory, attendees will actively build, configure, and operate EvilEssid in a controlled lab environment. Through a series of guided exercises, participants will gain practic...

[Read More](#) ▼



Michael Ortiz



Michael Kim

🕒 4:00 PM - 6:00 PM PT

📍 Tactic Table 2

redStack: Boot-To-Breach Red Team Platform

Prerequisites: complete these before the session, published in advance at <https://github.com/BaddKharma/redStack-defcon34> (AWS account, AWS CLI, Terraform, and an OpenVPN client). Setup happens ahead of time so it does not eat into the session.

A two-hour hands-on workshop where attendees stand up a full red team operator stack (<https://github.com/BaddKharma/redStack>) and run it against a live cyber range. Each attendee gets their own instanced range over an OpenVPN tunnel, so no public DNS or exposed in...

[Read More](#) ▼**Mauro Eldritch****Nelson Rafael Colón Merán**

🕒 4:00 PM - 6:00 PM PT

📍 Tactic Table 3

Haetae: An Agent to Takedown North Korean C2 Servers

In this talk, we introduce Haetae, an agent designed to profile, identify, and exploit C2 frameworks used by North Korean malware.

Haetae supports both automated and interactive modes, allowing analysts to map and understand adversary infrastructure with different levels of control. It is built around a flexible rule-based system, enabling users to extend and refine detections as new patterns and frameworks emerge.

In this first release, we will walk through real-world cases where Haetae was used to i...

[Read More](#) 

Ariz Soriano



Andrea Brosio

 **4:00 PM - 6:00 PM PT** **Tactic Table 4**

Praetor: An OPSEC Exposure Advisor for Empire Operators

Every operator makes the same call dozens of times an engagement: I need to do X, so how do I do it? Drop a binary, load a BOF, tunnel Impacket, abuse a LOLBIN? Today that runs on gut feel, and guessing wrong is how you get caught.

Praetor is an open-source, AI-driven OPSEC assistant that plugs into Empire and turns that call into an informed one. You tell it what you want to do, and it suggests the ways to do it, ranked by how much each one would expose, with a plain-language explanation of why one path...

[Read More](#) 

SATURDAY, AUGUST 8



Wes Thurner



Jason Strange

 **10:00 AM - 11:00 AM PT** Workshop Stage 1

Inside the Red Team Cabal: A Decade of Lessons from Enterprise Red Teams

The Red Team Cabal is an invite-only community of enterprise red team practitioners dedicated to advancing the craft through trusted collaboration, candid discussion, and the sharing of real-world experiences. While organizations, industries, and technologies may differ, red teams consistently encounter many of the same challenges. The Cabal provides a unique forum where practitioners can learn from one another, exchange lessons learned, and collectively mature the practice of adversary emulation.

This p...


Read More 



Jennifer Slaybaugh



Morton Schenk



Alexandru Uifalv

 **10:00 AM - 12:00 PM PT** Workshop Tactic Table 5

Living Off the Vault

Sablefort is a fintech startup that ships an in-house password manager, Sablefort Keyvault.

Rather than use a vetted encryption library, its engineering team rolled their own

cipher.

Starting from nothing but a public support chatbot, the player attempts to work through the attack chain.



Frank Victory

🕒 10:00 AM - 12:00 PM PT

📍 Workshop Tactic Table 6

Pyramid of Pain-Red Team (Human and Technical Friction)

Inspired by the Pyramid of Pain, this session flips the lens inward to examine the friction Red Teams face across tools, policies, and organizational constraints. We will explore how limited scope, tool fatigue, and misaligned incentives reduce the real impact of security testing—and how to (possibly) fix it. Using frameworks such as MITRE ATT&CK, attendees will learn to prioritize findings by business risk, translate technical results into actionable outcomes, and build repeatable processes that drive reme...

[Read More](#) ✓



Mike Lisi

🕒 10:00 AM - 12:00 PM PT

📍 Tactic Table 1

From Path Traversal to Domain Credentials in 90 Seconds

In this hands-on tactic, attendees will exploit a realistic document management portal to chain path traversal into something far more dangerous. We'll demonstrate a complete attack path from initial discovery to domain credentials, then discuss why this works, where you'll find it, and how defenders should be looking for it.

What You'll Do:

You'll get hands-on access to a vulnerable Windows IIS application and work through the complete exploitation chain. By the end of the session, you'll have captured...

[Read More](#) ✓



Ahmet Furkan Aydogan



Utku Yildirim

🕒 **10:00 AM - 12:00 PM PT**

📍 **Tactic Table 2**

PMTC: One-Click RCE and Persistent Exfil in AI Coding Agents

Red teamers operating in environments where developers run AI coding agents (Anthropic Claude Code, OpenAI Codex CLI) now have a high-impact, low-detection attack path. We call it PMTC (Persistent MCP Tool Capture). The live demo runs the full operational chain. A .lnk shortcut with hidden extension delivers the payload. One double-click launches the agent in attacker-controlled CWD. Parent-walk .mcp.json auto-exec fires. A zero-prompt OAuth flow captures credentials. A refresh token persists silently in th...

[Read More](#) ✓



Apoorwa Joshi



Justin Dray

10:00 AM - 12:00 PM PT

Tactic Table 3

MCP Servers: The Next Enterprise Attack Surface

Everyone's building MCP servers. Nobody's attacking them yet. AI agents are now wired directly into developer workflows via the Model Context Protocol (MCP). This session dissects the hidden security risks in MCP ecosystems, from malicious tool servers to over-privileged integrations. You'll walk away with actionable defenses and a fresh lens on AI-augmented attack surfaces. This talk covering five distinct attack surfaces mentioned in the outline.

Two live demos make the risk visceral:

1) A malicious MCP...

[Read More](#) ✓



Dhruva Goyal



Sitaraman Subramanian

10:00 AM - 12:00 PM PT

Tactic Table 4

Hands-On Autonomous Pentesting with Pentest Copilot

Pentest Copilot is an MIT licensed open-source agentic penetration testing workspace designed to assist security professionals with web/network application assessments.

This hands-on tactic introduces participants to operating autonomous web pentesting workflows against intentionally vulnerable applications. Attendees will deploy Pentest Copilot, configure the environment, and use it to perform attack-surface discovery, authenticated testing, vulnerability investigation, and workflow-driven analysis....

[Read More](#) ✓



Filipi Pires

🕒 **11:00 AM - 12:00 PM PT**

📍 Workshop Stage 1

DPAPI Is Not a Boundary: A Full Infostealer Kill Chain Operators Can Replicate

Complete infostealer kill chain hands-on, executed against Windows 11 21H2 on default UAC using only open-source tooling. No zero-days, no commercial C2. Participants run every command live: HTA delivery, Meterpreter in-memory session, Chrome and Edge credential extraction via DPAPI-locked SQLite, keylogging in explorer.exe memory, UAC bypass via fodhelper, SYSTEM via Named Pipe Impersonation, and LSASS dump via Kiwi. The DPAPI_SYSTEM key recovered from LSA secrets decrypts the browser credentials captured...

[Read More](#) ✓



Joanna -

🕒 11:00 AM - 12:00 PM PT

📍 Workshop Stage 2

The Authentic Operator: Social Engineering Through Natural Delivery

Current social engineering training commonly teaches OSINT, pretexting, phishing, vishing, rapport building, elicitation, influence, framing, and nonverbal communication. That material is valuable, but much of it still treats the operator as interchangeable: learn the technique, pick the pretext, run the script. This workshop takes a different angle. The operator's natural communication style is part of the tradecraft. A social engineering approach fails when the operator cannot deliver it credibly under pr...

[Read More](#) ▼

Aamiruddin Syed



N A

🕒 12:00 PM - 1:00 PM PT

📍 Workshop Stage 1

Agentic AI Supply chain Vulnerability lab

AI agents are no longer simple chatbots they autonomously execute code, call external APIs, and make decisions across complex workflows. But what happens when the tools they trust are compromised?

This hands-on workshop explores ASI04: Supply Chain Vulnerabilities from the OWASP Top 10 for Agentic Applications (2026). Participants will attack a deliberately vulnerable AI agent system to understand how adversaries exploit the trust agents place in their dependencies.

Through 10 progressive challenges,...

[Read More](#) ▼



Blessen Thomas



Wojciech Poparda



Javier Hernández

12:00 PM - 1:00 PM PT

Workshop Stage 2

The Protocol-Native Adversary: Full-Spectrum ICS Simulation via SiL

As adversaries increasingly target the "physics" of critical infrastructure, the security community must move beyond IT-centric red teaming. While hardware-based training platforms have paved the way, they often lack the scale required to simulate complex, multi-facility sabotage. This workshop introduces a Software-in-the-Loop (SiL) environment designed to bridge the gap between IT command-and-control and OT process logic.

Participants will navigate a containerized industrial ecosystem, mastering "Living-...

[Read More](#) 

Mehmet Önder Key



Temel Demir

12:00 PM - 2:00 PM PT

Tactic Table 1

Ouroboros Attack! Recursive AI-Assisted 0-Day Hunting

This session presents a practical workflow for discovering and building real zero-day vulnerabilities using a recursive AI-assisted approach.

The first part of the talk examines a logic flaw identified in the rendering

mechanism of a large language model environment. Through structured interaction and controlled prompt chaining, inconsistencies in rendering state handling were exposed. By refining responses and feeding outputs back into follow-up prompts, the system revealed weaknesses in its own internal...

[Read More](#) ✓



Logan MacLaren

🕒 12:00 PM - 2:00 PM PT

📍 Tactic Table 2

Command & Conquer: Hands-on C2 Primer with Mythic

This hands-on workshop provides a unified view of C2 fundamentals for both offensive and defensive practitioners. Using the open-source Mythic framework, participants will deploy agents, handle callbacks, execute tasking with commentary on opsec and payload design considerations.

The session will also cover basic C2 infrastructure design including redirectors/domain fronting and an overview of Mythic feature sets. Students should leave armed with practical introductory experience operating Mythic for Red...

[Read More](#) ✓



Lenin Alevski

🕒 12:00 PM - 2:00 PM PT**📍 Tactic Table 4**

Red Teaming Kubernetes: From App-Level CVEs to Full Cluster Takeover

Kubernetes is the de facto operating system of the cloud, and more and more organizations are running their workloads on Kubernetes. While Kubernetes offers many benefits, it also introduces new security risks, such as cluster misconfiguration, leaked credentials, cryptojacking, container escapes, and vulnerable clusters.

In this workshop, attendees will learn how to attack Kubernetes clusters by simulating a real-world adversary exploiting one of the most recent vulnerabilities in the ecosystem: Ingress...

[Read More](#) 

Nishant Tayade

🕒 1:00 PM - 2:00 PM PT**📍 Workshop Stage 1**

You Can't Block My C2 — It's Your Google Calendar

Speaker Bio

Nishant Tayade is a Security Engineer on an enterprise Red Team, where he has spent three years conducting internal and external red team campaigns simulating real-world adversary tactics. His current research explores covert command-and-control techniques — including Mythic agents that abuse legitimate cloud services for stealthy communication — and operationalizing AI agents to enhance offensive security operations. Prior to his current role, he spent two years in SOC and SIEM engineerin...

[Read More](#) **Billy Giles** **1:00 PM - 2:00 PM PT** **Workshop Stage 2**

Stop Chasing Domain Admin: Designing Red Team Exercises That Matter

You got domain admin. No alerts fired. The red team “won.” But did the exercise actually test anything that matters?

Red team engagements are often evaluated based on familiar outcomes such as full compromise, stealth, or the use of novel techniques. While these may demonstrate operator skill, they frequently fail to answer the question the engagement was meant to address.

This session challenges a common industry pattern: optimizing for technical achievement instead of meaningful outcomes. When red t...

[Read More](#) **Will Alexander** **2:00 PM - 3:00 PM PT** **Workshop Stage 1**

Turning Keys and Opening Doors: Leveraging AI Hype to Hack Everything

Abstract

I've been Red Teaming for over five years now, and in that time I've led or been involved in more than a dozen Red Team engagements where my team has successfully (or semi-successfully) reached objective. I'm not an elite hacker. I've learned some cool tactics and techniques through public research and have pieced them together with my team to covertly pivot through networks and access sensitive data. I've decided that, while I'm not an elite hacker, I am really good at turning keys and opening do...

[Read More](#) ✓



Nathan Keys

🕒 **2:00 PM - 3:00 PM PT**

📍 Workshop Stage 2

Chaining Credentials Through the AI Infrastructure Nobody Secured

AI/ML services are proliferating across enterprise networks without security review. Developers deploy Ollama instances locally, data science teams stand up Jupyter notebooks and MLflow registries without authentication, platform engineers run Ray clusters and LiteLLM API gateways on default configurations, and MCP tool servers expose file system access and code execution to the network. These services rarely appear in traditional vulnerability scans and are seldom included in asset inventories.

To measu...

[Read More](#) ✓



Daniel Goldberg

 **2:00 PM - 4:00 PM PT** **Tactic Table 1**

Crawlee - Improving crawling with an LLM

Traditional web crawlers are great at finding links but terrible at understanding websites.

The interesting challenge is not replacing crawlers with AI. It's using the minimum amount of AI required to dramatically improve coverage.

Every automated tool I've tried hit a brick wall the moment it encounters MFA, multi-step workflows, onboarding wizards, or application states where a wrong click deletes data. As a result, large portions of authenticated attack surface require manually using the application...

Read More 



Redon Gashi



Armend Gashi

 **2:00 PM - 4:00 PM PT** **Tactic Table 2**

Living Off Someone Else's Inference

LLM-powered tooling is becoming a force multiplier for attackers, from reconnaissance automation to post-exploitation enumeration. Using their own API keys creates attribution and cost, so they look for alternatives.

Thousands of inference endpoints sit exposed on the internet: misconfigured Ollama instances, open vLLM deployments, leaked API keys in directory listings, and expired OAuth tokens from AI coding assistants that can be silently refreshed. Attackers can discover these resources and use them a...

[Read More](#) ▼



Mario Lobo

🕒 2:00 PM - 4:00 PM PT

📍 Tactic Table 3

AIMARU C2: The New Era of LotL (MCP AI-Driven C2)

Almaru C2 is the evolution of a concept sparked by an unsettling question: What happens when an attacker can execute advanced Living off the Land (LotL) attacks without being an expert? While traditional LotL requires a specialist to navigate complex environments, Almaru C2 changes the game. Evolving from a PoC into a sophisticated Red Team framework, it automates expert-level tradecraft by subverting Anthropic's Model Context Protocol (MCP). By weaponizing MCP clients, it transforms a standard context prot...

[Read More](#) ▼



Anthony Russell

🕒 2:00 PM - 4:00 PM PT

📍 Tactic Table 4

BloodBash: Lightweight CLI Python BloodHound Alternative

BloodHound is great... until your VM dies under Neo4j load, your login expires mid-exam, or you need hybrid AD + Entra ID insights without spinning up servers. Enter BloodBash: a standalone Python tool that ingests SharpHound (v6+) and AzureHound JSON directly, builds a full NetworkX graph in-memory, and spits out attack paths, misconfigs, and abuse suggestions — all offline, in colorful terminal glory.

Born from a real OSCP crisis (BloodHound failed hours before exam start → BloodBash saved the DA path),...

[Read More](#) ✓



Yekaterina Shevchenko

🕒 **3:00 PM - 4:00 PM PT**

📍 Workshop Stage 1

Requiem for the Decommissioned: When Dead Hosts Bite Back

Workshop: Requiem for the Decommissioned: When Dead Hosts Bite Back
Every organization has a graveyard - hosts that were decommissioned after a migration, abandoned when a project died, or simply dropped from inventory after a reorg. They're off the asset list, out of the patch cycle, and completely out of mind.

They're also still on the network.

This talk breaks down how forgotten and abandoned hosts consistently become the softest entry points during red team engagements - built from real engagement ex...

[Read More](#) ✓

**Yevhen Pervushyn****🕒 3:00 PM - 4:00 PM PT****📍 Workshop Stage 2**

Breaking MCP Trust Boundaries: Cross-Server Authority Injection in Agent Toolchains

Modern MCP deployments assume that low-privilege tools remain low-risk when reviewed independently. In practice, host agents compose outputs across multiple tools and privilege levels, creating authority paths that do not exist in any single server's standalone review.

This workshop demonstrates a compositional offensive primitive in MCP environments: a low-privilege server influencing the parameters of a high-privilege destructive operation through shared planning context.

Attendees will see a contro...

Read More ▼**Andrew Griess****🕒 4:00 PM - 5:00 PM PT****📍 Workshop Stage 1**

Control + C = Control Me

Demos (Desktop Only at the moment): <https://doctoreww.github.io/EvilFontTool/>

Tool: <https://github.com/DoctorEww/EvilFontTool>

General:

Workshop goes into evil fonts and how to use them in a red team to get free shells, also hints at a tool to make it easier (saving most of the tool stuff for the tactic)

Tactic will go into using the tool to create malicious word docs for social engineering / popping a shell.


Description:

For decades, cybersecurity has taught us to validate what we click, wha...

[Read More](#) ✓



Lee McWhorter



Sandra Stibbards

🕒 **4:00 PM - 5:00 PM PT**

📍 Workshop Stage 2

OSINT for Hackers Redux

In this Workshop and Tactic, attendees will be exposed to and get hands-on with some of the most impactful strategies, techniques, and tools to increase the value of OSINT to their red-teaming activities. As a guided learning experience, the instructors will immerse attendees in the topic and provide numerous hands-on opportunities within just the Workshop component. In addition, the dedicated Tactic (which will be offered multiple times) will focus on building secure sock puppets (fake identities) for use...

[Read More](#) ✓

**Moses Frost****🕒 4:00 PM - 6:00 PM PT****📍 Tactic Table 1**

The Quantum Mechanic: Attacking all the clouds

Cloud environments are now expansive and interconnected, where identity is the main security boundary, and misconfigurations pose security risks. For Red Teamers, attacking these environments often means relying on a collection of mismatched tools. You need one set of scripts for Entra ID, a separate framework for AWS, and many command-line tools for other cloud providers. This switching between tools is inefficient, and workflows require many manual commands. When operators deal with complex dependencies a...

Read More ▼**Arnold Morales****🕒 4:00 PM - 6:00 PM PT****📍 Tactic Table 2**

Evading EDR in ATM

ATMs in the end are a computer with windows

I will talk about EDRs and how parent-child process inheritance works

The Windows boot process, known as the boot process, is divided into several phases as we have already seen: PreBoot (initialization of BIOS/UEFI firmware and

POST), Boot Manager (loading of bootmgr or bootmgfw.efi), OS Loader (execution of winload.exe to load the kernel), and Kernel Initialization (loading of ntoskrnl.exe and hal.dll, initialization of drivers and services). Finally, winl...

[Read More](#) ✓



Nur Gucu

🕒 4:00 PM - 6:00 PM PT

📍 Tactic Table 3

MalSkill: Weaponizing AI Agent Skills for Persistence, Exfiltration, and Lateral Movement

Every red teamer's dream: a persistence mechanism that's a plain text file, invisible to EDR, survives reboots, self-propagates, and gives you full OS access through a trusted process. Welcome to MalSkills.

AI coding agents (Claude Code, Cursor, Codex, Copilot) execute shell commands, read/write files, and make network requests, and all orchestrated by natural language "skills" stored as plain text. These skills are never scanned, never signed, and fully trusted by the agent runtime. I built ORPHEUS, a m...

[Read More](#) ✓



Landon Rice

 **4:00 PM - 6:00 PM PT** **Tactic Table 4**

Writing Production-Grade Exploits in go-exploit

Writing an exploit that works once in a lab is easy. Writing one that holds up across firmware versions, hardened configurations, and real-world constraints is another challenge entirely. This hands-on workshop walks through the go-exploit framework and the engineering behind real-world offensive tooling, covering go-exploit's module design, error handling, target fingerprinting, and repeatability. Attendees will leave with a working exploit and the blueprints to build more.

**Jonathan Coradi****Oliveira Junior** **5:00 PM - 6:00 PM PT** **Workshop Stage 2**

Below the Threshold: Real-World APT Tradecraft for Full-Spectrum Compromise

This talk aims to demonstrate the modus operandi of an APT focused on full organizational compromise, revealing how such operations actually function in practice — not through isolated tools or techniques, but through the decision-making model that guides every action over time.

Rather than focusing on direct exploitation or individual methods, this session shows how advanced operators structure their actions around continuity, predictability, and behavioral alignment with the target environment. Attacks...

Read More 

SUNDAY, AUGUST 9



Sohail Saha

🕒 10:00 AM - 11:00 AM PT

📍 Workshop Stage 1

Beyond NPPSPY: Harvesting Credentials via Windows Credential Provider Framework

For years, Red Teams have relied on techniques like NPPSpy and LSASS dumping for credential harvesting. But as EDRs and defenders get smarter, these traditional paths are heavily monitored and immediately flagged. What if we could intercept credentials right at the source—the Windows Logon UI—while seamlessly bypassing Application Control solutions?

In this talk, we will journey deep into the arcane world of the Windows Credential Provider Framework and COM (Component Object Model) architecture. I will d...

[Read More](#) ▼



Nikos Vourdas

🕒 10:00 AM - 11:00 AM PT

📍 Workshop Stage 2

COM Hijacking Voodoo: Tradecraft, Detection Blind Spots, and the COM-Hunter

Component Object Model (COM) is one of the most pervasive yet overlooked subsystems in Windows. Thousands of applications rely on COM objects for functionality, but the underlying registration mechanism creates opportunities for attackers to abuse the Windows registry to achieve stealthy persistence and code execution. Despite being used in real-world intrusions, COM hijacking remains under-documented and poorly understood by many defenders.

This talk explores the internals of COM registration and activa...

[Read More](#) ✓

Monish Alur Gowdru



Drew Thompson

🕒 10:00 AM - 11:00 AM PT

📍 Workshop Tactic Table 5

Beyond the Flag: How CTF Players Become Product Security Engineers

Abstract:

Capture The Flag competitions are often dismissed as “just games,” but modern Product Security teams increasingly rely on the exact skills they develop: adversarial thinking, vulnerability analysis, exploit chaining, and secure design under pressure.

Whether you are an aspiring security professional or an experienced offensive security practitioner, in this session, you will learn a structured CTF-driven learning roadmap for developing practical security skills and will learn how hands-on, re...

[Read More](#) ▼**Andrew Rioux****🕒 10:00 AM - 11:00 AM PT****📍 Workshop Tactic Table 6**

Direct Network Access for Command and Control

Command and control beacons currently reach out to the operating system to request socket resources, triggering auditing and being restricted by local firewall rules. However, it is possible to develop malware that can evade the standard process. Sparse is a tool that weaponizes this concept to evade such auditing and defensive configurations.


**Elzer Pineda****Jose Rivas****🕒 10:00 AM - 12:00 PM PT****📍 Tactic Table 1**

Tokens and PRT: Advanced Attacks and Persistence in Microsoft Entra ID

Is MFA and Conditional Access a real security guarantee? In this technical session, we will demonstrate how endpoint compromise allows an attacker to bypass traditional identity barriers in the cloud. The talk focuses on exploiting vulnerabilities in Microsoft Entra ID, breaking down an advanced attack chain:

- Device Code Flow: Abuse of authentication flows for initial access (Demo with Entraith).
- PowerShell Hijacking: Process interception to obtain session tokens (GrabTokenAzureAD).
- Sliver BOF Ex...

[Read More](#) ✓



Jason Haddix



Ryan Bonner

🕒 **10:00 AM - 12:00 PM PT**

📍 **Tactic Table 2**

Building Hackbots

Description: Building AI-Powered Penetration Testing Bots

In this talk, we'll walk through the core design philosophy behind AI hackbots and the architecture that makes them work: single-purpose vs. multi-stage bots, context engineering for targeted prompting, and tool integration with output parsing workflows.

Then we'll get hands-on. We'll live-build a functional hackbot for a common offensive task — demonstrating asset discovery, endpoint analysis, or mutation-focused testing (e.g., XSS/SSRF) — and...

[Read More](#) ✓



Chris Haller

10:00 AM - 12:00 PM PT

Tactic Table 3

O-Day Hunting Table: Come Join the Vulnpocalypse

This tactic will be a table where hackers can help find and prove O-day vulnerabilities together at scale. The focus of this tactic is to demonstrate a hands-on methodology to find vulnerabilities, leveraging AI in an effective manner, and proving it has real impact. Then, attendees will search for their own O-days together across a curated set of software for hunting.

We'll have a collection of 30+ applications available for immediate analysis and live service deployments to prove out the impact.

I...

Read More



Alexander Rodchenko



Eduardo Chavarro Ovalle



Ashley Hiram Muñoz

10:00 AM - 12:00 PM PT

Tactic Table 4

Evil Is Always a Bad Stylist: .NET Obfuscation with Roslyn

Modern endpoint defenses increasingly fingerprint .NET tools not only by strings and imports, but by structure: control flow, call graphs, and overall execution

“workflows.” Traditional IL obfuscation can hide obvious indicators, yet often produces highly regular flattened patterns that are easy to flag on their own.

This talk presents a Roslyn-based, source-to-source obfuscator for C# that rewrites an entire project before compilation. Using the official compiler APIs, it transforms the code’s syntax an...

Read More ✓



James Rice

🕒 **10:00 AM - 3:00 PM PT**

📍 **Special/Quest Area**

Attack Campaign in VR

This VR visualization experience is designed to support the exploration and understanding of complex cybersecurity scenarios for students and professionals. Cyber attack campaigns often involve intricate relationships and multi-stage processes that can be difficult to interpret, making effective analysis and remediation challenging. By leveraging visualization best practices in virtual reality, the experience presents cyber threat information in a more intuitive and interactive format, with the goal of impr...

Read More ✓



Murilo Caixeta

🕒 11:00 AM - 12:00 PM PT

📍 Workshop Stage 1

Living Off WebView2: Turning Microsoft's Browser into a Red Team Asset

Modern Windows applications are quietly shipping with a built-in Chromium-based browser, WebView2, running inside trusted, signed processes such as Microsoft Teams, Outlook, and other enterprise software.

This talk shows how that design choice creates a powerful and largely unmonitored attack surface.

I demonstrate how this model can be abused in offensive operations, turning WebView2 into a vector for persistence, code execution, and enterprise account impersonation.

I show how feature flags and e...

[Read More](#) ▼



Max CM



Andrew Buchanan

🕒 11:00 AM - 12:00 PM PT

📍 Workshop Stage 2

Commit, Push, Compromise: Attacking Modern GitHub Orgs

GitHub is where identity, automation, and production changes all meet, which makes it a great target. Once an attacker gets in, the distance between read access and shipping malicious code to production is often a lot shorter than teams expect.

This talk covers realistic attack paths into GitHub organizations. We start with initial access: device-code phishing and abuse of trusted GitHub Apps like the

GitHub CLI. Then we follow the credentials, from long-lived Personal Access Tokens sitting on developer...

[Read More](#) ✓



Adithyan Arun Kumar

🕒 12:00 PM - 1:00 PM PT

📍 Workshop Stage 1

Agenthound: Mapping Multi-Hop Credential Chains Across MCP, A2A, and LLM Gateways

A developer's MCP configuration exposes a gateway credential. That gateway holds production model keys, an A2A agent can reach it through a delegated tool, and the agent loads instructions from a repository an external contributor can modify. Each component looks harmless in isolation; together, they form a viable path from a low-trust developer environment to production systems. Modern AI infrastructure is full of these hidden chains, spanning MCP servers, agent runtimes, model gateways, local inference ho...

[Read More](#) ✓



Jason Ludwig

🕒 12:00 PM - 1:00 PM PT

📍 Workshop Stage 2

Breaking and Defending NEURO: Hands-On AI Stack Attack CTF with Cisco Secure AI

NEURO is a realistic enterprise AI finance assistant built with an LLM gateway, RAG/vector search, tool calling, MCP integrations, guardrails, audit logs, and a downstream exfiltration simulation.

In this hands-on tactic, attendees will attack and defend the same AI stack from both red-team and blue-team perspectives in our custom CTF.

Participants will work through practical compromise paths including prompt injection, retrieval poisoning, unsafe tool use, MCP trust boundary abuse, and data exfiltration.

[Read More](#) ✓



Bleon Proko

🕒 **12:00 PM - 2:00 PM PT**

📍 Tactic Table 1

Do you feel in control? Analysis of AWS CloudControl API as an attack tool

"Identity is the new perimeter" gets thrown around a lot in security discussions, for a good reason. With the right privileges, cloud resources can be managed through APIs. Each provider has their own way of handling API access on resources. If your identity has the right permissions for a specific API call, you can execute that action.

The thing is, it's hard to remember every single API call you need to get specific information or access certain resources. AWS recognized this problem and created the A...

[Read More](#) 

Fernando Mengali Thiago Cunha da Silva

 **12:00 PM - 2:00 PM PT** **Tactic Table 2**

From Buffer Overflow to Blackout: Chaining Attacks Against Industrial Systems

This presentation takes a practical, demo-driven approach to exploitation, demonstrating how a buffer overflow vulnerability can still serve as an entry point to compromise modern industrial infrastructures. The session is approximately 90% hands-on and 10% theoretical.

The talk walks through the full attack chain, starting from initial exploitation and progressing to the development and execution of multistage shellcode. This shellcode establishes communication with a remote Command and Control (C2) server...

[Read More](#) 

Mitch Breton

 **12:00 PM - 2:00 PM PT** **Tactic Table 3**

The Air Is Hostile: RF Trust Assumptions in Modern Security Systems

Modern security systems are no longer purely physical. Alarms, sensors, access control, cameras, locks, panic buttons, monitoring paths, and backup communications increasingly depend on wireless technologies such as Wi-Fi, BLE, Zigbee, LoRa, LTE, and cloud-managed IoT infrastructure. For red teams, this creates an important question: what happens when the environment these systems depend on becomes adversarial?

This talk reframes RF as a red team attack surface, not just a radio engineering problem. It e...

[Read More](#) ✓



Edo Maland

🕒 **12:00 PM - 2:00 PM PT**

📍 **Tactic Table 4**

Living Off the IDE: From Initial Access to Covert C2 in Modern AI Code Editors

Format: Technical Talk with Live Demonstrations

This talk presents a full intrusion lifecycle model centered on AI-assisted IDEs environments that can be utilized during adversary emulation or red teaming engagements:

- Practical attack chains from delivery to C2
- A rendering-based covert exfiltration technique
- A new persistence category rooted in agent behaviour
- Operational implications for red and blue teams

This talk matters because it wakes up developers to their IDE's god-mode risks an...

[Read More](#) ▼

Aryan Jogia

🕒 1:00 PM - 2:00 PM PT

📍 Workshop Stage 1

M0us3: A Lightweight, Multi Session C2 Framework with a Rust based Windows Implant

"M0us3: When the Mouse Eats the Cat - A Rust Powered Windows Implant and Its Interactive Python C2"

The C2 landscape is dominated by heavy hitters written in Go, C#, or Nim. But what if the implant was built with Rust - a language revered for memory safety, tiny binaries, and growing evasion potential - and the server was a snappy, persistent Python TUI that remembers everything about your sessions?

Enter M0us3. Not another fork of a known framework. A ground up, cross language C2 system where the Windows...

[Read More](#) ▼

Alexander "Zombie"




Lee McWhorter

🕒 1:00 PM - 2:00 PM PT

📍 Workshop Stage 2

Hacking the Human-in-the-Loop

AI defenses are only as good as the analysts training them. This session exposes how attackers manipulate SOC analyst behavior to silently degrade AI baselines over time, no exploit required. We cover the mechanics of false positive injection, alert fatigue as a weapon, and misdirection. Then attendees step into the analyst's seat in a live browser-based simulation and experience how their own decisions poison the model.

**Anıl Çelik** **2:00 PM - 3:00 PM PT** **Workshop Stage 1**

DFMI: Weaponizing MSI Installers for Fileless Code Execution

DFMI is a cross-platform, open-source offensive toolkit that hijacks & abuses the Windows Installer's own execution engine to detonate arbitrary payloads during software installation, with zero files written to disk and zero evidence left behind. And this can be achieved without even corrupting the Authenticode of the binary.

The attack surface is the CustomAction table embedded in every MSI database — a small structure that Windows Installer processes unconditionally at install time. DFMI injects a defe...

Read More 

**Arnold Morales**

 **2:00 PM - 3:00 PM PT** **Tactic Table 3**

beacon injected with HOOKCHAIN 2026

In penetration testing, we constantly find ourselves facing EDRs/AVs, etc. But as in all cases, we aim to develop our own tooling or techniques that we believe may not yet be properly mapped or detected. On this occasion, we share part of our perspective when dealing with EDRs using Machine Learning technology configured in “FULL” mode. We were able to leverage this technique combined with an encrypted payload to evade this configuration; additionally, when the payload was downloaded or shared as a “.zip,”...

[Read More](#) **Blessen Thomas****Wojciech Poparda****Javier Hernández** **2:00 PM - 3:00 PM PT** **Tactic Table 4**

Ghost in the Water: Simulating a Nation-State PLC Sabotage Campaign

Critical infrastructure protocols designed in the late 70s were never built to handle a modern adversary. In this hands-on Tactic, we move beyond theoretical slides to execute a high-fidelity, nation-state-style operation against a municipal water treatment facility. Using a portable Software-in-the-Loop (SiL) environment, participants will experience the raw tradecraft of industrial sabotage without the need for a six-figure hardware rack.

This session focuses on "Living-off-the-Ladder" (LotL)—the art o...

[Read More](#) 



© 2026 Red Team Village