THE WORLD OF PIZZA

Pizza PRESENTATION

– A SLICE OF HAPPINESS IN EVERY BITE –

WHY PIZZA MATTERS

Pizza is one of the most popular foods worldwide, bridging cultures and generations. It can be simple or sophisticated, affordable or gourmet, but it always carries a sense of comfort.



From quick meals to family gatherings, pizza adapts to every occasion. Its versatility makes it more than just food—it's an experience of togetherness and indulgence.

- PIZZA CONNECTS PEOPLE THROUGH FLAVOR -

Introducation

"Hello, I’m Gangadhar, a technical professional specializing in SQL-driven data analysis. I have hands-on experience solving complex SQL query problems—working with JOINs, aggregations, and window functions to transform raw relational data into meaningful business insights."

-- 1 Retrieve the total number of orders placed.

```sql
SELECT
    COUNT(order_id) AS total_orders
FROM
    orders;
```

total_orders
21350

2 Calculate the total revenue generated from pizza sales.

```
SELECT
    ROUND(SUM(order_details.quantity * pizzas.price),
            2) AS total_sales
FROM
    order_details
        JOIN
    pizzas ON pizzas.pizza_id = order_details.pizza_id;
```

	total_sales
▶	817654.65

Identify the highest-priced pizza.

```sql
SELECT
    pizza_types.name, pizzas.price
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
ORDER BY pizzas.price DESC
LIMIT 1;
```

	name	price
▶	The Greek Pizza	35.95

Identify the most common pizza size ordered.

```sql
select quantity, count(order_details_id)
from order_details
group by quantity;


SELECT
    pizzas.size, COUNT(order_details.order_id)
FROM
    pizzas
        JOIN
    order_details ON pizzas.pizza_id = order_details.pizza_id
GROUP BY pizzas.size;
```

quantity	count(order_details_
1	47693
2	903
3	21

List the top 5 most ordered pizza types along with their quantities.

```sql
SELECT
    pizza_types.name, SUM(order_details.quantity) AS qunatity
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY SUM(order_details.quantity) DESC
LIMIT 5;
```

Result Grid | Filter Rows:

name	qunatity
The Classic Deluxe Pizza	2453
The Barbecue Chicken Pizza	2427
The Hawaiian Pizza	2421

Group the orders by date and calculate the average number of pizzas ordered per day.

```sql
SELECT
    ROUND(AVG(qunatity), 0) as avg_pizza_per_day
FROM
    (SELECT
        orders.order_date, SUM(order_details.quantity) AS qunatity
    FROM
        orders
    JOIN order_details ON orders.order_id = order_details.order_id
    GROUP BY orders.order_date) AS order_qunatity;
```

Result Grid | Filter R

	category	quantity
▶	Classic	14887
	Veggie	11648
	Supreme	11989

Determine the top 3 most ordered pizza types based on revenue.

```sql
select pizza_types.name,
sum(order_details.quantity*pizzas.price) as revenue
from pizza_types join pizzas
on pizzas.pizza_type_id = pizza_types.pizza_type_id
join order_details
on order_details.pizza_id = pizzas.pizza_id
group by pizza_types.name
order by revenue desc limit 3;
```

name	revenue
The Thai Chicken Pizza	43434.25
The Barbecue Chicken Pizza	42688.25
The California Chicken Pizza	41388.75

Calculate the percentage contribution of each pizza type to total revenue.

```
select pizza_types.category,
round((sum(order_details.quantity*pizzas.price) /(SELECT
    ROUND(SUM(order_details.quantity * pizzas.price),
            2) AS total_sales
FROM
    order_details
        JOIN
    pizzas ON pizzas.pizza_id = order_details.pizza_id) ) *100,2)
from pizza_types join pizzas
on pizza_types.pizza_type_id = pizzas.pizza_type_id
join order_details
on order_details.pizza_id = pizzas.pizza_id
group by pizza_types.category order by revenue desc;
```

Result Grid

category	revenue
Classic	26.91
Supreme	25.46
Chicken	23.94
Veggie	23.69

Analyze the cumulative revenue generated over time

```sql
select order_date,
sum(revenue) over(order  by order_date) as cumilative
from
(select orders.order_date,
sum(order_details.quantity * pizzas.price) as revenue
from order_details join pizzas
on order_details.pizza_id = pizzas.pizza_id
join orders
on orders.order_id = order_details.order_id
group by orders.order_date ) as sales;
```

Result Grid | Filter Rows:

order_date	cumilative
2015-01-01	2907.60000000000
2015-01-02	5639.5
2015-01-03	8301.9
2015-01-04	10057.35
2015-01-05	12123.3

Determine the top 3 most ordered pizza types based on revenue for each pizza category.

```sql
select name, revenue from
(select category, name, revenue,
rank() over(partition by category order by revenue) as rn
from
(select pizza_types.category,pizza_types.name,
sum(order_details.quantity*pizzas.price) as revenue
from pizza_types join pizzas
on pizza_types.pizza_type_id=pizzas.pizza_type_id
join order_details
on order_details.pizza_id = pizzas.pizza_id
group by pizza_types.category, pizza_types.name) as a) as
where rn<=3;
```

Result Grid | Filter Rows: | Export

name	revenue
The Chicken Pesto Pizza	16664.25
The Chicken Alfredo Pizza	16900.25