99+

Search...


Mathematics Number System and Arithmetic Algebra Trigonometry Statistics Probability Geom

Poisson Distribution | Definition, Formula, Table and Examples

Last Updated: 11 Apr, 2025

The **Poisson distribution** is a **discrete probability distribution** that calculates the likelihood of a certain number of events happening in a fixed time or space, assuming the events occur independently and at a constant rate.

It is characterized by a single parameter, λ (lambda), which represents the event's average occurrence rate. The distribution is used when the events are rare, the number of occurrences is non-negative, and can take on integer values (0, 1, 2, 3,...).



The key assumptions of the Poisson distribution are:

- 1. Events occur independently of each other.
- 2. The average rate of occurrence (λ) is constant over the given

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our <u>Cookie Policy</u> & <u>Privacy Policy</u>

Got It!

In summary, the Poisson distribution is used to model the likelihood of events happening at a certain rate within a fixed time or space, under the assumptions of independence and constant occurrence.

Table of Content

- Poisson Distribution Formula
- Poisson Distribution Table
- Poisson Distribution Characteristics
- Poisson Distribution Graph
- Poisson Distribution Mean and Variance
 - Poisson Distribution Mean
 - Poisson Distribution Variance
- Standard Deviation of Poisson Distribution
- Probability Mass Function of Poisson Distribution
- Properties of PMF in Poisson Distribution
- Probability mass function graphs
- Difference between Binomial and Poisson Distribution

Poisson Distribution Formula

Poisson distribution is characterized by a single parameter, lambda (λ), which represents the average rate of occurrence of the events. The probability mass function of the Poisson distribution is given by:

$$P(X = k) = e^{-\lambda} \lambda^k / k!$$

Where,

- P(X = k) is the Probability of observing k Events
- e is the Base of the Natural Logarithm (approximately 2.71828)
- λ is the Average Rate of Occurrence of Events
- k is the Number of Events that Occur

This table is a tabulation of probabilities for a Poisson distribution and probabilities here can be calculated using the Probability Mass Function of Poisson Distribution which is given by PMF = $\frac{\lambda^k e^{-\lambda}}{k!}$

Related searches

Q Binomial and Poisson Distribution Questions and Answers Pdf

Q Poss>n

The following table is one such example of the Poisson Distribution Table.

k (Number of Events)	P(X = k)
0	0.0498
1	0.1494
2	.2241
3	0.2241
4	0.1681
5	0.1009

k (Number of Events)	P(X = k)
7	0.0214
8	0.0080
9	0.0027
10	0.0008

Poisson Distribution Characteristics

- <u>Probability Mass Function</u> (PMF): PMF describes the likelihood of observing a specific number of events in a fixed interval. It is given by: $P(X = k) = (e^{-\lambda} \times \lambda^k) / k!$, k=0,1,2,...
- <u>Cumulative Distribution Function</u> (CDF): CDF gives the probability that the random variable is less than or equal to a certain value. It is expressed as:

$$F(x) = \sum (\text{from k=0 to } \lfloor x \rfloor) \ (e^{-\lambda} \times \lambda^k) \ / \ k!$$
 where $\lfloor x \rfloor$ denotes the greatest integer less than or equal to x.

 Moment Generating Function (MGF): MGF provides a way to derive moments of the distribution. It is represented by:

$$M(t) = e^{(\lambda(e \wedge t - 1))}$$

The MGF helps derive moments like mean and variance by differentiating them.

• Characteristic Function (CF): CF is an alternative way to describe the distribution and is given by:

- Probability Generating Function (PGF): PGF generates the probabilities of the distribution and is expressed as: $G(z) = e^{(\lambda(z-1))}$
- Median: The Median, which represents the central value, is approximately $\lambda + (1/3) 0.02/\lambda$.
- Mode: Mode, or the most probable value, is simply the integer part of λ , denoted as $\lfloor \lambda \rfloor$.
 - If λ is an **integer**, then both λ and $\lambda-1$ are modes.
- If λ is **not** an **integer**, the mode is simply $\lfloor \lambda \rfloor$ (integer part of λ).
- Mean and Variance: The mean (λ) and variance (λ) of a Poisson distribution are equal. This means that both the average number of events and the spread or variability around this average are characterized by the same parameter.
- Non-negative and Discrete: The Poisson distribution describes the
 probability of non-negative integer values only, as it models counts of
 events. It is a discrete probability distribution.
- Memorylessness: Events in a Poisson process are memoryless,
 meaning the probability of an event occurring in the future is
 independent of the past, given the current state. For example, if you're
 waiting for a bus, the probability of the bus arriving in the next minute
 doesn't depend on how long you've already been waiting.
- Independent Increments: The number of events occurring in nonoverlapping intervals is independent. For instance, if you're counting the number of cars passing through an intersection in one minute, the number of cars in the next minute is independent of the number in the previous minute.

distribution can approximate the binomial distribution. This is known as the "rare events" approximation, where the binomial distribution with a large number of trials and a small probability of success converges to a Poisson distribution.

 Skewness and Kurtosis: The Poisson distribution is positively skewed (skewness > 0) and leptokurtic (kurtosis > 0), meaning it has a longer tail on the right side and heavier tails than the normal distribution. However, for large values of λ, it becomes increasingly symmetric and bell-shaped, resembling a normal distribution.


Some other properties are:

- Poisson distribution has only one parameter " λ " where $\lambda = np$.
- Poisson distribution is positively skewed and leptokurtic.

Note: Here **leptokurtic** means values greater **kurtosis** than the normal distribution, and **kurtosis** is the nothing but the sharpness of the peak of the **frequency distribution** curve.

Poisson Distribution Graph

The following illustration shows the Graph of the Poisson Distribution or the Poisson Distribution Curve.



Poisson Distribution Mean and Variance

In the Poisson distribution, both the mean (average) and variance are equal and are denoted by the parameter λ (lambda). This property of equal mean and variance is a distinctive characteristic of the Poisson distribution and simplifies its statistical analysis.

Poisson Distribution Mean

The <u>mean</u> for poison distribution is equal to the parameter i.e., λ . Mathematically, this equation is represented as follows:

$$E[X] = \lambda$$

where,

- **E[X]** is the Mean of Poisson's Distribution
- λ is the Parameter of the Distribution
- X is a Random Variable following a Poisson distribution

Other than this, we have one more formula for the mean of expectation of the distribution,n, that is:

$$Mean = \lambda = np$$

where,

- **n** is the Number of Trails
- **p** is the Probability of Success

Poisson Distribution Variance

Variance is the measure of the spread or dispersion of the random variable around its mean. For Poisson Distribution, <u>variance</u> is equal to the

$$Var(X) = \lambda$$

where.

- Var(X) is the variance of the Poisson-distributed random variable X
- λ is the parameter of the Poisson distribution

Standard Deviation of Poisson Distribution

<u>Standard Deviation</u> of a <u>Poisson distribution</u> is a measure of the amount of variability or dispersion in the distribution. Mathematically, it is given by:

$$\sigma = \sqrt{\lambda}$$

Where.

- λ (lambda) is the Average Rate of Occurrence of Events
- σ (sigma) is the Standard Deviation of the Distribution

Probability Mass Function of Poisson Distribution

The **Probability Mass Function (PMF)** of a Poisson-distributed random variable X represents the probability that X takes on a specific value k.

$$\mathsf{PMF} = rac{\lambda^{k} \mathrm{e}^{-\lambda}}{\mathrm{k}!}$$

where,

- λ is the Parameter, which is also equal to the Mean, and Variance
- **k** is the Number of times an event occurs
- **e** is Euler's Number (≈2.718)

Properties of PMF in Poisson Distribution

• Non-Negativity: $P(X = k) \ge 0$ for all k.

$$\sum_{k=0}^{\infty} P(X=k) = 1$$

Example: Suppose a hospital receives an average of $\lambda = 4$ emergency cases per hour. What is the probability that exactly **2** cases occur in an hour?

Solution:

Using the Poisson formula:

$$P(X = 2) = e^{-4} 4^{2}/2! = e^{-4} \times 16/2 = 0.0183 \times 16/2 = 0.1465$$

Probability mass function graphs

A probability mass function graph is a visual representation of a Poisson distribution that can be represented visually as a graph of the. A probability mass function is a function that describes a discrete probability distribution.

The event with the highest probability is represented by the peak of the distribution—the mode.

- When λ is a non-integer, the mode is the closest integer smaller than λ .
- When λ is an integer, there are two modes: λ and $\lambda-1$.

When λ is low, the distribution is much more distributed on the right side of its peak than its left (right-skewed).

As λ increases, the distribution starts to appear more and more similar to a normal distribution. When λ is 10 or greater, a normal distribution is a good approximation of the Poisson distribution.

Difference between Binomial and Poisson Distribution

The key differences between Poisson Distribution and <u>Binomial</u> <u>Distribution</u> are listed in the following table:

Difference between Binomial and Poisson Distribution		
Aspect	Binomial Distribution	Poisson Distribution
Nature	Discrete	Discrete
Number of Trials	Fixed (n)	Unlimited
Outcome	Success or Failure	Rare Events
Parameter	Probability of Success (p)	Average Event Rate (λ)
Possible Values	0 to n	0, 1, 2,
Mean	$\mu = n \times p$	$\mu = \lambda$
Variance	$\sigma^2 = n \times p \times (1 - p)$	$\sigma^2 = \lambda$
Applicability	Limited to a fixed number of trials	Rare events over a large population
Example	Flipping a coin multiple times	Counting occurrences of an event
Assumptions	Independent trials, constant p	Rare events, low probability of success

Poisson Distribution Solved Examples

Example 1:If 4% of the total items made by a factory are defective. Find

Solution:

Here we have, n = 50, p = (4/100) = 0.04, q = (1-p) = 0.96, $\lambda = 2$

Using Poisson's Distribution,

$$P(X = 0) = \frac{2^0 e^{-2}}{0!} = 1/e^2 = 0.13534$$

 $P(X = 1) = \frac{2^1 e^{-2}}{1!} = 2/e^2 = 0.27068$

Hence the probability that less than 2 items are defective in sample of 50 items is given by:

$$P(X > 2) = P(X = 0) + P(X = 1) = 0.13534 + 0.27068 = 0.40602$$

Example 2: If the probability of a bad reaction from medicine is 0.002, determine the chance that out of 1000 persons more than 3 will suffer a bad reaction from medicine.

Solution:

Here we have,
$$n = 1000$$
, $p = 0.002$, $\lambda = np = 2$
 $X = Number of person suffer a bad reaction$

Using Poisson's Distribution

$$P(X > 3) = 1 - \{P(X = 0) + P(X = 1) + P(X = 2) + P(X = 3)\}$$

$$P(X = 0) = \frac{2^{0}e^{-2}}{0!} = 1/e^{2}$$

$$P(X = 1) = \frac{2^{1}e^{-2}}{1!} = 2/e^{2}$$

$$P(X = 2) = \frac{2^{2}e^{-2}}{2!} = 2/e^{2}$$

$$P(X = 3) = \frac{2^{3}e^{-2}}{3!} = 4/3e^{2}$$

$$P(X > 3) = 1 - [19/3e^{2}] = 1 - 0.85712 = 0.1428$$

Example 3:If 1% of the total screws made by a factory are defective. Find the probability that less than 3 screws are defective in a sample of 100 screws.

Solution:

Here we have,
$$n = 100$$
, $p = 0.01$, $\lambda = np = 1$

$$P(X < 3) = P(X = 0) + P(X = 1) + P(X = 2)$$

 $P(X = 0) = \frac{1^0 e^{-1}}{0!} = 1/e$
 $P(X = 1) = \frac{1^1 e^{-1}}{1!} = 1/e$
 $P(X = 2) = \frac{1^2 e^{-1}}{2!} = 1/2e$
Thus, $P(X < 3) = 1/e + 1/e + 1/2e = 2.5/e = 0.919698$

Example 4: If in an industry there is a chance that 5% of the employees will suffer from corona. What is the probability that in a group of 20 employees, more than 3 employees will suffer from coronavirususthe? Solution:

Here we have,
$$n = 20$$
, $p = 0.05$, $\lambda = np = 1$
 $X = Number of employees who will suffer corona$

Using Poisson's Distribution

$$P(X > 3) = 1 - [P(X = 0) + P(X = 1) + P(X = 2) + P(X = 3)]$$

$$P(X = 0) = \frac{1^{0}e^{-1}}{0!} = 1/e$$

$$P(X = 1) = \frac{1^{1}e^{-1}}{1!} = 1/e$$

$$P(X = 2) = \frac{1^{2}e^{-1}}{2!} = 1/2e$$

$$P(X = 3) = \frac{1^{3}e^{-1}}{3!} = 1/6e$$

$$P(X > 3) = 1 - [1/e + 1/e + 1/2e + 1/6e]$$

$$\Rightarrow P(X > 3) = 1 - [8/3e] = 0.018988$$

People Also Read		
Poisson Distribution Meaning	Types of Frequency Distribution	
Probability Distribution	Binomial Distribution	

Poice

Table^{*}

Mean



Poiss

Distri

Exam

with

Solut

Poisson Distribution | Formula, Table, Mean

and Variance

Comment More info Advertise with us

Next Article

P-Value: Comprehensive Guide to Understand, Apply, and Interpret

Similar Reads

- 1. Uniform Distribution | Formula, Definition and Examples
- 2. Normal Distribution | Definition, Uses & Examples
- 3. Binomial Distribution in Business Statistics Definition, Formula & Examples
- 4. Geometric Distribution | Formula, Mean and Examples
- 5. Compound Probability: Definition, Formulas, Examples
- 6. Measures of Dispersion | Types, Formula and Examples
- 7. Mathematics | Probability Distributions Set 5 (Poisson Distribution)
- 8. Negative Binomial Distribution : Properties, Applications and Examples
- 9. Mathematics | Probability Distributions Set 3 (Normal Distribution)
- 10. Poisson Distribution: Meaning, Characteristics, Shape, Mean and Variance



A-143, 7th Floor, Sovereign Corporate Tower, Sector- 136, Noida, Uttar Pradesh (201305)

Registered Address:

K 061, Tower K, Gulshan Vivante Apartment, Sector 137, Noida, Gautam Buddh Nagar, Uttar Pradesh, 201305





Advertise with us

Company

About Us

Legal

Privacy Policy

Careers

In Media

Contact Us

Corporate Solution

Campus Training Program

Explore

Job-A-Thon

Offline Classroom Program

DSA in JAVA/C++

Master System Design

Master CP

Videos

Tutorials

Python

Java

C++

PHP

GoLang

SQL

R Language

Android

DSA

Data Structures

Algorithms

DSA for Beginners

Basic DSA Problems

DSA Roadmap

DSA Interview Questions

Competitive Programming

Data Science & ML

Data Science With Python

Web Technologies

HTML

NumPyNextJSNLPNodeJsDeep LearningBootstrapTailwind CSS

Python Tutorial

Python Examples
Django Tutorial
Python Projects
Python Tkinter
Web Scraping
OpenCV Tutorial
Python Interview Question

DevOpsGit

AWS
Docker
Kubernetes
Azure
GCP
DevOps Roadmap

School Subjects

Mathematics
Physics
Chemistry
Biology
Social Science
English Grammar

Preparation Corner

Company-Wise Recruitment Process

Aptitude Preparation

Puzzles

Company-Wise Preparation

Computer Science

GATE CS Notes
Operating Systems
Computer Network
Database Management System
Software Engineering
Digital Logic Design
Engineering Maths

System Design

High Level Design
Low Level Design
UML Diagrams
Interview Guide
Design Patterns
OOAD
System Design Bootcamp
Interview Questions

Databases

SQL MYSQL PostgreSQL PL/SQL MongoDB

More Tutorials

Software Development
Software Testing
Product Management
Project Management
Linux
Excel
All Cheat Sheets

Courses

Programming Languages

Programming Languages
DevOps & Cloud

Clouds/Devops

DevOps Engineering
AWS Solutions Architect Certification
Salesforce Certified Administrator Course

GATE 2026

GATE CS Rank Booster
GATE DA Rank Booster
GATE CS & IT Course - 2026
GATE DA Course 2026
GATE Rank Predictor

@GeeksforGeeks, Sanchhaya Education Private Limited, All rights reserved