

List of Sections

Mid-Sem Assessment					Marks per question : 1	Marks Scored : 51.0
Q No.	Q. Type	Status	Marks	Comment		
1	Multiple Choice - Single Answer	✓	1.0	-	Hide Answer	
_____ controls the level of access that a user has? ☐ Auditing ☐ None ☒ Authorization ☐ Authentication						
2	Multiple Choice - Multiple Answers	✓	1.0	-	Hide Answer	
Select all appropriate guidelines which could be used to store passwords securely ☒ Use of a cryptographic hash function ☐ None ☐ Use of special characters and numbers while creating a password ☒ Incorporating the OS access control features						
3	Multiple Choice - Single Answer	✓	1.0	-	Hide Answer	
Which mechanism happens first: Authorization or Authentication? ☒ Authentication						

- ☒ Authentication
- ☐ Something else
- ☐ Both are the same
- ☐ Authorization

4

Multiple Choice - Single Answer

✖

0.0

-

Hide Answer

What is a compromised network called as?

☐ Backdoor

☐ Trojan

☒ Zombie

☐ Botnet

5

Multiple Choice - Single Answer

✔

1.0

-

Hide Answer

Suppose you are an attacker and you found your target. You spend the next two weeks observing and watching personnel move in and out of the facility. It is observed how the front desk handles large packages that are delivered as well as people who do not have access badges. Finally, you come up with a solid schedule of security patrols that you see being conducted. What are you working towards?

☐ Gaining access

☒ Reconnaissance

☐ Maintaining access

☐ Casing the target

6

Multiple Choice - Single Answer

✔

1.0

-

Hide Answer

What is the length of the hash value generated by the Message Digest algorithm?

☐ 160-bit

☐ 512-bit

☒ 128-bit

☐ 256-bit

7

Multiple Choice - Single Answer

✔

1.0

-

Hide Answer

What is the process of hiding a file/message in another file known as?

- ☐ Ciphering
- ☒ Steganography
- ☐ Hashing
- ☐ Archiving

8

Multiple Choice - Single Answer

✓

1.0

-

Hide Answer

- Which of the following is the best choice in choosing security guard for a physical access control mechanism?
- ☒ When discriminating judgment is required
- ☐ When access controls are in place
- ☐ When intrusion detection is needed
- ☐ When the allotted security budget is low

9

Multiple Choice - Single Answer

✓

1.0

-

Hide Answer

- A disgruntled employee, who is currently serving his notice period before leaving an organization, plans to leak critical information about the organization's new product. What kind of a security threat does this scenario pose?
- ☐ Structured External Threat
- ☐ Hacktivism
- ☒ Insider Threat
- ☐ Unstructured External Threat

10

Multiple Choice - Single Answer

✓

1.0

-

Hide Answer

- Which of the following is not an area of concern for physical security?
- ☐ Securing a site
- ☐ Protecting an equipment
- ☐ Protecting a property
- ☒ Protecting against hackers

11

Multiple Choice - Single Answer

✗

0.0

-

Hide Answer

- Which among the following does not belong to access control?

- ☐ Restricting work areas
- ☐ Visitor control
- ☒ Escort requirements
- ☐ Perimeter security

12	Multiple Choice - Single Answer	✓	1.0	-	Hide Answer
The procedure performed on the acquired forensic image is known as _____ ☐ Data Seizure ☒ Data Analysis ☐ Documentation ☐ Data Acquisition					
13	Multiple Choice - Single Answer	✓	1.0	-	Hide Answer
Which of the following is not a goal of physical security? ☐ Detect ☐ Countermeasures ☒ Attack ☐ Respond					
14	Multiple Choice - Single Answer	✓	1.0	-	Hide Answer
Which of the following SQL commands is used to retrieve data? ☐ DELETE ☐ JOIN ☐ INSERT ☒ SELECT					
15	Multiple Choice - Single Answer	✓	1.0	-	Hide Answer
Which of the following is not done as a part of data acquisition?					

- ☐ Forensic disk imaging
- ☐ Forensic Data Recovery
- ☒ Timeline generation
- ☐ Integrity checking

16

Multiple Choice - Single Answer

✖

0.0

-

Hide Answer

Access controls involve all of the following except _____

☒ Perimeter security

☐ Visitor control

☐ Escort requirements

☐ Restricting work areas

17

Multiple Choice - Single Answer

✔

1.0

-

Hide Answer

The problem of Tailgating can be solved by _____

☐ Fences

☐ Gates

☐ Bollards

☒ Mantraps

18

Multiple Choice - Single Answer

✖

0.0

-

Hide Answer

Which of the following is not an component of physical security?

☐ Access control

☒ Testing

☐ Gateway Security

☐ Surveillance

19

Multiple Choice - Single Answer

✔

1.0

-

Hide Answer

Which of the following is not a Forensic image file format?

☐ EWF

☐ RAW

☒ ISO

☐ AFF

20

Multiple Choice - Single Answer

✓

1.0

-

Hide Answer

Which of the following password will take least possible time to be cracked using a normal brute force?

☐ admin

☐ password

☐ toor

☒ root

21

Multiple Choice - Single Answer

✓

1.0

-

Hide Answer

_____ is an approach for analyzing the security of an application?

☐ Standard Procedure

☐ Code Analysis

☒ Threat Modelling

☐ SDLC

22

Multiple Choice - Single Answer

✓

1.0

-

Hide Answer

Which of the following is not a type of asymmetric encryption?

☐ Rivest–Shamir–Adleman (RSA)

☐ Diffie-Hellman (DH)

☐ Digital Signature Algorithm (DSA)

☒ Advanced Encryption Standard (AES)

23

Multiple Choice - Multiple Answers

✗

0.0

-

Hide Answer

Select the appropriate ways of mitigating XSS?

☒ Educating the end user

- ☐ Securing the Site
- ☐ Use of Load Balancer
- ☒ All of the above

24

Multiple
Choice -
Single
Answer

✓

1.0

-

Hide Answer

- A _____ is a technique to authenticate digital documents by using computer
- ☐ Digital Certificate
- ☐ Hash
- ☐ Password Protection
- ☒ Digital Signature

25

Multiple
Choice -
Single
Answer

✓

1.0

-

Hide Answer

- Which of the following type of mathematical function is used for storing passwords in Windows systems?
- ☐ Two Way Hash
- ☐ a. Compression
- ☐ Private Key Encryption
- ☒ One Way Hash

26

Multiple
Choice -
Single
Answer

✓

1.0

-

Hide Answer

- Which of the following means an access control has a fail-safe characteristic but not a fail-secure characteristic?
- ☐ It defaults to no access
- ☐ It defaults to sounding a remote alarm instead of a local alarm
- ☒ It defaults to being unlocked
- ☐ It defaults to being locked

27

Multiple
Choice -
Single
Answer

✓

1.0

-

Hide Answer

- Which of the following statements about CCTV is not true?
- ☐ CCTV is a good example of a deterrent system

- ☐ CCTV is a good example of a deterrent system
- ☐ CCTV is a good example of a detection system
- ☐ CCTV is effective in deterring security violations
- ☒ CCTV is a good example of an automated intrusion- detection system

28

Multiple
Choice -
Single
Answer

✓

1.0

-

Hide Answer

Which of the following is not a part of perimeter and building grounds boundary protection?

☐ Fences

☒ Tunnel

☐ Bollards

☐ Gates

29

Multiple
Choice -
Single
Answer

✓

1.0

-

Hide Answer

Which among the below passwords is the strongest one?

☐ 1july1996

☐ Password

☐ India2021

☒ P@55word

30

Multiple
Choice -
Single
Answer

✓

1.0

-

Hide Answer

Which tool is used to check the checksum value of a file using properties option?

☐ Hashcalc

☒ Hash Shell Extension

☐ Stego hash

☐ None of the Above

31

Multiple
Choice -
Single
Answer

✓

1.0

-

Hide Answer

The best weapon a company can have against physical security threats is _____

☐ Access control

- ☐ Unbreakable firewalls
- ☐ A security plan
- ☒ An educated staff

32

Multiple Choice - Single Answer

✓

1.0

-

Hide Answer

Data analysis techniques are the same for any case under investigation, irrespective of the nature of crime, scope of investigation or client's requirements and the type of evidence

☐ True

☒ False

33

Multiple Choice - Single Answer

✓

1.0

-

Hide Answer

Which of the following are categories of intrusion detection devices?

☐ Perimeter intrusion detectors

☐ Motion detectors

☒ Both of the above

☐ Neither of the above

34

Multiple Choice - Single Answer

✓

1.0

-

Hide Answer

Digital forensics does not involve which of the following activities?

☐ Extraction of the digital data

☐ Preservation of digital data

☐ Interpretation of digital data

☒ Manipulation of digital data

35

Multiple Choice - Single Answer

✓

1.0

-

Hide Answer

An attacker creates a fake ID badge and waits next to an entry door to a secured facility. An authorized user swipes a key card and opens the door. He follows the user inside. Which social engineering attack is in play here?

☐ Piggybacking

☐ Shoulder surfing

☐ Impersonation

☒ Tailgating

36

Multiple Choice - Single Answer

✓

1.0

-

Hide Answer

Which of the following is NOT a less sophisticated physical security check?

☐ Airport X-rays

☒ Biometrics

☐ Badge reader

☐ Television monitors

37

Multiple Choice - Single Answer

✓

1.0

-

Hide Answer

Which of the following physical security system, is an access control system comprising a small space with two sets of interlocking doors?

☐ CCTV

☐ Fences

☒ Mantraps

☐ Security guards

38

Multiple Choice - Single Answer

✓

1.0

-

Hide Answer

Which of the following component does not belong to SIM Card?

☐ Microprocessor (CPU)

☒ Graphics processing unit (GPU)

☐ Working memory (RAM)

☐ Program memory (ROM)

39

Multiple Choice - Single Answer

✗

0.0

-

Hide Answer

The procedure involving collection, inspection and copying information from various sources at the crime scene that may contain evidence is defined by a term known as _____.

☐ Data Recovery & Analysis

☐ Expert Witness

- ☒ Data Acquisition
- ☐ Data Seizure

40	Multiple Choice - Single Answer	✓	1.0	-	Hide Answer
Which of the following is not considered as an intrusion delaying mechanism? ☐ Locks ☐ Access Controls ☐ Defense-in-depth measures ☒ Warning Signs					
41	Multiple Choice - Single Answer	✓	1.0	-	Hide Answer
What is the name of the first recognized IoT device? ☐ Smart Watch ☐ Video Game ☐ Radio ☒ ATM					
42	Multiple Choice - Single Answer	✗	0.0	-	Hide Answer
Which of the following is the least effective perimeter security control? ☐ Gates ☒ Turnstiles ☐ Mantraps ☐ Fences					
43	Multiple Choice - Single Answer	✓	1.0	-	Hide Answer
Which of the following is not a type of volatile data? ☐ Process information ☐ Network information					

- ☐ Clipboard contents
- ☒ Swap space

44

Multiple Choice - Single Answer

✓

1.0

-

Hide Answer

Hybrid attack is a combination of _____

☒ Brute Force Attack & Dictionary Attack

☐ Brute Force, Dictionary & Rainbow Table Attack

☐ Dictionary Attack and Rainbow Table Attack

☐ Brute Force Attack & Rainbow Table Attack

45

Multiple Choice - Single Answer

✓

1.0

-

Hide Answer

The mandatory process used to verify the identity of the user and restrict illegitimate users to access the system is called as

☒ Authentication

☐ Authorization

☐ Auditing

☐ None of the above

46

Multiple Choice - Single Answer

✓

1.0

-

Hide Answer

Which of the following is not an area of physical security?

☐ How to protect equipment

☐ How to protect property

☐ How to secure a site

☒ How to protect against hackers

47

Multiple Choice - Single Answer

✓

1.0

-

Hide Answer

Which of the following Password Attacks requires hashed values of the passwords?

☐ Brute Force Attack

☒ Rainbow Table Attack

☐ Dictionary Attack

☐ Hybrid Attack

48

Multiple
Choice -
Multiple
Answers

✓

1.0

-

Hide Answer

Select the appropriate ways of mitigating Unauthorized Access to a website

- ☒ Implementation of multi-factor authentication process
- ☒ Avoiding inclusion of session IDs in URLs
- ☒ Limit number of failed login attempts
- ☒ Implementing password policies and weak password checks

49

Multiple
Choice -
Single
Answer

✓

1.0

-

Hide Answer

_____ provide the means to create capability that reflects true awareness of the physical world and people

- ☒ Sensors
- ☐ Connectivity
- ☐ Security
- ☐ Heterogeneity

50

Multiple
Choice -
Single
Answer

✓

1.0

-

Hide Answer

What is CIA stands for?

- ☒ Confidentiality, Availability and Integrity
- ☐ Confidentiality, Integrity and Authentication
- ☐ Confidentiality, Integrity and Authorization
- ☐ None of the above

51

Multiple
Choice -
Single
Answer

✓

1.0

-

Hide Answer

Which of the following is not among the responsibilities of a first responder?

- ☐ Protecting the integrity of evidence
- ☐ Collecting and preserving the evidence
- ☒ Analyzing the evidence

☐ None of the Above

52

Multiple Choice - Multiple Answers

✖

0.0

-

Hide Answer

Select the correct statement(s) from the following.

- ☐ Private key cryptography uses one public key and one private key
- ☐ Public key cryptography uses only one shared public key
- ☒ Private key cryptography uses only one shared private key
- ☐ Public key cryptography involves the use of two different public keys

53

Multiple Choice - Multiple Answers

✖

0.0

-

Hide Answer

Which of the following does not aid in preventing computer crime?

- ☐ Incident Response
- ☒ Digital Forensic Analysis
- ☐ Firewall
- ☐ Encryption

54

Multiple Choice - Single Answer

✔

1.0

-

Hide Answer

Process of illegal copying of digital information from the magnetic strip of a debit, ATM or credit cards is called as _____.

- ☒ Skimming
- ☐ Snooping
- ☐ Cloning
- ☐ Scanning

55

Multiple Choice - Single Answer

✔

1.0

-

Hide Answer

The weakest link in the security chain in a physical security system is the _____

- ☐ Hardware
- ☐ Software
- ☐ System administrator

☒ User

56

Multiple
Choice -
Multiple
Answers

✓

1.0

-

Hide Answer

Which of the following can prevent the dangers arising due to dumpster diving?

- ☒ Shredding documents to be trashed
- ☒ Educating employees about the dangers of untracked trash
- ☒ Erasing all unwanted storage media
- ☐ Storing documents to be trashed in a separate room

57

Multiple
Choice -
Single
Answer

✓

1.0

-

Hide Answer

How would you prevent a Brute Force Attack?

- ☐ Using Antivirus
- ☐ Using a Firewall
- ☐ Using a lengthy password
- ☒ Limit the number of login attempts

58

Multiple
Choice -
Single
Answer

✓

1.0

-

Hide Answer

Among the given hashing algorithms, the Digital Signature Standard (DSS) uses which of them.

- ☐ Hash Message Authentication Code (HMAC)
- ☐ Message Digest (MD)
- ☒ Secure Hash Algorithm (SHA)
- ☐ All of the above

59

Multiple
Choice -
Single
Answer

✓

1.0

-

Hide Answer

Which of the following is not a part of physical access attack?

- ☐ Imaging of a drive
- ☐ Usage of an open Ethernet jack
- ☐ Hardware theft
- ☒ Penetration through a firewall

60

Multiple Choice - Single Answer

✓

1.0

-

Hide Answer

Miller's Chunking Theory indicates that the capacity of working memory is _____ chunks of information

☒ 7±2

☐ 7±3

☐ 6±2

☐ 5±2