

Test Start Time	Marks Scored	Total Questions	Attempted Questions
2021-05-10 08:30:25	45.0 / 50.0	17	16
Correct Questions	Incorrect Questions	Skipped Questions	Pending Evaluation
15	1	1	0

Reevaluation application status
Not Applied
Actions
Apply for reevaluation

List of Sections

Part A					Marks per question : 10.0	Marks Scored : 20.0
Q No.	Q. Type	Status	Marks	Comment		
1	File Upload	✓	10.0	Well written.	Hide Answer	
What is Continuous Deployment and answer the following questions: a. Explain with an example where you would require continuous deployment. b. Where you won't need continuous deployment. c. Key functions of deployment automation tools?						
Uploaded File Details						
d9dbbe49-0d0c-5e8e-005b-2ccae684ef06.pdf			Evaluated Version			

⑥ Where Continuous deployment is not used:


- ① When the application is large monolithic complex code with very high chances of getting broken due to frequent modifications.
ex. Complex SAP implementations.
- ② When ITIL process superseded devops process and mandates production releases to only follow a release calendar for ensuring better control on stability.
- ③ When business does not want to release every feature just as soon as they ready but want to wait for certain reasons.
ex. (flipkart big billion sales)
- ④ When there is production environment which can not be automated but dependencies of the application to be deployed.

⑦ Key functions of deployment automation tool

- ① Standardization, automation and control of complex software release pipeline and deployment processes.
- ② Dependencies management between applications and release processes.
- ③ Compliance, security, reporting, governance and audit trails on release process.
- ④ Hybrid deployments managed across a mixture of containers, VMs and traditional environment.
- ⑤ Complete visibility into the software development process and deployment status across every environment.
- ⑥ Release and deployment information that easily accessible across all teams.

Continuous Deployment -

Continuous deployment is a practice that is used to do automated progression of the deployment to the production environment.




Continuous Deployment -

Continuous Deployment will be needed on organizations where application feature set is a business driver in a competitive market and gives frequent updates of their launch.

Examples: Mobile apps, Ecommerce websites, Internet banking Applications etc.

So, it is needed in organizations which adopt micro service on elastic automated infrastructure with blue green deployment methods to ensure stability and availability then there is definitely Continuous deployment required.



Explain ELK stack with architecture diagram. Draw logstash architecture and explain inputs, filters, and outputs in it.

Uploaded File Details

72643c6c-e63a-f97f-c9ef-0dc8683d8f79.pdf

Evaluated Version


ELK Stack

ELK stands for Elasticsearch, Logstash and Kibana.

Where,

- Elasticsearch is a search and analytics engine.
- Logstash is a server-side data processing pipeline that ingests data from multiple sources simultaneously and transforms it and then send it to stack like Elasticsearch.
- Kibana lets users visualize data with charts and graphs in Elasticsearch.

Logstash Architecture :-



Input - Enables a plugin specific source of events to be read by logstash

Filter - Performs intermediary processing on an event. Filters are often applied conditionally depending on the characteristic of the event.

Output - It sends data to a particular destination. Outputs are the final stage in the event pipeline.

ELK Stack

ELK stands for Elasticsearch, Logstash and Kibana.

Where,

- Elasticsearch is a search and analytics engine.
- Logstash is a server-side data processing pipeline that ingests data from multiple sources simultaneously and transforms it and then send it to stash like Elasticsearch.
- Kibana lets users visualize data with charts and graphs in Elasticsearch.



ELK stack Architecture

14

Multiple Choice
- Single Answer

2.0



Hide Answer



Why would you NOT choose Container over VM?

- ☐ Smaller storage and network footprint
- ☐ Setting resource utilization limits
- ☐ Simplify application delivery
- ☒ Monolithic workloads


15

Multiple Choice
- Single Answer

2.0



Hide Answer



Which of the following is/are example/s of the Centralized Runbook Automation System?

- ☐ Ansible
- ☐ Jenkins
- ☐ Chef
- ☒ Rundeck

13

Multiple Choice
- Single Answer

2.0

-

Hide Answer

Why is the index pattern required in kibana in ELK?

- ☐ To identify the field logged in logstash conf file.
- ☐ To add various filters and discover search results.
- ☐ To use grok plugin to match the custom field added in the logged event.
- ☒ To access the elasticsearch data

14

Multiple Choice
- Single Answer

2.0

-

Hide Answer

Why would you NOT choose Container over VM?

- ☐ Smaller storage and network footprint
- ☐ Setting resource utilization limits
- ☐ Simplify application delivery
- ☒ Monolithic workloads

11

Multiple Choice
- Single Answer

2.0

-

Hide Answer

What does 'become:yes' mean in Ansible playbooks?

- ☐ It means that the service needs to be started once installed
- ☐ It means that the managed node should become controller node user
- ☒ It means that we would run all commands as root
- ☐ It means that the command must be retried until it succeeds as sudo user

12

Multiple Choice
- Single Answer

2.0

-

Hide Answer

As a DevOps Engineer, why would you create a Rundeck Job?

- ☐ To run a set of commands or scripts on your local or remote nodes
- ☒ All of the mentioned
- ☐ To run a configuration management tool on a controller node.
- ☐ To run an ad hoc command on your local or remote nodes

9

Multiple Choice
- Single Answer

2.0

-

Hide Answer

You're deploying the latest changes to your production server, but your deployment goes wrong, which of the following options you'll go for first?

- ☐ Rerun your deployment pipeline with the valid arguments
- ☐ Pray that you don't get fired
- ☒ Follow the rollback strategy
- ☐ Try to fix the bugs and deploy the fixed code

10

Multiple Choice
- Single Answer

2.0

-

Hide Answer

You want to containerize your database, but you have to make sure that your persistent data is not lost when the container gets destroyed or self-heals, how would you manage that?

- ☐ Database cannot be migrated to a container
- ☐ Add WORKDIR instruction in your Dockerfile
- ☒ Use docker volumes to map to the container
- ☐ Add docker storage driver while building the docker image.

7

Multiple Choice
- Single Answer

2.0

-

Hide Answer

_____ provides virtual machines, virtual storage, virtual infrastructure, and other hardware assets.

☐ SaaS☐ CaaS☐ PaaS☒ IaaS

8

Multiple Choice
- Single Answer

2.0

-

Hide Answer

Which of the following is NOT part of Ansible's Automation Engine?

☐ plugins☐ modules☐ inventory☒ playbook

5

Multiple Choice
- Single Answer

0.0

-

Hide Answer

You want to connect your microservices to one another to manage their API calls. What's the best way to solve this challenge?

- ☐ Remove the network isolation by assembling microservices in the host network
- ☒ Connect microservices via services name under the same network
- ☐ This cannot be done without the use of a reverse proxy server
- ☐ Manipulate the iptables rules on Linux

6

Multiple Choice
- Single Answer

2.0

-

Hide Answer

Rundeck by default uses _____ to execute commands on remote nodes.

- ☐ ISCSI
- ☐ TELNET
- ☒ SSH
- ☐ API

3

Multiple Choice
- Single Answer

2.0

-

Hide Answer

Which of the following files defines the actions that Ansible performs on managed nodes?

☐ Configuration☐ Modules☒ Playbook☐ Host inventory

4

Multiple Choice
- Single Answer

-1.0

-

Hide Answer

You want to switch from the old version to the new version in blue-green deployment, what's the correct way?

☐ Takedown blue deployment.☐ Flipping blue/green switches at the server level.☐ Change load balancer or router settings.☒ Changing the DNS record pointing to the latest deployment.

Q No.	Q. Type	Status	Marks	Comment	
1	Multiple Choice - Single Answer	✓	2.0	-	Hide Answer
← Passwords, Passphrases and Private keys stored in the _____ facility of Rundeck. ☐ Password Utility ☐ System Configuration ☒ Key Storage ☐ Access Control					
2	Multiple Choice - Single Answer	✓	2.0	-	Hide Answer
← Your team is working on 100 nodes, and you want to first configure then deploy your application on those nodes. Which deployment tool you'll be using? ☐ Git ☒ Ansible ☐ Jenkins ☐ Docker					