

```
mysql> SELECT
->     b.BookingID,
->     r.Name AS RenterName,
->     pr.Title AS PropertyTitle,
->     p.AmountPaid,
->     p.PaymentMethod
-> FROM
->     Payments p
-> JOIN Bookings b ON p.BookingID = b.BookingID
-> JOIN Renters r ON b.RenterID = r.RenterID
-> JOIN Properties pr ON b.PropertyID = pr.PropertyID;
```

BookingID	RenterName	PropertyTitle	AmountPaid	PaymentMethod
1	John Doe	2BHK MG Road	15000.00	UPI
2	Priya Mehta	1BHK HiTech City	12000.00	Cash
3	Karan Gill	Studio Apartment	8000.00	Card
4	Sita Devi	3BHK Marine Drive	30000.00	NEFT
5	Aditya Joshi	1RK Delhi	9000.00	NULL
6	Snehal Wagh	Flat in Pune	12000.00	UPI
7	Varun Gupta	Penthouse Ahmedabad	45000.00	Cheque
8	Ankita Rao	2BHK Kolkata	10000.00	UPI
9	Rohan Shah	1BHK Jaipur	12000.00	NULL
10	Divya Nair	Flat Lucknow	10000.00	Cash

10 rows in set (0.01 sec)

```
mysql> SELECT
->     pr.PropertyID,
->     pr.Title,
->     pr.RentAmount,
->     pr.AvailableFrom,
->     l.City,
->     l.State
-> FROM
->     Properties pr
-> JOIN Locations l ON pr.LocationID = l.LocationID;
```

PropertyID	Title	RentAmount	AvailableFrom	City	State
1	2BHK MG Road	15000.00	2025-07-01	Bengaluru	Karnataka
2	1BHK HiTech City	13000.00	2025-07-10	Hyderabad	Telangana
3	Studio Apartment	8000.00	NULL	Chennai	Tamil Nadu
4	3BHK Marine Drive	30000.00	2025-08-01	Mumbai	Maharashtra
5	1RK Delhi	9000.00	2025-07-20	Delhi	Delhi
6	Flat in Pune	12000.00	2025-07-15	Pune	Maharashtra
7	Penthouse Ahmedabad	45000.00	2025-09-01	Ahmedabad	Gujarat
8	2BHK Kolkata	NULL	NULL	Kolkata	West Bengal
9	1BHK Jaipur	8500.00	2025-07-12	Jaipur	Rajasthan
10	Flat Lucknow	10000.00	2025-07-22	Lucknow	Uttar Pradesh

10 rows in set (0.02 sec)

```
mysql> SELECT
->     o.Name AS OwnerName,
->     o.Email,
->     p.Title AS PropertyTitle,
->     l.City
-> FROM
->     Owners o
-> JOIN Properties p ON o.OwnerID = p.OwnerID
-> JOIN Locations l ON p.LocationID = l.LocationID;
```

OwnerName	Email	PropertyTitle	City
Ravi Kumar	ravi@example.com	2BHK MG Road	Bengaluru
Anita Sharma	anita@example.com	1BHK HiTech City	Hyderabad
Sunil Mehta	sunil@example.com	Studio Apartment	Chennai
Geeta Nair	geeta@example.com	3BHK Marine Drive	Mumbai
Manoj Singh	manoj@example.com	1RK Delhi	Delhi
Neha Patel	neha@example.com	Flat in Pune	Pune
Ramesh Iyer	ramesh@example.com	Penthouse Ahmedabad	Ahmedabad
Alok Yadav	alok@example.com	2BHK Kolkata	Kolkata
Sneha Rao	sneha@example.com	1BHK Jaipur	Jaipur
Rajiv Kapoor	rajiv@example.com	Flat Lucknow	Lucknow

10 rows in set (0.02 sec)

```
mysql> use RentalDB;
Database changed
mysql> SELECT
->     b.BookingID,
->     p.Title AS PropertyTitle,
->     r.Name AS RenterName,
->     b.StartDate,
->     b.EndDate
-> FROM
->     Bookings b
-> JOIN Properties p ON b.PropertyID = p.PropertyID
-> JOIN Renters r ON b.RenterID = r.RenterID
-> WHERE
->     b.EndDate IS NOT NULL;
```

BookingID	PropertyTitle	RenterName	StartDate	EndDate
1	2BHK MG Road	John Doe	2025-07-01	2025-12-31
3	Studio Apartment	Karan Gill	2025-08-01	2026-01-31
4	3BHK Marine Drive	Sita Devi	2025-08-05	2026-02-28
5	1RK Delhi	Aditya Joshi	2025-07-20	2026-03-31
6	Flat in Pune	Snehal Wagh	2025-07-15	2025-10-15
8	2BHK Kolkata	Ankita Rao	2025-07-18	2025-11-30
10	Flat Lucknow	Divya Nair	2025-07-22	2025-09-30

7 rows in set (0.05 sec)