DESIGN LANGUAGE DECISION · OCTOBER 20, 2026

Design System Comparison

One enterprise component architecture rendered in three design languages. Same markup, content, states and keyboard behaviour; only the visual language differs.

Atlassian-inspired

Dense · productive · 32px · r3–4 · 14px

Fluent-inspired

Structured · layered · 32px · r4/8 · 14px

Apple-inspired

Minimal · refined · 36px · r10/14 · 15px

CONTENTS

77 pages

OVERVIEW

Overview

FOUNDATIONS

Colors
Typography
Spacing
Icons
Elevation

ACTIONS

Button
Icon Button
Button Group
Split Button
Link

FORMS

Text Field
Text Area
Search
Select
Multi Select
Combobox
Checkbox
Radio
Switch
Slider
Date Picker
Date Range
Time Picker
File Upload
Color Picker

NAVIGATION

Header
Sidebar
Breadcrumb
Tabs
Pagination
Stepper
Menu
Dropdown
Context Menu
Tree

DATA DISPLAY

Table
Data Grid
Card
List
Badge
Tag
Chip
Avatar
Timeline
Accordion
Statistic

FEEDBACK

Alert
Toast
Snackbar
Banner
Progress
Spinner
Skeleton

OVERLAYS

Modal
Confirmation Dialog
Drawer
Popover
Tooltip
Command Palette

LAYOUT

Container
Grid
Stack
Split Pane
Divider
Toolbar
Page Header

EDITORS

Rich Text Editor
Code Editor
JSON Viewer
Formula Editor
Markdown Editor

PATTERNS

Forms
CRUD
Search
Filtering
Master Detail

DESIGN LANGUAGE DECISION · ENTERPRISE APP

One component architecture, three design languages.

Every component below shares the same markup, content, states and keyboard behaviour. Only the visual language changes: an Atlassian-inspired dense productivity system, a Fluent-inspired structured and layered system, and an Apple-inspired minimal and refined system. Use the style filter in the top bar to isolate one, or keep all three side by side.

SAME SCREEN, THREE LANGUAGES An issue detail panel built from Breadcrumb, Badge, Button, Tabs, Text field and Select. Try the tabs and the select.

ATLASSIAN-INSPIRED Dense · productive `32px · r3-4 · 14px`

Ledger Migration / Backlog / DS-142

Migrate billing tables to new schema

IN PROGRESS Updated 2h ago by Maya Ruiz

Save changes | Assign | ···

Details | Activity 12 | Linked

Move invoices, line items and tax tables to the v2 schema without downtime.

Summary * Migrate billing tables

Assignee Maya Ruiz

FLUENT-INSPIRED Structured · layered `32px · r4/8 · 14px`

Ledger Migration › Backlog › DS-142

Migrate billing tables to new schema

In progress Updated 2h ago by Maya Ruiz

Save changes | Assign | ···

Details | Activity 12 | Linked

Move invoices, line items and tax tables to the v2 schema without downtime.

Summary * Migrate billing tables

Assignee Maya Ruiz

APPLE-INSPIRED Minimal · refined `36px · r10/14 · 15px`

Ledger Migration › Backlog › DS-142

Migrate billing tables to new schema

In progress Updated 2h ago by Maya Ruiz

Save changes | Assign | ···

Details | Activity 12 | Linked

Move invoices, line items and tax tables to the v2 schema without downtime.

Summary * Migrate billing tables

Assignee Maya Ruiz

DESIGN PHILOSOPHY

PRINCIPLE	ATLASSIAN	FLUENT	APPLE
Core idea	Fit the most information on screen without losing hierarchy	Make structure and state obvious through layers and clear interaction feedback	Let typography and space carry hierarchy; remove everything else
Default control height	32px (24px compact)	32px (24 / 40 alternatives)	36px (28 / 44 alternatives)
Body text	14px Public Sans, 20px line	14px Segoe-style, 20px line	15px SF-style, 22px line, tight tracking

PRINCIPLE	ATLASSIAN	FLUENT	APPLE
Selection	Tint fill + primary text	Indicator bar + bold label	Solid fill or segmented thumb
Inputs	Filled field, frame turns primary	White field, accent bar grows from centre	No box; hairline rule under the value
Overlays	Flat surface, crisp shadow, dark blanket	Elevation 16–64, beaks on popovers	Translucent material with background blur
Notifications	Flags bottom-left	Toasts bottom-right	Banners drop in top-centre

FIT SCORECARD

Our assessment of each language for common enterprise needs (5 = strongest fit).

NEED	ATLASSIAN	FLUENT	APPLE
Data-dense screens (backlogs, admin tables)	●●●●●	●●●●○	●●○○○
Keyboard-heavy power users	●●●●○	●●●●●	●●●○○
Touch and tablet use	●●○○○	●●●○○	●●●●●
Accessibility out of the box	●●●●○	●●●●●	●●●●○
Brand calm / premium feel	●●○○○	●●●○○	●●●●●
Learning curve for new users	●●●○○	●●●●○	●●●●●
Long forms and configuration	●●●●○	●●●●●	●●●○○

WHEN TO CHOOSE WHICH

Atlassian-inspired

Pick it when users live in the product all day and scan large volumes of records.

- Issue trackers, ops consoles, admin tables
- Up to ~30% more rows per screen than the others
- Weakest on touch targets and brand warmth

Fluent-inspired

Pick it for complex workflows with many forms, panels and keyboard-driven users.

- Configuration, CRM, finance back office
- Strongest focus visibility and pressed feedback
- Heavier visual weight from shadows

Apple-inspired

Pick it when clarity and calm matter more than density, or when tablets are common.

- Executive views, approvals, field and tablet apps
- 44px touch targets, generous whitespace
- Needs more scrolling for dense data

BROWSE THE LAB

66 components, 5 foundations, 5 patterns.

Actions | **Forms** | **Navigation** | **Data Display** | **Feedback** | **Overlays**

Button · Icon Button · Button Group · Split Button · Link

Text Field · Text Area · Search · Select · Multi Select · Combobox · Checkbox · Radio · Switch · Slider · Date Picker · Date Range · Time Picker · File Upload · Color Picker

Header · Sidebar · Breadcrumb · Tabs · Pagination · Stepper · Menu · Dropdown · Context Menu · Tree

Table · Data Grid · Card · List · Badge · Tag · Chip · Avatar · Timeline · Accordion · Statistic

Alert · Toast · Snackbar · Banner · Progress · Spinner · Skeleton

Modal · Confirmation Dialog · Drawer · Popover · Tooltip · Command Palette

Layout

Container · Grid · Stack · Split Pane · Divider · Toolbar · Page Header

Editors

Rich Text Editor · Code Editor · JSON Viewer · Formula Editor · Markdown Editor

FOUNDATIONS

Colors

Each language owns a prefixed token set (`--a-*`, `--f-*`, `--p-*`). Values below are read live from the stylesheet, so they follow the light or dark theme.

PALETTE TOKENS

ATLASSIAN-INSPIRED Dense · productive

32px · r3-4 · 14px

Primary	Primary hover	Primary pressed	Primary subtle	Text	Text subtle	Text subtlest	Surface	Surface sunken	Neutral fill
`--a-color-primary` `#1D5BD6`	`--a-color-primary-hover` `#1849B0`	`--a-color-primary-pressed` `#123A8E`	`--a-color-primary-subtle` `#E9F0FD`	`--a-text` `#172033`	`--a-text-subtle` `#44536B`	`--a-text-subtlest` `#67748A`	`--a-surface` `#FFFFFF`	`--a-surface-sunken` `#F4F5F7`	`--a-neutral` `#EEF0F3`

Border	Input border	Success	Warning	Warning bold	Danger	Discovery	Inverse
`--a-border` `#DCDFE4`	`--a-border-input` `#B8C0CC`	`--a-success` `#1F7A4F`	`--a-warning` `#9E4A00`	`--a-warning-bold` `#F5B73B`	`--a-danger` `#C2321F`	`--a-discovery` `#6A4FC8`	`--a-inverse` `#22324A`

FLUENT-INSPIRED Structured · layered

32px · r4/8 · 14px

Brand	Brand hover	Brand pressed	Brand subtle	Foreground 1	Foreground 2	Foreground 3	Background 1	Canvas	Subtle hover
`--f-color-primary` `#1760B8`	`--f-color-primary-hover` `#11519E`	`--f-color-primary-pressed` `#0C4182`	`--f-color-primary-subtle` `#EBF3FC`	`--f-text` `#242424`	`--f-text-2` `#5B5B5B`	`--f-text-3` `#707070`	`--f-surface` `#FFFFFF`	`--f-canvas` `#FAFAFA`	`--f-subtle-hover` `#F5F5F5`

Stroke	Stroke accessible	Success	Warning	Danger	Discovery	Inverse	Divider
`--f-stroke` `#D1D1D1`	`--f-stroke-accessible` `#616161`	`--f-success` `#107C10`	`--f-warning` `#A84B08`	`--f-danger` `#C42B1C`	`--f-discovery` `#5B5FC7`	`--f-inverse` `#2E2E2E`	`--f-divider` `#E0E0E0`

APPLE-INSPIRED Minimal · refined

36px · r10/14 · 15px

Tint	Tint hover	Tint pressed	Tint subtle	Label	Secondary label	Tertiary label	Surface	Grouped background	Fill
`--p-color-primary` `#2470E8`	`--p-color-primary-hover` `#3B80EE`	`--p-color-primary-pressed` `#1A5CC6`	`--p-color-primary-subtle` `rgba(36,112,232,.12)`	`--p-label` `#1B1B1F`	`--p-label-2` `#6C6C74`	`--p-label-3` `#9C9CA3`	`--p-surface` `#FFFFFF`	`--p-canvas` `#F4F4F7`	`--p-fill` `rgba(120,120,128,.12)`

Separator	Material	Green	Orange	Red	Purple	Inverse	Border strong
`--p-separator` `rgba(60,60,67,.14)`	`--p-material` `rgba(250,250,252,.8)`	`--p-green` `#2AA54A`	`--p-orange` `#C77100`	`--p-red` `#E0352B`	`--p-purple` `#8A4FD8`	`--p-inverse` `rgba(30,30,34,.92)`	`--p-border-strong` `rgba(60,60,67,.28)`

SEMANTIC COLOUR IN USE

The same four messages, coloured by each system's semantic tokens.

ATLASSIAN-INSPIRED Dense · productive

32px · r3-4 · 14px

INFO INFO
SUCCESS SUCCESS
WARNING WARNING
DANGER DANGER
DISCOVERY DISCOVERY

FLUENT-INSPIRED Structured · layered

32px · r4/8 · 14px

Info Info
Success Success
Warning Warning
Danger Danger
Discovery Discovery

APPLE-INSPIRED Minimal · refined

36px · r10/14 · 15px

Info Info
Success Success
Warning Warning
Danger Danger
Discovery Discovery

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Primary hue	Royal blue, strong	Deep cobalt, structured	Bright tint, used sparingly
Neutrals	Cool slate with blue bias	True greys	Translucent greys over surfaces
Surfaces	White on white, sunken greys	White cards on #FAFAFA canvas	White groups on grey grouped background
Status colour use	Bold lozenges, warning yellow	Tinted backgrounds + 1px stroke	Coloured dots and icons, little fill

FOUNDATIONS

Typography

Atlassian-inspired type is compact and functional; Fluent-inspired type uses a wide, regular ramp; Apple-inspired type leans on weight and tight tracking to create hierarchy without colour.

TYPE RAMP

Measured values are read from the rendered text.

ATLASSIAN-INSPIRED — Dense · productive — 32px · r3-4 · 14px

Display · 29px / 32px · 650

Ship faster, together

Heading 1 · 24px / 28px · 650

Quarterly planning

Heading 2 · 20px / 24px · 600

Billing migration

Heading 3 · 16px / 20px · 600

Acceptance criteria

Body · 14px / 20px · 400

Move invoices, line items and tax tables to the v2 schema without downtime. Rollback stays available for 14 days.

Small · 12px / 20px · 400

Updated 2 hours ago by Maya Ruiz

Caption · 11px / 20px · 400

DS-142 · 8 story points

Eyebrow · 11px / 20px · 700

PROJECT SETTINGS

FLUENT-INSPIRED — Structured · layered — 32px · r4/8 · 14px

Display · 40px / 52px · 600

Ship faster, together

Heading 1 · 28px / 36px · 600

Quarterly planning

Heading 2 · 20px / 28px · 600

Billing migration

Heading 3 · 16px / 22px · 600

Acceptance criteria

Body · 14px / 20px · 400

Move invoices, line items and tax tables to the v2 schema without downtime. Rollback stays available for 14 days.

Small · 12px / 20px · 400

Updated 2 hours ago by Maya Ruiz

Caption · 11px / 20px · 400

DS-142 · 8 story points

Eyebrow · 12px / 20px · 600

Project settings

APPLE-INSPIRED — Minimal · refined — 36px · r10/14 · 15px

Display · 40px / 44px · 700

Ship faster, together

Heading 1 · 28px / 34px · 700

Quarterly planning

Heading 2 · 22px / 28px · 600

Billing migration

Heading 3 · 17px / 22px · 600

Acceptance criteria

Body · 15px / 22px · 400

Move invoices, line items and tax tables to the v2 schema without downtime. Rollback stays available for 14 days.

Small · 13px / 22px · 400

Updated 2 hours ago by Maya Ruiz

Caption · 12px / 22px · 400

DS-142 · 8 story points

Eyebrow · 13px / 22px · 500

Project settings

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Typeface	Public Sans (system fallback)	Segoe UI Variable / Open Sans	SF Pro / system, Inter fallback
Body	14 / 20, regular	14 / 20, regular	15 / 22, regular, −0.01em
Display	29px, 650 weight	40px, semibold	40px, bold, −0.025em

PROPERTY	ATLASSIAN	FLUENT	APPLE
Hierarchy carried by	Size + weight steps	Size ramp, consistent weight	Weight + tracking + space
Labels	12px bold, subtle colour	14px semibold	13px medium, secondary


FOUNDATIONS

Spacing & density

All three use an 8px base grid. The difference is which steps each language reaches for by default: Atlassian-inspired gaps sit at 8px, Fluent-inspired at 12px, Apple-inspired at 16px and above.

SCALE

ATLASSIAN-INSPIRED Dense · productive — 32px · r3-4 · 14px



FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px



APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px



DENSITY IN PRACTICE

The same five rows and controls. Compare how much fits in the column.

ATLASSIAN-INSPIRED Dense · productive `32px · r3-4 · 14px`

Create | Filter | Export

Migrate billing tables to new schema DS-142 · Maya Ruiz	8 pts
Audit focus rings across admin console DS-139 · Jonas Ortiz	3 pts
Invoices API returns stale currency codes DS-137 · Aiko Kato	5 pts
Add bulk export to reports view DS-131 · Liam Shah	2 pts
Rename workspace roles in settings DS-128 · Priya Nair	1 pts

FLUENT-INSPIRED Structured · layered `32px · r4/8 · 14px`

Create | Filter | Export

Migrate billing tables to new schema DS-142 · Maya Ruiz	8 pts
Audit focus rings across admin console DS-139 · Jonas Ortiz	3 pts
Invoices API returns stale currency codes DS-137 · Aiko Kato	5 pts
Add bulk export to reports view DS-131 · Liam Shah	2 pts
Rename workspace roles in settings DS-128 · Priya Nair	1 pts

APPLE-INSPIRED Minimal · refined `36px · r10/14 · 15px`

Create | Filter | Export

Migrate billing tables to new schema DS-142 · Maya Ruiz	8 pts
Audit focus rings across admin console DS-139 · Jonas Ortiz	3 pts
Invoices API returns stale currency codes DS-137 · Aiko Kato	5 pts
Add bulk export to reports view DS-131 · Liam Shah	2 pts
Rename workspace roles in settings DS-128 · Priya Nair	1 pts

COMPARISON


PROPERTY	ATLASSIAN	FLUENT	APPLE
Base unit	8px	8px	8px
Default gap	8px	12px	16px
Section gap	16px	20px	28px
Card padding	12px	16px	22px
List row height	40px	52px	56px
Table row height	36px	44px	48px

FOUNDATIONS


Icons

One outline icon set, drawn three ways. Size and stroke weight come from each language's tokens: 16px at 2px stroke, 18px at 1.5px, and 17px at 1.7px.


ATLASSIAN-INSPIRED Dense · productive — 32px · r3-4 · 14px



FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px




APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px



IN CONTEXT

ATLASSIAN-INSPIRED Dense · productive `32px · r3-4 · 14px`



FLUENT-INSPIRED Structured · layered `32px · r4/8 · 14px`



APPLE-INSPIRED Minimal · refined `36px · r10/14 · 15px`



COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Size (default)	16px	18–20px	17px
Stroke	2px	1.5px	1.7px
Colour	Subtle text colour	Primary colour in subtle buttons	Tint colour, matches text weight
Pairing with text	Icon optional on buttons	Icon + label encouraged	Text first, icon rarely

FOUNDATIONS

Elevation & shape

Fluent-inspired depth is a deliberate six-step ramp. Atlassian-inspired depth stays crisp and close to the surface. Apple-inspired depth is rare, wide and soft, and often replaced by translucent materials.

SHADOW LEVELS

ATLASSIAN-INSPIRED Dense · productive — 32px · r3-4 · 14px

- **Flat** — none
- **Raised** — --a-shadow-raised
- **Overlay** — --a-shadow-overlay
- **Modal** — --a-shadow-modal

FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px

- **Shadow 2** — --f-shadow-2
- **Shadow 4** — --f-shadow-4
- **Shadow 8** — --f-shadow-8
- **Shadow 16** — --f-shadow-16
- **Shadow 28** — --f-shadow-28
- **Shadow 64** — --f-shadow-64

APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px


- **Flat** — none
- **Soft** — --p-shadow-soft
- **Float** — --p-shadow-float
- **Sheet** — --p-shadow-sheet

CORNER RADIUS


ATLASSIAN-INSPIRED Dense · productive — 32px · r3-4 · 14px



FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px



APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px




MATERIALS

A popover over busy content shows how each language separates layers.


ATLASSIAN-INSPIRED Dense · productive `32px · r3-4 · 14px`



FLUENT-INSPIRED Structured · layered `32px · r4/8 · 14px`



APPLE-INSPIRED Minimal · refined `36px · r10/14 · 15px`



COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Levels	4 (flat → modal)	6 (2 → 64)	4 (flat → sheet)
Card treatment	Hairline + 1px shadow	Shadow 4, no border	No shadow; contrast with grouped background
Overlays	Crisp shadow + dark blanket	Shadow 16–64	Blur material + light blanket
Radius	3 / 4 / 6px	2 / 4 / 8 / 12px	6 / 10 / 14 / 20px

COMPONENTS · ACTIONS

Button

Triggers an action. Primary for the main action on a surface, default for secondary, subtle for low-emphasis and toolbar actions, danger for destructive ones.

Actions · 7 states · 3 sizes · `.ds-btn`

LIVE PREVIEW

Same markup and content in each language.

ATLASSIAN-INSPIRED — Dense · productive — 32px · r3-4 · 14px

Create · Share · Watch · Delete · Learn more

Following · Unavailable

Click Create to see loading, then success feedback. “Following” is a toggle button.

FLUENT-INSPIRED — Structured · layered — 32px · r4/8 · 14px

+ Create · Share · Watch · Delete

Learn more

✓ Following · Unavailable

Click Create to see loading, then success feedback. “Following” is a toggle button.

APPLE-INSPIRED — Minimal · refined — 36px · r10/14 · 15px

Create · Share · Watch · Delete

Learn more

Following · Unavailable

Click Create to see loading, then success feedback. “Following” is a toggle button.

STATES

Forced with state classes so every state is visible at once.

STATE	ATLASSIAN	FLUENT	APPLE
Default `rest`	Create · Cancel · Edit	+ Create · Cancel · Edit	Create · Cancel · Edit
Hover `:hover`	Create · Cancel · Edit	+ Create · Cancel · Edit	Create · Cancel · Edit
Focus `:focus-visible`	Create · Cancel · Edit	+ Create · Cancel · Edit	Create · Cancel · Edit
Active / pressed `:active`	Create · Cancel · Edit	+ Create · Cancel · Edit	Create · Cancel · Edit
Selected `aria-selected`	Create · Cancel · Edit	+ Create · Cancel · Edit	Create · Cancel · Edit

STATE	ATLASSIAN	FLUENT	APPLE
Disabled `:disabled`	Create Cancel Edit	+ Create Cancel Edit	Create Cancel Edit
Loading `aria-busy`			

SIZES Small, medium and large use each language's height scale.

SIZE	ATLASSIAN	FLUENT	APPLE
Small `--h-s`	Create Cancel Edit	+ Create Cancel Edit	Create Cancel Edit
Medium `--h-m`	Create Cancel Edit	+ Create Cancel Edit	Create Cancel Edit
Large `--h-l`	Create Cancel Edit	+ Create Cancel Edit	Create Cancel Edit

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Height (S / M / L)	24 / 32 / 40px	24 / 32 / 40px	28 / 36 / 44px
Radius	3px	4px	10px (14px large)
Default button	Grey fill, no border	White, 1px stroke	Tinted grey fill, tint-coloured text
Primary emphasis	Strong	Strong	Moderate, semibold text
Leading icon	Hidden by default	Shown	Hidden; text carries meaning
Pressed feedback	Darker fill	Darker fill + stroke	Scale to 97%
Disabled	Grey fill, grey text	Grey fill + divider stroke	35% opacity
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo

PROPERTY	ATLASSIAN	FLUENT	APPLE
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

Uses a native `button`. Toggle buttons expose `aria-pressed`; loading buttons set `aria-busy` and keep their width so the layout does not jump.

Keyboard

`Tab` Move focus to the button

`Enter / Space` Activate

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · ACTIONS

Icon Button

A square button with only an icon, for dense toolbars and row actions. Always carries an accessible name and a tooltip.

Actions | 6 states | 3 sizes | `.ds-ibtn .ds-tip`

LIVE PREVIEW

Same markup and content in each language.

ATLASSIAN-INSPIRED — Dense · productive — 32px · r3–4 · 14px




Hover or focus to see tooltips. The star is a toggle.

FLUENT-INSPIRED — Structured · layered — 32px · r4/8 · 14px



Hover or focus to see tooltips. The star is a toggle.

APPLE-INSPIRED — Minimal · refined — 36px · r10/14 · 15px



Hover or focus to see tooltips. The star is a toggle.



STATES

Forced with state classes so every state is visible at once.

STATE	ATLASSIAN	FLUENT	APPLE
Default `rest`			
Hover `:hover`			
Focus `:focus-visible`			
Active / pressed `:active`			
Selected `aria-selected`			
Disabled `:disabled`			

SIZES

Small, medium and large use each language's height scale.

SIZE	ATLASSIAN	FLUENT	APPLE
Small `--h-s`			
Medium `--h-m`			
Large `--h-l`			

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Shape	Square, 3px radius	Square, 4px radius	Circle
Icon size	16px	18px	17px
Default style	Transparent until hover	Transparent; icon in brand colour	Transparent; tint colour
Tooltip	Dark, fast (300ms)	Light with beak (250ms)	Material, delayed (600ms)
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR

Identical in all three languages.

Accessibility

Every icon button has an `aria-label`. Tooltips are linked with `aria-describedby`, appear on focus as well as hover, and close with Esc.

Keyboard

- `Tab` Move focus to the button
- `Enter / Space` Activate
- `Esc` Hide the tooltip

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · ACTIONS

Button Group

Groups related buttons. As a single-choice group it switches a view or time range.

Actions · 4 states · 3 sizes · `.ds-bgroup`

LIVE PREVIEW

Same markup and content in each language.

ATLASSIAN-INSPIRED — Dense · productive — 32px · r3-4 · 14px

Time range

Day | Week | Month | Quarter

View

List | Board | Timeline

Edit | Assign | Archive

FLUENT-INSPIRED — Structured · layered — 32px · r4/8 · 14px

Time range

Day | Week | Month | Quarter

View

List | Board | Timeline

Edit | Assign | Archive

APPLE-INSPIRED — Minimal · refined — 36px · r10/14 · 15px

Time range

Day | Week | Month | Quarter

View

List | Board | Timeline

Edit | Assign | Archive

STATES

Forced with state classes so every state is visible at once.

STATE	ATLASSIAN	FLUENT	APPLE
Default `rest`	Day | Week | Month	Day | Week | Month	Day | Week | Month
Hover `:hover`	Day | Week | Month	Day | Week | Month	Day | Week | Month
Focus `:focus-visible`	Day | Week | Month	Day | Week | Month	Day | Week | Month
Disabled `:disabled`	Day | Week | Month	Day | Week | Month	Day | Week | Month

SIZES

Small, medium and large use each language's height scale.

SIZE	ATLASSIAN	FLUENT	APPLE
Small `--h-s`	Day Week Month	Day Week Month	Day Week Month
Medium `--h-m`	Day Week Month	Day Week Month	Day Week Month
Large `--h-l`	Day Week Month	Day Week Month	Day Week Month

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Composition	Separate buttons, 4px apart	Joined, shared 1px borders	Segmented control in a fill track
Selected	Blue tint + blue text	Brand subtle fill + brand stroke	White thumb with soft shadow
Best for	Toolbars with many actions	View switchers in forms and panels	2–5 mutually exclusive options
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR

Identical in all three languages.

Accessibility

The wrapper is `role="group"` with a label. Single-choice groups use `aria-pressed` on each button so screen readers announce the current choice.

Keyboard

`Tab` Move focus to the button

`Enter / Space` Activate

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · ACTIONS

Split Button

A primary action with a menu of related alternatives attached to the same control.

Actions | 4 states | 3 sizes | `.ds-split .ds-pop`

LIVE PREVIEW

Same markup and content in each language.

ATLASSIAN-INSPIRED — Dense · productive — 32px · r3-4 · 14px

Publish | Export

The main segment runs the default; the chevron opens alternatives.

FLUENT-INSPIRED — Structured · layered — 32px · r4/8 · 14px

Publish | Export

The main segment runs the default; the chevron opens alternatives.

APPLE-INSPIRED — Minimal · refined — 36px · r10/14 · 15px

Publish | Export

The main segment runs the default; the chevron opens alternatives.

STATES

Forced with state classes so every state is visible at once.

STATE	ATLASSIAN	FLUENT	APPLE
Default `rest`	Publish	Publish	Publish
Hover `:hover`	Publish	Publish	Publish
Focus `:focus-visible`	Publish	Publish	Publish
Disabled `:disabled`	Publish	Publish	Publish

SIZES

Small, medium and large use each language's height scale.

SIZE	ATLASSIAN	FLUENT	APPLE
Small `--h-s`	Publish	Publish	Publish

SIZE	ATLASSIAN	FLUENT	APPLE
Medium `--h-m`	Publish	Publish	Publish
Large `--h-l`	Publish	Publish	Publish

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Divider	1px gap between halves	Inset hairline on primary	Inset hairline
Menu surface	Flat, 4px radius	8px radius, shadow 16	Blur material, 12px radius
Hover in menu	Grey tint	Grey rounded tint	Solid tint with white text
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR

Identical in all three languages.

Accessibility

The chevron is a separate `button` with `aria-haspopup="menu"` and `aria-expanded`. Opening the menu moves focus to the first item.

Keyboard

`Enter / ↓` Open the menu and focus the first item

`↑ / ↓ · Home / End` Move between items

`Esc` Close and return focus

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · ACTIONS

Link

Navigates to another page or resource. Use inline within text or standalone for “learn more” style navigation.

Actions · 4 states · `.ds-link`

LIVE PREVIEW

Same markup and content in each language.

ATLASSIAN-INSPIRED — Dense · productive — 32px · r3–4 · 14px

This issue blocks DS-137 and is tracked in the Q3 billing roadmap.

View all activity · Open runbook · Archived report

FLUENT-INSPIRED — Structured · layered — 32px · r4/8 · 14px

This issue blocks DS-137 and is tracked in the Q3 billing roadmap.

View all activity · Open runbook · Archived report

APPLE-INSPIRED — Minimal · refined — 36px · r10/14 · 15px

This issue blocks DS-137 and is tracked in the Q3 billing roadmap.

View all activity › · Open runbook · Archived report

STATES

Forced with state classes so every state is visible at once.

STATE	ATLASSIAN	FLUENT	APPLE
Default `rest`	View all activity	View all activity	View all activity ›
Hover `:hover`	View all activity	View all activity	View all activity ›
Focus `:focus-visible`	View all activity	View all activity	View all activity ›
Disabled `:disabled`	View all activity	View all activity	View all activity ›

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Underline	On hover	On hover, offset 3px	Never; opacity on hover
Visited	Purple	Unchanged	Unchanged
Trailing affordance	None	None	Chevron “›” on standalone links
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces

PROPERTY	ATLASSIAN	FLUENT	APPLE
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR

Identical in all three languages.

Accessibility

Links use real a elements with descriptive text. Disabled links drop their `href` and set `aria-disabled`.

Keyboard

`Tab` Move focus

`Enter` Follow the link

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · FORMS

Text Field

Single-line text input with label, helper text and validation. Supports leading icons and suffixes.

Forms | 8 states | 3 sizes | `.ds-field .ds-label`

LIVE PREVIEW

Same markup and content in each language.

ATLASSIAN-INSPIRED — Dense · productive — 32px · r3-4 · 14px

Summary *
What needs to be done?
Shown on the board card

Reporter email
maya.ruiz@ledger.examp

Budget
12500 USD

Issue key
DS-142
Generated automatically

FLUENT-INSPIRED — Structured · layered — 32px · r4/8 · 14px

Summary *
What needs to be done?
Shown on the board card

Reporter email
maya.ruiz@ledger.exam

Budget
12500 USD

Issue key
DS-142
Generated automatically

APPLE-INSPIRED — Minimal · refined — 36px · r10/14 · 15px

Summary *
What needs to be done?
Shown on the board card

Reporter email
maya.ruiz@ledger.exam

Budget
12500 USD

Issue key
DS-142
Generated automatically

STATES

Forced with state classes so every state is visible at once.

STATE	ATLASSIAN	FLUENT	APPLE
Default `rest`	Summary Migrate billing tables Shown on the board card	Summary Migrate billing tables Shown on the board card	Summary Migrate billing tables Shown on the board card
Hover `:hover`	Summary Migrate billing tables Shown on the board card	Summary Migrate billing tables Shown on the board card	Summary Migrate billing tables Shown on the board card
Focus `:focus-visible`	Summary Migrate billing tables Shown on the board card	Summary Migrate billing tables Shown on the board card	Summary Migrate billing tables Shown on the board card

STATE	ATLASSIAN	FLUENT	APPLE
Disabled `:disabled`	Summary Migrate billing tables Locked while the sprint is active	Summary Migrate billing tables Locked while the sprint is active	Summary Migrate billing tables Locked while the sprint is active
Loading `aria-busy`	**Summary** Migrate billing tables Checking for duplicates...	**Summary** Migrate billing tables Checking for duplicates...	Summary Migrate billing tables Checking for duplicates...
Error `.is-error`	**Summary** * What needs to be done? Summary is required	**Summary** * What needs to be done? Summary is required	Summary * What needs to be done? Summary is required
Success `.is-success`	**Summary** Migrate billing tables Name is available	**Summary** Migrate billing tables Name is available	Summary Migrate billing tables Name is available
Warning `.is-warning`	**Summary** Migrate billing tables Similar issue DS-131 exists	**Summary** Migrate billing tables Similar issue DS-131 exists	Summary Migrate billing tables Similar issue DS-131 exists

SIZES

Small, medium and large use each language's height scale.

SIZE	ATLASSIAN	FLUENT	APPLE
Small `--h-s`	**Summary** What needs to be done?	**Summary** What needs to be done?	Summary What needs to be done?
Medium `--h-m`	**Summary** What needs to be done?	**Summary** What needs to be done?	Summary What needs to be done?
Large `--h-l`	**Summary** What needs to be done?	**Summary** What needs to be done?	Summary What needs to be done?

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Field shape	Filled grey box, 1px frame	White box, darker bottom stroke	No box, hairline underline
Focus	Frame turns primary (2px)	Accent bar grows from centre	Underline thickens in tint
Label	12px bold, above	14px semibold, above	13px medium, secondary
Height (M)	32px	32px	36px
Error	Red frame + icon message	Red bar + icon message	Red underline + small text
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

Each input has a visible `label`. Helper and error text are linked via `aria-describedby`; invalid inputs set `aria-invalid="true"`. Required fields use the native `required` attribute plus a visual asterisk.

Keyboard

`Tab` Move between fields

`Type` Edit the value

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · FORMS

Text Area

Multi-line text input for descriptions and comments, with an optional live character count.

Forms | 4 states | `.ds-control--area .ds-cnt`

LIVE PREVIEW

Same markup and content in each language.

ATLASSIAN-INSPIRED — Dense · productive — 32px · r3-4 · 14px

Description

Move invoices, line items and tax tables to the v2 schema. Keep the read replica in sync until cut-over.

Supports plain text 104/280

Rejection reason

Add a reason so the reporter knows what to change

FLUENT-INSPIRED — Structured · layered — 32px · r4/8 · 14px

Description

Move invoices, line items and tax tables to the v2 schema. Keep the read replica in sync until cut-over.

Supports plain text 104/280

Rejection reason

Add a reason so the reporter knows what to change

APPLE-INSPIRED — Minimal · refined — 36px · r10/14 · 15px

Description

Move invoices, line items and tax tables to the v2 schema. Keep the read replica in sync until cut-over.

Supports plain text 104/280

Rejection reason

Add a reason so the reporter knows what to change

STATES

Forced with state classes so every state is visible at once.

STATE	ATLASSIAN	FLUENT	APPLE
Default `rest`	Comment: Looks good, ship it.	Comment: Looks good, ship it.	Comment: Looks good, ship it.
Focus `:focus-visible`	Comment: Looks good, ship it.	Comment: Looks good, ship it.	Comment: Looks good, ship it.

STATE	ATLASSIAN	FLUENT	APPLE
Disabled `:disabled`	Comment Looks good, ship it.	Comment Looks good, ship it.	Comment Looks good, ship it.
Error `.is-error`	Comment Comment cannot be empty	Comment Comment cannot be empty	Comment Comment cannot be empty

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Frame	Same as text field	Same as text field	Rounded 10px box (not underline)
Resize	Vertical	Vertical	Vertical
Counter	Right, small	Right, small	Right, small
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR

Identical in all three languages.

Accessibility

The counter is in an `aria-live="polite"` region so assistive tech hears it without interrupting typing.

Keyboard

`Tab` Move between fields

`Type` Edit the value

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · FORMS

Search

A search input with a leading icon, clear button and keyboard hint.

Forms · 5 states · 3 sizes · `.ds-control--search .ds-x`

LIVE PREVIEW

Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — `32px · r3-4 · 14px`

Search issues

billing

Press Enter to search

Recent: billing · focus ring · DS-13

FLUENT-INSPIRED Structured · layered — `32px · r4/8 · 14px`

Search issues

billing

Press Enter to search

Recent: billing · focus ring · DS-13

APPLE-INSPIRED Minimal · refined — `36px · r10/14 · 15px`

Search issues

billing

Press Enter to search

Recent: billing · focus ring · DS-13

STATES

Forced with state classes so every state is visible at once.

STATE	ATLASSIAN	FLUENT	APPLE
Default `rest`	Search issues	Search issues	Search issues
Hover `:hover`	billing	billing	billing
Focus `:focus-visible`	billing	billing	billing
Disabled `:disabled`	Search issues	Search issues	Search issues
Loading `aria-busy`	billing	billing	billing

SIZES

Small, medium and large use each language's height scale.

SIZE	ATLASSIAN	FLUENT	APPLE
Small `--h-s`	Search issues	Search issues	Search issues

SIZE	ATLASSIAN	FLUENT	APPLE
Medium `--h-m`	Search issues	Search issues	Search issues
Large `--h-l`	Search issues	Search issues	Search issues

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Shape	Same box as text fields	Same box as text fields	Filled rounded field (differs from text fields)
Clear button	Circular, appears with text	Circular, appears with text	Circular, appears with text
Shortcut hint	“/” key chip	“/” key chip	“/” key chip
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR

Identical in all three languages.

Accessibility

Uses `type="search"` with a visible label. The clear button has its own accessible name and returns focus to the input.

Keyboard

- `/` Focus search (app-level)
- `Enter` Run search
- `Esc` Clear (native)

What differs

Only the token values and each language’s own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · FORMS

Select

Pick one value from a short list. Opens a listbox; the trigger shows the current value.

Forms · 5 states · 3 sizes · `.ds-select .ds-pop`

LIVE PREVIEW

Same markup and content in each language.

ATLASSIAN-INSPIRED — Dense · productive — 32px · r3-4 · 14px

Status: In progress
Assignee: Unassigned
Sprint: Sprint 41
Sprint is locked

FLUENT-INSPIRED — Structured · layered — 32px · r4/8 · 14px

Status: In progress
Assignee: Unassigned
Sprint: Sprint 41
Sprint is locked

APPLE-INSPIRED — Minimal · refined — 36px · r10/14 · 15px

Status: In progress
Assignee: Unassigned
Sprint: Sprint 41
Sprint is locked

STATES

Forced with state classes so every state is visible at once.

STATE	ATLASSIAN	FLUENT	APPLE
Default `rest`	Priority: Medium	Priority: Medium	Priority: Medium
Hover `:hover`	Priority: Medium	Priority: Medium	Priority: Medium
Focus `:focus-visible`	Priority: Medium	Priority: Medium	Priority: Medium
Disabled `:disabled`	Priority: Medium	Priority: Medium	Priority: Medium

STATE	ATLASSIAN	FLUENT	APPLE
Error `.is-error`	Priority Choose a priority Priority is required	Priority Choose a priority Priority is required	Priority Choose a priority Priority is required

SIZES Small, medium and large use each language's height scale.

SIZE	ATLASSIAN	FLUENT	APPLE
Small `--h-s`	Priority Medium	Priority Medium	Priority Medium
Medium `--h-m`	Priority Medium	Priority Medium	Priority Medium
Large `--h-l`	Priority Medium	Priority Medium	Priority Medium

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Trigger	Field-style box + chevron	Field-style box + chevron	Underlined value + chevron
Selected option	Tint row + left bar	Bold text + left indicator	Checkmark; hover is solid tint
Menu radius	4px	8px	12px, blurred material
Option height	32px	32px	30px
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

Follows the ARIA select-only combobox pattern: a `button` with `aria-haspopup="listbox"` controls a `role="listbox"`; the highlighted option is exposed with `aria-activedescendant` while focus stays on the trigger.

Keyboard

- `↓ / ↑` Open and move through options
- `Enter` Choose the highlighted option
- `Esc` Close without choosing

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · FORMS

Multi Select

Choose several values. Selections appear as removable tags inside the field.

Forms `.ds-control--multi .ds-tag`

LIVE PREVIEW

Same markup and content in each language.

ATLASSIAN-INSPIRED

Dense · productive — 32px · r3-4 · 14px

Labels

Accessibility × Billing × Add labels...

Type to filter. Backspace removes the last label.

FLUENT-INSPIRED

Structured · layered — 32px · r4/8 · 14px

Labels

Accessibility × Billing × Add labels...

Type to filter. Backspace removes the last label.

APPLE-INSPIRED

Minimal · refined — 36px · r10/14 · 15px

Labels

Accessibility × Billing × Add labels...

Type to filter. Backspace removes the last label.

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Tags in field	Square 3px, grey	Rounded 4px with stroke	Capsules
Options	Checkbox + label	Checkbox + label	Checkbox; whole row tints on hover
Field growth	Wraps to new lines	Wraps to new lines	Wraps to new lines
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo

PROPERTY	ATLASSIAN	FLUENT	APPLE
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

An editable combobox controls a `listbox` with `aria-multiselectable="true"`. Each tag has a remove button named “Remove <label>”.

Keyboard

- `↓ / ↑` Open and move through options
- `Enter` Choose the highlighted option
- `Esc` Close without choosing
- `Backspace` Remove the last tag when the input is empty

What differs

Only the token values and each language’s own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · FORMS

Combobox

A text input that filters a list of suggestions. Use when the list is long or the user knows what they are looking for.

Forms `.ds-anchor .ds-opt`

LIVE PREVIEW

Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — `32px · r3–4 · 14px`

Reviewer

Search people

Try “ka” or “eng”.

FLUENT-INSPIRED Structured · layered — `32px · r4/8 · 14px`

Reviewer

Search people

Try “ka” or “eng”.

APPLE-INSPIRED Minimal · refined — `36px · r10/14 · 15px`

Reviewer

Search people

Try “ka” or “eng”.

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Match highlight	Bold match	Bold match	Bold match on tinted row
Empty result	Inline message	Inline message	Inline message
Option content	Avatar, name, role	Avatar, name, role	Avatar, name, role
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely

PROPERTY	ATLASSIAN	FLUENT	APPLE
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

Uses `role="combobox"` with `aria-autocomplete="list"`, `aria-expanded` and `aria-activedescendant`. Filtering does not move focus out of the input.

Keyboard

- `↓ / ↑` Open and move through options
- `Enter` Choose the highlighted option
- `Esc` Close without choosing

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · FORMS

Checkbox

Select any number of options. Supports a mixed (indeterminate) parent state.

Forms · 7 states · `.ds-check .ds-check__box`

LIVE PREVIEW

Same markup and content in each language.

ATLASSIAN-INSPIRED — Dense · productive — 32px · r3-4 · 14px

Notify me when

- [ ] All events
  - [x] An issue is assigned to me
  - [x] Someone mentions me
    Includes comments and descriptions
  - [ ] Sprint scope changes
- [ ] Weekly digest (admin only)

FLUENT-INSPIRED — Structured · layered — 32px · r4/8 · 14px

Notify me when

- [ ] All events
  - [x] An issue is assigned to me
  - [x] Someone mentions me
    Includes comments and descriptions
  - [ ] Sprint scope changes
- [ ] Weekly digest (admin only)

APPLE-INSPIRED — Minimal · refined — 36px · r10/14 · 15px

Notify me when

- [ ] All events
  - [x] An issue is assigned to me
  - [x] Someone mentions me
    Includes comments and descriptions
  - [ ] Sprint scope changes
- [ ] Weekly digest (admin only)

STATES

Forced with state classes so every state is visible at once.

STATE	ATLASSIAN	FLUENT	APPLE
Default `rest`	☐ Someone mentions me	☐ Someone mentions me	☐ Someone mentions me
Hover `:hover`	☐ Someone mentions me	☐ Someone mentions me	☐ Someone mentions me
Focus `:focus-visible`	☐ Someone mentions me	☐ Someone mentions me	☐ Someone mentions me
Active / pressed `:active`	☐ Someone mentions me	☐ Someone mentions me	☐ Someone mentions me
Selected `aria-selected`	☑ Someone mentions me	☑ Someone mentions me	☑ Someone mentions me
Disabled `:disabled`	☐ Someone mentions me	☐ Someone mentions me	☐ Someone mentions me
Error `.is-error`	☐ Someone mentions me	☐ Someone mentions me	☐ Someone mentions me

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Box size	14px, 2px border	16px, 1px accessible stroke	18px, hairline + soft shadow
Radius	2px	2px	5px
Checked	Primary fill	Brand fill	Tint fill
Pressed	Darker border	Shrinks to 94%	Shrinks to 90%
Row gap	4px	8px	12px
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR

Identical in all three languages.

Accessibility

Native `input type="checkbox"` inside a `label`, grouped in a `fieldset` with a `legend`. The parent uses the native `indeterminate` property.

Keyboard

`Tab` Move to the control

`Space` Toggle

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · FORMS

Radio

Select exactly one option from a small set. Show all options at once.

Forms | 7 states | `.ds-radio .ds-check__box`

LIVE PREVIEW

Same markup and content in each language.

ATLASSIAN-INSPIRED — Dense · productive — 32px · r3-4 · 14px

Priority

- Highest — Wakes up on-call
- High — Next in queue
- Medium
- Low
- Trivial — Retired in this project

FLUENT-INSPIRED — Structured · layered — 32px · r4/8 · 14px

Priority

- Highest — Wakes up on-call
- High — Next in queue
- Medium
- Low
- Trivial — Retired in this project

APPLE-INSPIRED — Minimal · refined — 36px · r10/14 · 15px

Priority

- Highest — Wakes up on-call
- High — Next in queue
- Medium
- Low
- Trivial — Retired in this project

STATES

Forced with state classes so every state is visible at once.

STATE	ATLASSIAN	FLUENT	APPLE
Default `rest`	High priority	High priority	High priority
Hover `:hover`	High priority	High priority	High priority
Focus `:focus-visible`	High priority	High priority	High priority
Active / pressed `:active`	High priority	High priority	High priority
Selected `aria-selected`	High priority	High priority	High priority
Disabled `:disabled`	High priority	High priority	High priority
Error `.is-error`	High priority	High priority	High priority

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Size	14px	16px	18px
Checked	Filled + white dot	Brand ring + brand dot	Filled + white dot
Option spacing	4px	8px	12px
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR

Identical in all three languages.

Accessibility

Native radios that share a `name`, inside a `fieldset`. Arrow keys move the selection within the group (native behaviour).

Keyboard

`Tab` Enter the group at the selected option

`↑ / ↓` Select previous / next option

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · FORMS

Switch

Turns a setting on or off immediately, without a save step.

Forms · 6 states · `.ds-switch .ds-switch__track`

LIVE PREVIEW

Same markup and content in each language.

ATLASSIAN-INSPIRED — Dense · productive — 32px · r3-4 · 14px

- Email notifications
- Auto-assign reviewers
- Show story points on cards
- Maintenance mode

FLUENT-INSPIRED — Structured · layered — 32px · r4/8 · 14px

- Email notifications
- Auto-assign reviewers
- Show story points on cards
- Maintenance mode

APPLE-INSPIRED — Minimal · refined — 36px · r10/14 · 15px

- Email notifications
- Auto-assign reviewers
- Show story points on cards
- Maintenance mode

STATES

Forced with state classes so every state is visible at once.

STATE	ATLASSIAN	FLUENT	APPLE
Default `rest`	Email notifications	Email notifications	Email notifications
Hover `:hover`	Email notifications	Email notifications	Email notifications
Focus `:focus-visible`	Email notifications	Email notifications	Email notifications
Active / pressed `:active`	Email notifications	Email notifications	Email notifications
Selected `aria-selected`	Email notifications	Email notifications	Email notifications
Disabled `:disabled`	Email notifications	Email notifications	Email notifications

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Track	32 × 16, solid grey	40 × 20, outlined when off	46 × 28, soft fill
On colour	Success green	Brand blue	Success green
Thumb	12px white	14px, dark when off	24px white with shadow
Motion	150ms ease-out	200ms decelerate, stretches when pressed	320ms spring, stretches when pressed
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo

BEHAVIOUR

Identical in all three languages.

Accessibility

Native checkbox with `role="switch"`, so screen readers announce “on/off”. The label text is part of the click target.

Keyboard

`Tab` Move to the control

`Space` Toggle

What differs

Only the token values and each language’s own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · FORMS

Slider


Choose a value from a continuous or stepped range.

Forms | 3 states | `.ds-range .ds-slider-head`


LIVE PREVIEW

Same markup and content in each language.


ATLASSIAN-INSPIRED — Dense · productive — 32px · r3-4 · 14px



FLUENT-INSPIRED — Structured · layered — 32px · r4/8 · 14px




APPLE-INSPIRED — Minimal · refined — 36px · r10/14 · 15px



STATES

Forced with state classes so every state is visible at once.



COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Track	4px, grey	4px, accessible stroke	4px, translucent fill
Thumb	16px white disc	20px ring with brand centre	24px white disc with shadow
Hover	None	Thumb grows 8%	None
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces

PROPERTY	ATLASSIAN	FLUENT	APPLE
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR

Identical in all three languages.

Accessibility

Native `input type="range"` with a label. The current value is mirrored as text next to the label.

Keyboard

`←` / `→` Decrease / increase by one step

`Home` / `End` Minimum / maximum

`Page Up` / `Down` Larger steps

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · FORMS

Date Picker

Pick a single date from a calendar popover. The field shows the formatted date.

Forms · 5 states · `.ds-cal .ds-day`

LIVE PREVIEW

Same markup and content in each language.

ATLASSIAN-INSPIRED — Dense · productive — 32px · r3-4 · 14px

Due date

Oct 25, 2026

Format: Oct 25, 2026

Inline calendar

October 2026

MO	TU	WE	TH	FR	SA	SU
28	29	30	1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	1
2	3	4	5	6	7	8

FLUENT-INSPIRED — Structured · layered — 32px · r4/8 · 14px

Due date

Oct 25, 2026

Format: Oct 25, 2026

Inline calendar

October 2026

Mo	Tu	We	Th	Fr	Sa	Su
28	29	30	1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	1
2	3	4	5	6	7	8

APPLE-INSPIRED — Minimal · refined — 36px · r10/14 · 15px

Due date

Oct 25, 2026

Format: Oct 25, 2026

Inline calendar

October 2026

MO	TU	WE	TH	FR	SA	SU
28	29	30	1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	1
2	3	4	5	6	7	8

STATES

Forced with state classes so every state is visible at once.

STATE	ATLASSIAN	FLUENT	APPLE
Default `rest`	Due date Oct 25, 2026	Due date Oct 25, 2026	Due date Oct 25, 2026

STATE	ATLASSIAN	FLUENT	APPLE
Hover :hover	Due date Oct 25, 2026	Due date Oct 25, 2026	Due date Oct 25, 2026
Focus :focus-visible	Due date Oct 25, 2026	Due date Oct 25, 2026	Due date Oct 25, 2026
Disabled :disabled	Due date Oct 25, 2026	Due date Oct 25, 2026	Due date Oct 25, 2026
Error .is-error	Due date Select a date Pick a due date	Due date Select a date Pick a due date	Due date Select a date Pick a due date

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Day cell	32px square, 3px radius	32px, 4px radius	38px circle
Today	Underlined primary	Filled brand circle	Red text
Selected	Primary fill	Brand outline + subtle fill	Tint-filled circle
Week header	Uppercase, bold	Regular	Uppercase, semibold
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

The trigger opens a `role="dialog"` popover; focus moves to the selected or first day. Days are buttons with full spoken dates in `aria-label`.

Keyboard

- `← → ↑ ↓` Move by day / week
- `Page Up / Down` Previous / next month
- `Enter` Pick the focused day
- `Esc` Close the calendar

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · FORMS

Date Range

Pick a start and end date. The first click sets the start, the second sets the end.

Forms `.ds-cal .ds-day`

LIVE PREVIEW Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — 32px · r3-4 · 14px

Release window

Oct 20, 2026 – Oct 29, 2026

Next 7 days | Next 14 days | This month

October 2026

MO	TU	WE	TH	FR	SA	SU
28	29	30	1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	1
2	3	4	5	6	7	8

FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px

Release window

Oct 20, 2026 – Oct 29, 2026

Next 7 days | Next 14 days | This month

October 2026

Mo	Tu	We	Th	Fr	Sa	Su
28	29	30	1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	1
2	3	4	5	6	7	8

APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px

Release window

Oct 20, 2026 – Oct 29, 2026

Next 7 days | Next 14 days | This month

October 2026

MO	TU	WE	TH	FR	SA	SU
28	29	30	1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	1
2	3	4	5	6	7	8

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
In-range days	Square tint band	Square tint band	Soft tint band
End points	Primary fill	Brand outline	Tint-filled circles
Presets	Chips	Chips	Chips
Density	Compact	Medium	Spacious

PROPERTY	ATLASSIAN	FLUENT	APPLE
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

Same keyboard model as the date picker. The trigger text reads “start – end”, and announces “Select end date” after the first pick.

Keyboard

`← → ↑ ↓` Move by day / week

`Enter` Set start, then end

`Esc` Close

What differs

Only the token values and each language’s own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · FORMS

Time Picker

Choose a time from fixed intervals. Uses the same listbox model as Select.

Forms | 4 states | `.ds-times .ds-select`

LIVE PREVIEW

Same markup and content in each language.

ATLASSIAN-INSPIRED — Dense · productive — 32px · r3-4 · 14px

Stand-up time: 9:30 AM

End time: Choose a time

8:00 AM
8:30 AM
9:00 AM
9:30 AM
10:00 AM
10:30 AM
11:00 AM

FLUENT-INSPIRED — Structured · layered — 32px · r4/8 · 14px

Stand-up time: 9:30 AM

End time: Choose a time

8:00 AM
8:30 AM
9:00 AM
9:30 AM
10:00 AM
10:30 AM
11:00 AM

APPLE-INSPIRED — Minimal · refined — 36px · r10/14 · 15px

Stand-up time: 9:30 AM


End time: Choose a time

8:00 AM
8:30 AM
9:00 AM
9:30 AM
10:00 AM
10:30 AM

STATES

Forced with state classes so every state is visible at once.

STATE	ATLASSIAN	FLUENT	APPLE
Default `rest`	Start time: 10:00 AM	Start time: 10:00 AM	Start time: 10:00 AM
Focus `:focus-visible`			
Disabled `:disabled`			



COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Interval	30 minutes	30 minutes	30 minutes
List style	Left-aligned rows	Left-aligned rows	Centred, larger numerals (wheel feel)
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR

Identical in all three languages.

Accessibility

A select-only combobox with a scrollable `listbox`; the selected time scrolls into view when opened.

Keyboard

- `↓ / ↑` Open and move through options
- `Enter` Choose the highlighted option
- `Esc` Close without choosing

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · FORMS

File Upload

Drop files or browse to attach them. Shows per-file progress and lets the user remove files.

Forms | 4 states | `.ds-drop .ds-files`

LIVE PREVIEW

Same markup and content in each language.

ATLASSIAN-INSPIRED — Dense · productive — 32px · r3-4 · 14px

Attachments

Drop files here or browse

PDF, PNG or CSV · up to 25 MB each

rollback-plan.pdf
822 KB · Uploaded

schema-diff-v2.csv
2.2 MB · Uploaded

FLUENT-INSPIRED — Structured · layered — 32px · r4/8 · 14px

Attachments

Drop files here or browse

PDF, PNG or CSV · up to 25 MB each

rollback-plan.pdf
822 KB · Uploaded

schema-diff-v2.csv
2.2 MB · Uploaded

APPLE-INSPIRED — Minimal · refined — 36px · r10/14 · 15px

Attachments

Drop files here or browse

PDF, PNG or CSV · up to 25 MB each








rollback-plan.pdf
822 KB · Uploaded

schema-diff-v2.csv
2.2 MB · Uploaded

STATES

Forced with state classes so every state is visible at once.

STATE	ATLASSIAN	FLUENT	APPLE
Default `rest`	Drop files or browse	Drop files or browse	Drop files or browse

STATE	ATLASSIAN	FLUENT	APPLE
Hover `:hover`			
Error `.is-error`			
Disabled `:disabled`			

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Drop zone	2px dashed frame, compact	1px dashed, 8px radius	Soft fill, no dashes, 14px radius
File rows	Bordered rows	Raised cards (shadow 2)	Plain rows with separators
Progress	6px bar	2px bar	4px bar
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

A real `input type="file"` covers the drop zone, so it works by keyboard and screen reader. Each upload has a `progressbar` with a label.

Keyboard

`Tab` Focus the drop zone

`Enter / Space` Open the file dialog

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · FORMS

Color Picker

Pick a colour from a curated palette, or enter a hex value.


Forms `.ds-swatches .ds-swatch`

LIVE PREVIEW Same markup and content in each language.


ATLASSIAN-INSPIRED Dense · productive — 32px · r3-4 · 14px



FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px



APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px



COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Swatch	24px square	28px, 4px radius	28px circle, grows on hover
Selected	Ring + check	Ring + check	Ring + check
Gap	4px	8px	12px
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

Swatches form a `radiogroup` with roving focus; arrow keys move and select. The hex field validates on change and explains the expected format.

Keyboard

`← → ↑ ↓` Move between swatches

`Tab` Move to the hex field

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · NAVIGATION

Header

The application bar: product mark, primary navigation, search and account actions.

Navigation `.ds-header .ds-hnav`

LIVE PREVIEW Same markup and content in each language.


ATLASSIAN-INSPIRED Dense · productive — 32px · r3–4 · 14px



FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px



APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px



COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Height	48px	48px	52px
Surface	White, bottom border	White card, shadow 4, rounded	Translucent blur material, hairline
Current page	3px bar at bottom edge	Bold label + bar	Bold label only
Nav item spacing	Tight, hover fills	4px, rounded hover	20px, text only
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces

PROPERTY	ATLASSIAN	FLUENT	APPLE
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

Primary navigation is a labelled `nav`; the current page uses `aria-current="page"`. Icon buttons carry names and tooltips.

Keyboard

`Tab` Reach interactive children in order

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · NAVIGATION

Sidebar

Vertical product navigation with sections, nesting, counters and a clear current item.


Navigation `.ds-side .ds-side__item`

LIVE PREVIEW

Same markup and content in each language.


ATLASSIAN-INSPIRED

Dense · productive — 32px · r3-4 · 14px




FLUENT-INSPIRED

Structured · layered — 32px · r4/8 · 14px



APPLE-INSPIRED

Minimal · refined — 36px · r10/14 · 15px



COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Width	240px	260px	250px
Surface	Sunken grey	White, shadow 4	Translucent material
Current item	Tint fill + primary text	Grey fill + 3px brand bar	Grey fill, tint icon
Section headers	11px uppercase	12px semibold	12px semibold, grey
Row height	32px	36px	32px
Density	Compact	Medium	Spacious

PROPERTY	ATLASSIAN	FLUENT	APPLE
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR

Identical in all three languages.

Accessibility

Wrapped in a labelled `nav`. Expandable sections use `aria-expanded` and `aria-controls`; the current destination has `aria-current`.

Keyboard

`Tab` Move between items

`Enter` Open the item or toggle a section

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · NAVIGATION

Breadcrumb

Shows where the current page sits in the hierarchy and links to each parent.

Navigation `.ds-crumbs .ds-crumb`

LIVE PREVIEW

Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — `32px · r3-4 · 14px`

Projects / Ledger Migration / Backlog / DS-142

Projects / ··· / Epics / Billing v2

FLUENT-INSPIRED Structured · layered — `32px · r4/8 · 14px`

Projects › Ledger Migration › Backlog › **DS-142**

Projects › ··· › Epics › **Billing v2**

APPLE-INSPIRED Minimal · refined — `36px · r10/14 · 15px`

Projects › Ledger Migration › Backlog › DS-142

Projects › ··· › Epics › Billing v2

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Separator	Slash “/”	Chevron icon	Thin “›”
Parent links	Grey, underline on hover	Grey, hover fills	Tint-coloured
Current page	Regular text	Semibold	Medium weight
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR

Identical in all three languages.

Accessibility

An ordered list inside `nav aria-label="Breadcrumb"`. The last item is plain text with `aria-current="page"`; separators are generated in CSS so they are not read aloud.

Keyboard

`Tab` Reach interactive children in order

What differs

Only the token values and each language’s own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · NAVIGATION

Tabs

Switch between related views of the same object without leaving the page.

Navigation · 5 states · `.ds-tabs .ds-tablist`

LIVE PREVIEW

Same markup and content in each language.

ATLASSIAN-INSPIRED — Dense · productive — 32px · r3-4 · 14px

Overview | Details | Activity 12 | Settings

Move invoices, line items and tax tables to the v2 schema without downtime.

Day | Week | Month

17 issues due this week.

FLUENT-INSPIRED — Structured · layered — 32px · r4/8 · 14px

Overview | Details | Activity 12 | Setti

Move invoices, line items and tax tables to the v2 schema without downtime.

Day | Week | Month

17 issues due this week.

APPLE-INSPIRED — Minimal · refined — 36px · r10/14 · 15px

Overview | Details | Activity 12 | Settings

Move invoices, line items and tax tables to the v2 schema without downtime.

Day | Week | Month

17 issues due this week.

STATES

Forced with state classes so every state is visible at once.

STATE	ATLASSIAN	FLUENT	APPLE
Default `rest`	Overview · Details · Activity 12	Overview · Details · Activity 12	Overview · Details · Activity 12
Hover `:hover`	Overview · Details · Activity 12	Overview · Details · Activity 12	Overview · Details · Activity 12
Focus `:focus-visible`	Overview · Details · Activity 12	Overview · Details · Activity 12	Overview · Details · Activity 12
Active / pressed `:active`	Overview · Details · Activity 12	Overview · Details · Activity 12	Overview · Details · Activity 12
Disabled `:disabled`	Overview · Details · Activity 12	Overview · Details · Activity 12	Overview · Details · Activity 12

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Indicator	2px bar on a 2px track	3px rounded bar, inset under the label	Sliding white thumb in a grey track
Selected label	Primary colour, semibold	Body colour, semibold, icon in brand	Semibold
Hover	Grey bar preview	Grey bar preview + pressed fill	Label dims
Height	36px	44px	30px segmented
Icons	Hidden	Shown	Hidden
Indicator motion	150ms	250ms	320ms
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR

Identical in all three languages.

Accessibility

Implements the ARIA tabs pattern: `tablist`, `tab` with `aria-selected` and `aria-controls`, and `tabpanel`. Only the selected tab is in the tab order (roving tabindex).

Keyboard

- `← / →` Previous / next tab (selects automatically)
- `Home / End` First / last tab
- `Tab` Move into the panel

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · NAVIGATION

Pagination

Move through large result sets one page at a time.

Navigation `.ds-pager .ds-pg`

LIVE PREVIEW

Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — `32px · r3-4 · 14px`

‹ 1 2 3 4 … 12 ›

Showing 21–30 of 118

FLUENT-INSPIRED Structured · layered — `32px · r4/8 · 14px`

‹ 1 2 3 4 … 12 ›

Showing 21–30 of 118

APPLE-INSPIRED Minimal · refined — `36px · r10/14 · 15px`

‹ 1 2 3 4 … 12 ›

Showing 21–30 of 118

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Page button	32px, 3px radius	32px, 4px radius	34px circle
Current page	Tint + primary text	Solid brand fill	Inverted (dark) circle
Prev / next	Subtle icon buttons	Outlined buttons	Tint-coloured chevrons
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR

Identical in all three languages.

Accessibility

A labelled `nav`; the current page uses `aria-current="page"`. Previous / next are disabled at the ends. A live region announces the visible range.

Keyboard

`Tab` Move between pages

`Enter` Go to page

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · NAVIGATION

Stepper


Shows progress through a multi-step flow and where the user is now.

Navigation `.ds-steps .ds-step`


LIVE PREVIEW

Same markup and content in each language.


ATLASSIAN-INSPIRED Dense · productive — 32px · r3-4 · 14px



FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px



APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px



COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Layout	Inline: disc + label on one row	Discs above labels, centred	Segmented progress bar, no discs
Completed	Primary disc with check	Brand disc with check	Filled segment
Current	Ring	Ring + shadow	Half-filled segment, bold label
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR

Identical in all three languages.

Accessibility

An ordered list; the current step has `aria-current="step"`. Step changes are announced through a polite live region.

Keyboard

`Tab` Move focus to the button

`Enter / Space` Activate

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · NAVIGATION


Menu

A list of actions with icons, shortcuts, toggles, a submenu hint and destructive items.


Navigation `.ds-menu__head .ds-menu__sep`

LIVE PREVIEW Same markup and content in each language.


ATLASSIAN-INSPIRED Dense · productive — 32px · r3-4 · 14px



FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px



APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px



COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Item height	32px	32px	30px
Hover	Grey row	Grey rounded row	Solid tint, white text
Section header	11px uppercase	12px semibold	12px semibold
Surface	Flat white, 4px radius	White, 8px radius, shadow 16	Blur material, 12px radius
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

`role="menu"` with `menuitem` and `menuitemcheckbox` children. Disabled items stay focusable-off and announce as unavailable via `aria-disabled`.

Keyboard

`Enter / ↓` Open the menu and focus the first item

`↑ / ↓ · Home / End` Move between items

`Esc` Close and return focus

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · NAVIGATION

Dropdown

A button that opens a menu of actions. Use for overflow and secondary actions.

Navigation `.ds-anchor .ds-pop`

LIVE PREVIEW Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — 32px · r3-4 · 14px

Actions MR

FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px

Actions MR

APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px

Actions MR

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Trigger	Default button + chevron	Default button + chevron	Tinted button + chevron
Open motion	120ms fade	200ms fade + slide	220ms fade + scale
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo

PROPERTY	ATLASSIAN	FLUENT	APPLE
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

Trigger has `aria-haspopup="menu"` and `aria-expanded`. Focus moves into the menu on open and returns to the trigger on Esc.

Keyboard

`Enter / ↓` Open the menu and focus the first item

`↑ / ↓ · Home / End` Move between items

`Esc` Close and return focus

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · NAVIGATION

Context Menu

Actions for an object, opened with right-click or the keyboard context-menu key.

Navigation `.ds-pop--ctx .ds-ctx-area`

LIVE PREVIEW Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — 32px · r3-4 · 14px

rollback-plan.pdf
schema-diff-v2.csv
ADR-012 billing.md

Right-click anywhere here, or focus and press Shift+F10.

FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px

rollback-plan.pdf
schema-diff-v2.csv
ADR-012 billing.md

Right-click anywhere here, or focus and press Shift+F10.

APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px

rollback-plan.pdf
schema-diff-v2.csv
ADR-012 billing.md

Right-click anywhere here, or focus and press Shift+F10.

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Position	At pointer	At pointer	At pointer
Surface	Same as menu	Same as menu	Same as menu (blur material)
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

The area is focusable and opens the menu with Shift+F10 or the ContextMenu key, so it does not depend on a mouse.

Keyboard

`Shift + F10` Open the context menu

`↑ / ↓ · Home / End` Move between items

`Esc` Close and return focus

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · NAVIGATION

Tree


Hierarchical navigation that expands and collapses. Used for project files, epics and folder structures.

Navigation `.ds-tree .ds-tree__row`


LIVE PREVIEW

Same markup and content in each language.


ATLASSIAN-INSPIRED — Dense · productive — 32px · r3–4 · 14px



FLUENT-INSPIRED — Structured · layered — 32px · r4/8 · 14px



APPLE-INSPIRED — Minimal · refined — 36px · r10/14 · 15px



COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Row height	28px	32px	30px
Indent	16px	20px	18px
Selected	Tint + primary text	Grey fill + 3px brand bar, bold	Solid tint, white text
Folder icons	Grey	Brand colour	Tint colour
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

ARIA tree: `role="tree"`, `treeitem` with `aria-expanded` and `aria-selected`, nested `group`s. One row is tabbable at a time.

Keyboard

- `↑` / `↓` Previous / next visible row
- `→` Expand, then move to first child
- `←` Collapse, then move to parent
- `Enter` Select

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · DATA DISPLAY

Table

Displays records in rows and columns. Columns sort on click.

Data Display `.ds-tablewrap .ds-table`

LIVE PREVIEW Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — `32px · r3-4 · 14px`

Backlog · Sprint 42

6 issues

Key	Summary	Status	Assignee	Points	Updated ↑
DS-142	Migrate billing tables to new schema	IN PROGRESS	MR Maya Ruiz	8	2h ago
DS-139	Audit focus rings across admin console	IN REVIEW	JO Jonas Ortiz	3	5h ago
DS-137	Invoices API returns stale currency codes	BLOCKED	AK Aiko Kato	5	Yesterday
DS-131	Add bulk export to reports view	TO DO	LS Liam Shah	2	2d ago
DS-128	Rename workspace roles in settings	DONE	PN Priya Nair	1	4d ago
DS-125	Reduce dashboard first paint below 1.5s	IN PROGRESS	MR Maya Ruiz	13	5d ago

FLUENT-INSPIRED Structured · layered

32px · r4/8 · 14px

Backlog · Sprint 42

6 issues

Key	Summary	Status	Assignee	Points	Updated ↑
DS-142	Migrate billing tables to new schema	In progress	MR Maya Ruiz	8	2h ago
DS-139	Audit focus rings across admin console	In review	JO Jonas Ortiz	3	5h ago
DS-137	Invoices API returns stale currency codes	Blocked	AK Aiko Kato	5	Yesterday
DS-131	Add bulk export to reports view	To do	LS Liam Shah	2	2d ago
DS-128	Rename workspace roles in settings	Done	PN Priya Nair	1	4d ago
DS-125	Reduce dashboard first paint below 1.5s	In progress	MR Maya Ruiz	13	5d ago

APPLE-INSPIRED Minimal · refined

36px · r10/14 · 15px

Backlog · Sprint 42

6 issues

Key	Summary	Status	Assignee	Points	Updated ↑
DS-142	Migrate billing tables to new schema	In progress	MR Maya Ruiz	8	2h ago
DS-139	Audit focus rings across admin console	In review	JO Jonas Ortiz	3	5h ago
DS-137	Invoices API returns stale currency codes	Blocked	AK Aiko Kato	5	Yesterday
DS-131	Add bulk export to reports view	To do	LS Liam Shah	2	2d ago
DS-128	Rename workspace roles in settings	Done	PN Priya Nair	1	4d ago
DS-125	Reduce dashboard first paint below 1.5s	In progress	MR Maya Ruiz	13	5d ago

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Row height	36px	44px	48px
Header	12px bold, grey, 2px rule	14px semibold, 1px rule	12px regular, tertiary grey
Row separation	1px lines	1px lines	Zebra stripes, no lines
Container	None (sits on page)	Card with shadow 4	Rounded, borderless
Sorted column	Bold header + arrow	Arrow	Tint-coloured header
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

A native `table` with a caption and `th scope="col"`. Sortable headers are buttons; `aria-sort` sits on the `th`. Sort changes are announced in a live region.

Keyboard

`Tab` Move to a sortable header

`Enter` Sort / reverse sort

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · DATA DISPLAY

Data Grid

A table with row selection, bulk actions and inline editing.

Data Display `.ds-table .ds-tbar`

LIVE PREVIEW Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — `32px · r3-4 · 14px`

No issues selected — Assign | Move | Delete

Key	Summary	Status	Assignee	Points	Updated ↑
DS-142	Migrate billing tables to new schema	IN PROGRESS	MR Maya Ruiz	8	2h ago
DS-139	Audit focus rings across admin console	IN REVIEW	JO Jonas Ortiz	3	5h ago
DS-137	Invoices API returns stale currency codes	BLOCKED	AK Aiko Kato	5	Yesterday
DS-131	Add bulk export to reports view	TO DO	LS Liam Shah	2	2d ago
DS-128	Rename workspace roles in settings	DONE	PN Priya Nair	1	4d ago
DS-125	Reduce dashboard first paint below 1.5s	IN PROGRESS	MR Maya Ruiz	13	5d ago

Select rows to enable bulk actions. Double-click or press Enter on a summary to edit it.

FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px

No issues selected — Assign | Move | Delete

	Key	Summary	Status	Assignee	Points	Updated ↑
☐	DS-142	Migrate billing tables to new schema	In progress	MR Maya Ruiz	8	2h ago
☐	DS-139	Audit focus rings across admin console	In review	JO Jonas Ortiz	3	5h ago
☐	DS-137	Invoices API returns stale currency codes	Blocked	AK Aiko Kato	5	Yesterday
☐	DS-131	Add bulk export to reports view	To do	LS Liam Shah	2	2d ago
☐	DS-128	Rename workspace roles in settings	Done	PN Priya Nair	1	4d ago
☐	DS-125	Reduce dashboard first paint below 1.5s	In progress	MR Maya Ruiz	13	5d ago

Select rows to enable bulk actions. Double-click or press Enter on a summary to edit it.

APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px

No issues selected — Assign | Move | Delete

	Key	Summary	Status	Assignee	Points	Updated ↑
☐	DS-142	Migrate billing tables to new schema	In progress	MR Maya Ruiz	8	2h ago
☐	DS-139	Audit focus rings across admin console	In review	JO Jonas Ortiz	3	5h ago
☐	DS-137	Invoices API returns stale currency codes	Blocked	AK Aiko Kato	5	Yesterday
☐	DS-131	Add bulk export to reports view	To do	LS Liam Shah	2	2d ago
☐	DS-128	Rename workspace roles in settings	Done	PN Priya Nair	1	4d ago
☐	DS-125	Reduce dashboard first paint below 1.5s	In progress	MR Maya Ruiz	13	5d ago

Select rows to enable bulk actions. Double-click or press Enter on a summary to edit it.

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Selected row	Tint fill	Tint fill + 3px brand edge	Solid tint row, white text
Bulk bar	Inline text + subtle buttons	Inline text + subtle buttons	Inline text + subtle buttons
Edit cell	Primary outline	Primary outline	Halo ring
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

Row checkboxes have hidden labels (“Select DS-142”). The select-all checkbox shows a mixed state. Editable cells are focusable and open with Enter or F2; Esc cancels.

Keyboard

`Space` Toggle row selection

`Enter / F2` Edit the focused cell

`Esc` Cancel editing

What differs

Only the token values and each language’s own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · DATA DISPLAY


Card


A container for a single object: a project, a report, a person.

Data Display · 4 states · `.ds-card .ds-cards`


LIVE PREVIEW Same markup and content in each language.


ATLASSIAN-INSPIRED Dense · productive — 32px · r3-4 · 14px







FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px





APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px





STATES Forced with state classes so every state is visible at once.

STATE	ATLASSIAN	FLUENT	APPLE
Default `rest`	Ledger Migration Billing v2 schema.	Ledger Migration Billing v2 schema.	Ledger Migration Billing v2 schema.
Hover `:hover`	Ledger Migration Billing v2 schema.	Ledger Migration Billing v2 schema.	Ledger Migration Billing v2 schema.
Focus `:focus-visible`	Ledger Migration Billing v2 schema.	Ledger Migration Billing v2 schema.	Ledger Migration Billing v2 schema.
Selected `aria-selected`	Ledger Migration Billing v2 schema.	Ledger Migration Billing v2 schema.	Ledger Migration Billing v2 schema.

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Padding	12px	16px	22px
Radius	4px	8px	20px
Separation	Raised shadow (1px)	Shadow 4 → 16 on hover	No shadow; contrast with grey background
Title	14px semibold	16px semibold	19px semibold, tight tracking
Hover	Overlay shadow	Lifts 1px	Scales 1% with soft float shadow
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo

PROPERTY	ATLASSIAN	FLUENT	APPLE
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

Cards are `article` elements with a heading. Clickable cards are focusable and respond to Enter; nested buttons keep their own names.

Keyboard

`Tab` Focus the card

`Enter` Open / select

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · DATA DISPLAY

List

A vertical list of similar items with leading media, text and trailing metadata.

Data Display `.ds-list .ds-li`

LIVE PREVIEW Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — 32px · r3-4 · 14px

- MR — Maya Ruiz assigned DS-142 to you — Migrate billing tables — 2m — 2
- AK — Aiko Kato commented on DS-137 — "Rollback plan attached" — 1h — 1
- JO — Jonas Ortiz requested review — Audit focus rings — 3h
- PN — Priya Nair closed DS-128 — Rename workspace roles — Yesterday

FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px

- MR — Maya Ruiz assigned DS-142 to you — Migrate billing tables — 2m — 2
- AK — Aiko Kato commented on DS-137 — "Rollback plan attached" — 1h — 1
- JO — Jonas Ortiz requested review — Audit focus rings — 3h
- PN — Priya Nair closed DS-128 — Rename workspace roles — Yesterday

APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px

- MR — Maya Ruiz assigned DS-142 to... — Migrate billing tables — 2m — 2 ›
- AK — Aiko Kato commented on DS-137 — "Rollback plan attached" — 1h — 1 ›
- JO — Jonas Ortiz requested review — Audit focus rings — 3h ›
- PN — Priya Nair closed DS-128 — Rename workspace roles — Yesterday ›

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Row height	40px	52px	56px
Separators	Full-width lines	None (hover fills)	Inset, start after the avatar
Container	None	Card, shadow 4	Inset grouped, 14px radius
Trailing	Time + badge	Time + badge	Time + badge + disclosure chevron
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

Selectable lists use `role="listbox"` with `option` items and `aria-selected`.

Keyboard

`Tab` Move between items

`Enter` Select

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · DATA DISPLAY

Badge

Short status labels (lozenges) and numeric counts.

Data Display | 3 sizes | `.ds-badge`

LIVE PREVIEW

Same markup and content in each language.

ATLASSIAN-INSPIRED — Dense · productive — 32px · r3-4 · 14px

TO DO IN PROGRESS DONE AT RISK BLOCKED BETA

LIVE PAUSED FAILED NEW

3 12 99+ Inbox 12

FLUENT-INSPIRED — Structured · layered — 32px · r4/8 · 14px

To do In progress Done At risk Blocked Beta

Live Paused Failed New

3 12 99+ Inbox 12

APPLE-INSPIRED — Minimal · refined — 36px · r10/14 · 15px

To do · In progress · Done · At risk · Blocked · Beta

Live Paused Failed New

3 12 99+ Inbox 12

SIZES

Small, medium and large use each language's height scale.

SIZE	ATLASSIAN	FLUENT	APPLE
Small `--h-s`	IN PROGRESS DONE 12	In progress Done 12	In progress Done 12
Medium `--h-m`	IN PROGRESS DONE 12	In progress Done 12	In progress Done 12
Large `--h-l`	IN PROGRESS DONE 12	In progress Done 12	In progress Done 12

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Status style	Uppercase bold lozenge, 3px radius	Rounded pill with tinted stroke	Coloured dot + plain text
Strong variant	Bold fill (yellow for warning)	Solid fill	Solid capsule
Counts	Grey pill	Grey pill	Red notification capsule
Height	18px	20px	22px
Density	Compact	Medium	Spacious

PROPERTY	ATLASSIAN	FLUENT	APPLE
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

Badges are text, not colour alone: every status has a word. Counts next to icons are included in the button's accessible name.

Keyboard

`Tab` Reach interactive children in order

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · DATA DISPLAY

Tag

Labels that categorise an object. Removable when the user can edit them.

Data Display `.ds-tag .ds-tag__x`

LIVE PREVIEW

Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — 32px · r3-4 · 14px

Billing × Accessibility × Performance × Needs QA ×
v4.2 ×

Read-only Linked: DS-137

FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px

Billing × Accessibility × Performance × Needs QA ×
v4.2 ×

Read-only Linked: DS-137

APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px

Billing × Accessibility × Performance ×
Needs QA × v4.2 ×

Read-only Linked: DS-137

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Shape	3px radius, grey	4px radius, 1px stroke	Capsule, soft fill
Height	20px	24px	26px
Remove button	Square 16px	Square 16px	Circle 16px
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR

Identical in all three languages.

Accessibility

Each remove button is named “Remove <tag>”; after removal focus moves to the next tag, and a toast confirms.

Keyboard

`Tab` Move to remove button

`Enter` Remove the tag

What differs

Only the token values and each language’s own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · DATA DISPLAY

Chip

Toggleable filters and quick choices.

Data Display · 5 states · `.ds-chip`

LIVE PREVIEW

Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — 32px · r3-4 · 14px

✓ Assigned to me · Due this week · ✓ High priority · Has attachments · Archived

FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px

✓ Assigned to me · Due this week · ✓ High priority · Has attachments · Archived

APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px

✓ Assigned to me · Due this week · ✓ High priority · Has attachments · Archived

STATES

Forced with state classes so every state is visible at once.

STATE	ATLASSIAN	FLUENT	APPLE
Default `rest`	High priority	High priority	High priority
Hover `:hover`	High priority	High priority	High priority
Focus `:focus-visible`	High priority	High priority	High priority
Selected `aria-selected`	✓ High priority	✓ High priority	✓ High priority
Disabled `:disabled`	High priority	High priority	High priority

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Shape	3px radius, outlined	Pill, outlined	Capsule, filled
Selected	Tint + primary stroke	Solid brand	Inverted (dark)
Height	24px	28px	32px

PROPERTY	ATLASSIAN	FLUENT	APPLE
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

Toggle chips are buttons with `aria-pressed`, grouped and labelled.

Keyboard

`Tab` Move to the control

`Space` Toggle

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · DATA DISPLAY

Avatar

Represents a person or a project, with optional presence.

Data Display | 3 sizes | `.ds-av .ds-avgroup`


LIVE PREVIEW

Same markup and content in each language.


ATLASSIAN-INSPIRED Dense · productive — `32px · r3-4 · 14px`



FLUENT-INSPIRED Structured · layered — `32px · r4/8 · 14px`



APPLE-INSPIRED Minimal · refined — `36px · r10/14 · 15px`



SIZES

Small, medium and large use each language's height scale.

SIZE	ATLASSIAN	FLUENT	APPLE
Small `--h-s`			
Medium `--h-m`			
Large `--h-l`			

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Sizes	24 / 32 / 40 / 56	24 / 32 / 48 / 64	28 / 36 / 48 / 72
Fill	Distinct colour per person	Distinct colour per person	Neutral grey gradient
Group overlap	−6px with white ring	−4px	−10px
Project avatar	Square, 4px radius	Square, 4px radius	Rounded square, 10px
Density	Compact	Medium	Spacious

PROPERTY	ATLASSIAN	FLUENT	APPLE
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

Avatars are `role="img"` with the person's name and presence in the label, so status is not conveyed by colour alone.

Keyboard

`Tab` Reach interactive children in order

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · DATA DISPLAY

Timeline

A chronological list of events, such as issue activity or deployment history.

Data Display `.ds-tl .ds-tl__item`

LIVE PREVIEW Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — 32px · r3-4 · 14px

- **Maya Ruiz** 10:42 — moved DS-142 to In progress
- **Aiko Kato** 09:15 — attached rollback-plan.pdf
- **CI** 08:03 — Deploy #418 passed to staging
- **Jonas Ortiz** Yesterday — created DS-142

FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px

- **Maya Ruiz** 10:42 — moved DS-142 to In progress
- **Aiko Kato** 09:15 — attached rollback-plan.pdf
- **CI** 08:03 — Deploy #418 passed to staging
- **Jonas Ortiz** Yesterday — created DS-142

APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px

Today

- **Maya Ruiz** 10:42 — moved DS-142 to In progress
- **Aiko Kato** 09:15 — attached rollback-plan.pdf
- **CI** 08:03 — Deploy #418 passed to staging
- **Jonas Ortiz** Yesterday — created DS-142

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Marker	10px dot, key events in primary	28px circle with icon	12px ring, key events thicker
Time	Right-aligned	After the name	After the name
Grouping	None	None	Day headings
Spacing	12px	16px	22px
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely

PROPERTY	ATLASSIAN	FLUENT	APPLE
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

An ordered list with `time` elements. Icons are decorative; the text carries the event.

Keyboard

`Tab` Reach interactive children in order

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · DATA DISPLAY

Accordion

Stacked sections that expand to reveal content. Good for checklists and long settings.

Data Display `.ds-acc .ds-acc__btn`

LIVE PREVIEW Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — 32px · r3-4 · 14px

Pre-release checks 3 of 4

Run the schema diff, confirm backups, notify finance, and freeze writes for 10 minutes.

Rollback plan Ready

Restore from the 06:00 snapshot and re-point the read replica. Owner: Aiko Kato.

Communication Draft

Status page update and in-app banner 24 hours before cut-over.

FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px

Pre-release checks 3 of 4

Run the schema diff, confirm backups, notify finance, and freeze writes for 10 minutes.

Rollback plan Ready

Restore from the 06:00 snapshot and re-point the read replica. Owner: Aiko Kato.

Communication Draft

Status page update and in-app banner 24 hours before cut-over.

APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px

Pre-release checks 3 of 4

Run the schema diff, confirm backups, notify finance, and freeze writes for 10 minutes.

Rollback plan Ready

Restore from the 06:00 snapshot and re-point the read replica. Owner: Aiko Kato.

Communication Draft

Status page update and in-app banner 24 hours before cut-over.

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Header height	36px	48px	52px
Chevron	Left, rotates 90°	Right, rotates 180°	Right, rotates 90°
Container	None, divider lines	Card, shadow 4	Inset grouped, 14px radius
Motion	100ms	150ms	320ms
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo

BEHAVIOUR Identical in all three languages.

Accessibility

Each header is a `button` inside a heading, with `aria-expanded` and `aria-controls`.

Keyboard

`Tab` Move between headers

`Enter / Space` Expand or collapse

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · DATA DISPLAY

Statistic

A key number with a label, a trend and an optional sparkline.

Data Display `.ds-stat .ds-stats`

LIVE PREVIEW Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — 32px · r3-4 · 14px

OPEN ISSUES
128
↘ -6% vs last week

CYCLE TIME
3.4 days
↘ -12% faster

ESCAPED BUGS
7
↗ +2% vs last sprint

FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px

Open issues
128
↘ -6% vs last week

Cycle time
3.4 days
↘ -12% faster

Escaped bugs
7
↗ +2% vs last sprint

APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px

Open issues
128
↘ -6% vs last week

Cycle time
3.4 days
↘ -12% faster

Escaped bugs
7
↗ +2% vs last sprint

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Value	24px, 650 weight	28px semibold	38px light, tight tracking
Label	11px uppercase	14px semibold	13px medium
Container	1px border	Card, shadow 4	Borderless, 20px radius
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely

PROPERTY	ATLASSIAN	FLUENT	APPLE
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

The trend is written in words ("−6% vs last week"), not only colour or arrow. Sparklines are decorative and hidden from screen readers.

Keyboard

`Tab` Reach interactive children in order

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · FEEDBACK

Alert

An inline message about the current context. Stays until the user dismisses it or the condition changes.

Feedback · 4 states · `.ds-alert`

LIVE PREVIEW

Same markup and content in each language.

ATLASSIAN-INSPIRED — Dense · productive — 32px · r3-4 · 14px

Sprint 42 starts tomorrow
Unestimated issues will be moved to the backlog at 09:00.
Review scope · Dismiss

Migration dry run passed
All 1,284 invoices matched the v2 schema.
View report

Read replica is 40s behind
Reports may show slightly older numbers until it catches up.
Check status

Export failed
The CSV exceeded 50 MB. Narrow the date range and try again.
Retry · Change range

FLUENT-INSPIRED — Structured · layered — 32px · r4/8 · 14px

Sprint 42 starts tomorrow
Unestimated issues will be moved to the backlog at 09:00.
Review scope · Dismiss

Migration dry run passed
All 1,284 invoices matched the v2 schema.
View report

Read replica is 40s behind
Reports may show slightly older numbers until it catches up.
Check status

Export failed
The CSV exceeded 50 MB. Narrow the date range and try again.
Retry · Change range

APPLE-INSPIRED — Minimal · refined — 36px · r10/14 · 15px

Sprint 42 starts tomorrow
Unestimated issues will be moved to the backlog at 09:00.
Review scope · Dismiss

Migration dry run passed
All 1,284 invoices matched the v2 schema.
View report

Read replica is 40s behind
Reports may show slightly older numbers until it catches up.
Check status

Export failed
The CSV exceeded 50 MB. Narrow the date range and try again.
Retry · Change range

STATES

Forced with state classes so every state is visible at once.

STATE	ATLASSIAN	FLUENT	APPLE
Default `rest`	**Sprint 42 starts tomorrow** Unestimated issues will be moved to the backlog at 09:00.	**Sprint 42 starts tomorrow** Unestimated issues will be moved to the backlog at 09:00.	**Sprint 42 starts tomorrow** Unestimated issues will be moved to the backlog at 09:00.
Error `.is-error`	**Export failed** The CSV exceeded 50 MB. Narrow the date range and try again.	**Export failed** The CSV exceeded 50 MB. Narrow the date range and try again.	**Export failed** The CSV exceeded 50 MB. Narrow the date range and try again.
Success `.is-success`	**Migration dry run passed** All 1,284 invoices matched the v2 schema.	**Migration dry run passed** All 1,284 invoices matched the v2 schema.	**Migration dry run passed** All 1,284 invoices matched the v2 schema.
Warning `.is-warning`	**Read replica is 40s behind** Reports may show slightly older numbers until it catches up.	**Read replica is 40s behind** Reports may show slightly older numbers until it catches up.	**Read replica is 40s behind** Reports may show slightly older numbers until it catches up.

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Background	Tinted fill	Light tint + tinted 1px stroke	White card; icon sits in a tinted circle
Layout	Title above body	Title and body inline, actions right	Title above body, generous padding
Radius	4px	4px	14px
Actions	Text links	Text links aligned right	Tint links
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

Errors use `role="alert"`; other variants use `role="status"`. Each variant has a distinct icon and title so meaning does not rely on colour.

Keyboard

`Tab` Reach actions and the dismiss button

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · FEEDBACK

Toast

A brief, non-blocking notification that confirms an action or reports a background event. Disappears on its own.

Feedback `.ds-toast .ds-toasts`

LIVE PREVIEW

Same markup and content in each language.

ATLASSIAN-INSPIRED

Dense · productive — 32px · r3–4 · 14px

Info toast | Success | Warning | Error

At rest

Issue created
DS-143 was added to the backlog.
View issue

Live toasts appear in each language's own corner: bottom-left, bottom-right, or top-centre.

FLUENT-INSPIRED

Structured · layered — 32px · r4/8 · 14px

Info toast | Success | Warning | Error

At rest

Issue created
DS-143 was added to the backlog.
View issue

Live toasts appear in each language's own corner: bottom-left, bottom-right, or top-centre.

APPLE-INSPIRED

Minimal · refined — 36px · r10/14 · 15px

Info toast | Success | Warning | Error

At rest

Issue created
DS-143 was added to the backlog.
View issue

Live toasts appear in each language's own corner: bottom-left, bottom-right, or top-centre.

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Position	Bottom-left ("flags")	Bottom-right	Top-centre, drops down
Surface	White, shadow overlay	White, shadow 28	Blur material, 18px radius
Entrance	Slide up, 200ms	Slide in from right, 300ms	Drop + scale, 450ms
Duration	4.5s	4.5s	4.5s
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none

PROPERTY	ATLASSIAN	FLUENT	APPLE
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR

Identical in all three languages.

Accessibility

Toasts render into a `role="status"` live region so they are announced without stealing focus. Each has a dismiss button; important errors should also appear inline.

Keyboard

`Tab` Reach toast actions

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · FEEDBACK

Snackbar


A one-line, dark message at the bottom of the screen, usually with a single undo action.

Feedback `.ds-snack`


LIVE PREVIEW

Same markup and content in each language.


ATLASSIAN-INSPIRED Dense · productive — 32px · r3-4 · 14px



FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px



APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px



COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Shape	4px radius bar	4px radius bar	Capsule
Height	40px	44px	46px
Action colour	Light primary	Light brand	Light tint
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR

Identical in all three languages.

Accessibility

Rendered in a polite live region. The undo action is a real button and the snackbar stays for 5 seconds.

Keyboard

`Tab` Reach the undo action

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · FEEDBACK


Banner

A page- or app-level message, such as maintenance windows or account issues.


Feedback `.ds-banner`

LIVE PREVIEW Same markup and content in each language.


ATLASSIAN-INSPIRED Dense · productive — 32px · r3-4 · 14px



FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px



APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px



COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Warning style	Bold yellow, full bleed	Tinted bar with stroke	Soft tint, centred text
Info style	Dark inverse bar	Tinted bar	Grey fill
Radius	0 (edge to edge)	4px	10px
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none

PROPERTY	ATLASSIAN	FLUENT	APPLE
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

Warnings and info use `role="status"`; account-blocking problems use `role="alert"`.

Keyboard

`Tab` Reach interactive children in order

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · FEEDBACK

Progress

Shows how far a task has progressed, or that work is happening when the duration is unknown.

Feedback · 3 sizes · `.ds-prog .ds-ring`

LIVE PREVIEW

Same markup and content in each language.

ATLASSIAN-INSPIRED — Dense · productive — 32px · r3-4 · 14px

Importing invoices 42%

539 of 1,284 records

Rebuilding search index

Backup Done

68% Run import

FLUENT-INSPIRED — Structured · layered — 32px · r4/8 · 14px

Importing invoices 42%

539 of 1,284 records

Rebuilding search index

Backup Done

68% Run import

APPLE-INSPIRED — Minimal · refined — 36px · r10/14 · 15px

Importing invoices 42%

539 of 1,284 records

Rebuilding search index

Backup Done

68% Run import

SIZES

Small, medium and large use each language's height scale.

SIZE	ATLASSIAN	FLUENT	APPLE
Small `--h-s`			
Medium `--h-m`			
Large `--h-l`			

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Bar thickness	6px	2px	4px
Track	Neutral grey	Accessible stroke grey	Translucent fill

PROPERTY	ATLASSIAN	FLUENT	APPLE
Label	12px bold above	14px semibold above + helper below	14px medium, percentage right
Indeterminate	Ease-in-out sweep	Ease-in-out sweep	Smooth sweep
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

`role="progressbar"` with `aria-valuenow` for determinate bars; indeterminate bars omit the value.

Keyboard

`Tab` Reach interactive children in order

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · FEEDBACK

Spinner

Indicates loading for short, indeterminate waits.

Feedback | 3 sizes | `.ds-spin`

LIVE PREVIEW

Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — 32px · r3-4 · 14px



Loading issues...



FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px



Loading issues...



APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px



Loading issues...



SIZES

Small, medium and large use each language's height scale.

SIZE	ATLASSIAN	FLUENT	APPLE
Small `--h-s`			
Medium `--h-m`			
Large `--h-l`			

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Form	Thin ring, ¾ arc	Ring on a tinted track	Eight-spoke activity indicator
Colour	Subtle grey	Brand	Secondary grey
Sizes	16 / 24 / 48	20 / 32 / 56	16 / 24 / 40
Density	Compact	Medium	Spacious

PROPERTY	ATLASSIAN	FLUENT	APPLE
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

Spinners carry `role="status"` and a label. Pair with visible text when the wait could exceed a second.

Keyboard

`Tab` Reach interactive children in order

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · FEEDBACK

Skeleton

Placeholder shapes that mirror the layout while content loads.

Feedback `.ds-skel .ds-skel-card`

LIVE PREVIEW Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive `32px · r3-4 · 14px`

Show loaded content

FLUENT-INSPIRED Structured · layered `32px · r4/8 · 14px`

Show loaded content

APPLE-INSPIRED Minimal · refined `36px · r10/14 · 15px`

Show loaded content

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Animation	Opacity pulse	Shimmer wave	Slow, soft pulse
Shape radius	3px	4px	8px
Line height	12px	14px	14px
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

The loading region has `aria-busy="true"` and a label; shapes are decorative.

Keyboard

`Tab` Reach interactive children in order

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · OVERLAYS

Modal

A focused task that blocks the page until the user completes or cancels it.

Overlays `.ds-dialog .ds-backdrop`

LIVE PREVIEW Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — 32px · r3-4 · 14px

Create issue

At rest

Create issue

Summary *

What needs to be done?

Story points

3

Assignee

Maya Ruiz

Cancel Create

FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px

+ Create issue

At rest

Create issue

Summary *

What needs to be done?

Story points

3

Assignee

Maya Ruiz

Create Cancel

APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px

Create issue

At rest

Create issue

Summary *

What needs to be done?

Story points

3

Assignee

Maya Ruiz

Cancel Create

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Width	480px	520px	380px
Radius	6px	8px	20px
Blanket	Dark navy, 54%	Black, 40%	Light, 22% + 2px blur
Surface	Opaque	Opaque, shadow 64	Translucent blur material

PROPERTY	ATLASSIAN	FLUENT	APPLE
Buttons	Right: subtle Cancel, primary Create	Right: primary first, then Cancel	Full-width pair, centred text
Close (×)	No	Yes	No
Entrance	Slide up 8px, 150ms	Scale from 96%, 250ms	Scale from 108%, 300ms
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

`role="dialog"` with `aria-modal` and `aria-labelledby`. Focus moves inside on open, is trapped while open, and returns to the trigger on close. Esc and the backdrop close it.

Keyboard

`Tab` Cycle focus inside the dialog

`Esc` Close and return focus to the trigger

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · OVERLAYS

Confirmation Dialog

Asks the user to confirm a destructive or irreversible action. States the consequence plainly.


Overlays `.ds-dialog--danger .ds-dialog__ic`

LIVE PREVIEW Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — 32px · r3-4 · 14px

Delete 3 issues


At rest



FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px

Delete 3 issues


At rest



APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px

Delete 3 issues

At rest



COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Icon	Warning icon beside the title	No icon, title carries meaning	Large icon above a centred title
Default focus	Cancel	Cancel	Cancel
Destructive button	Red, right	Red, first	Red, right of equal-width pair
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo

PROPERTY	ATLASSIAN	FLUENT	APPLE
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

`role="alertdialog"` with the consequence linked via `aria-describedby`. Focus starts on Cancel so Enter never deletes by accident.

Keyboard

`Tab` Cycle focus inside the dialog

`Esc` Close and return focus to the trigger

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · OVERLAYS

Drawer

A panel that slides in from the edge to show details or a secondary task without leaving the page.

Overlays `.ds-drawer .ds-layer--drawer`

LIVE PREVIEW Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — 32px · r3-4 · 14px

Open issue details

At rest

DS-142 details

Status IN PROGRESS
Assignee MR Maya Ruiz
Sprint Sprint 42
Points 8
Due Oct 25, 2026

FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px

Open issue details

At rest

DS-142 details

Status In progress
Assignee MR Maya Ruiz
Sprint Sprint 42
Points 8
Due Oct 25, 2026

APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px

Open issue details

At rest

DS-142 details

Status In progress
Assignee MR Maya Ruiz
Sprint Sprint 42
Points 8
Due Oct 25, 2026

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Edge	Left	Right	Right, floating 12px from edges
Width	400px	420px	380px
Radius	0	0	20px
Header	No divider	No divider	Hairline divider
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none

PROPERTY	ATLASSIAN	FLUENT	APPLE
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR

Identical in all three languages.

Accessibility

Same dialog rules as the modal: labelled, focus trapped, Esc closes, focus returns to the trigger.

Keyboard

`Tab` Cycle focus inside the dialog

`Esc` Close and return focus to the trigger

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · OVERLAYS

Popover

Rich, interactive content anchored to a trigger. Closes when the user clicks elsewhere.

Overlays `.ds-popover`

LIVE PREVIEW Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — 32px · r3-4 · 14px

Estimate

Story points

Use the Fibonacci scale. Anything above 13 should be split before the sprint starts.

Got it

FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px

Estimate

Story points

Use the Fibonacci scale. Anything above 13 should be split before the sprint starts.

Got it

APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px

Estimate

Story points

Use the Fibonacci scale. Anything above 13 should be split before the sprint starts.

Got it

COMPARIS

PROPERT		FLU	APPLE
Beak	None	Yes	Yes
Surface	Flat, 4px radius	8px radius, shadow 16	Blur material, 14px radius
Offset	6px	10px	12px
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

Trigger has `aria-expanded` and `aria-controls`; the popover is a labelled `dialog`. Esc or an outside click closes it.

Keyboard

`Enter` Toggle the popover

`Esc` Close and return focus

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · OVERLAYS

Tooltip


A short text label that explains an icon or control. Appears on hover and keyboard focus.

Overlays `.ds-tip .ds-tipwrap`


LIVE PREVIEW

Same markup and content in each language.


ATLASSIAN-INSPIRED Dense · productive — 32px · r3-4 · 14px



FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px



APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px



COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Surface	Dark inverse, 3px radius	Light, shadow 8, with beak	Light blur material, no beak
Delay	300ms	250ms	600ms
Text	12px	12px	12px
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR

Identical in all three languages.

Accessibility

Linked with `aria-describedby`. Shows on focus as well as hover, stays while hovered, and Esc hides it (WCAG 1.4.13).

Keyboard

`Tab` Show on focus

`Esc` Hide

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · OVERLAYS

Command Palette

Keyboard-first search across commands, navigation and recent items.

Overlays `.ds-cmd .ds-cmd__input`

LIVE PREVIEW Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — 32px · r3-4 · 14px

Open command palette

At rest

go to Esc

NAVIGATION

Go to Backlog G B

Go to Board G O

Go to Reports G R

↑↓ to move Enter to run Esc to close

FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px

⌘ Open command palette

At rest

go to Esc

Navigation

Go to Backlog G B

Go to Board G O

Go to Reports G R

↑↓ to move Enter to run Esc to close

APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px

Open command palette

At rest

go to Esc

Navigation

Go to Backlog G B

Go to Board G O

Go to Reports G R

↑↓ to move Enter to run Esc to close

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Input size	14px, 44px row	16px, 52px row	22px light, 58px row (Spotlight-like)
Width	560px	600px	640px
Results	Dense rows	Rounded rows	Rows with solid tint highlight
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo

PROPERTY	ATLASSIAN	FLUENT	APPLE
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

The input is a `combobox` controlling a `listbox`; the highlighted result is exposed with `aria-activedescendant`. Focus is trapped while open.

Keyboard

`↑ / ↓` Move through results

`Enter` Run

`Esc` Close

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · LAYOUT

Container

Constrains content width and applies the page gutter.

Layout `.ds-container`

LIVE PREVIEW

Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive `32px · r3-4 · 14px`

Container · max-width 960px padding: var(--pad)

Content area

FLUENT-INSPIRED Structured · layered `32px · r4/8 · 14px`

Container · max-width 960px padding: var(--pad)

Content area

APPLE-INSPIRED Minimal · refined `36px · r10/14 · 15px`

Container · max-width 960px padding: var(--pad)

Content area

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Page padding	16px	20px	28px
Max content width	1280px (wide tables)	1200px	980px (reading width)
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR

Identical in all three languages.

Accessibility

Purely presentational; use landmarks (`main`, `nav`) inside.

Keyboard

`Tab` Reach interactive children in order

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · LAYOUT


Grid

A 12-column grid. Gutters follow each language's density.

Layout `.ds-grid .ds-demo-box`


LIVE PREVIEW Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — `32px · r3-4 · 14px`



FLUENT-INSPIRED Structured · layered — `32px · r4/8 · 14px`

● **APPLE-INSPIRED** Minimal · refined 36px · r10/14 · 15px



COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Gutter	8px	16px	24px
Columns	12	12	12
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

Visual order matches DOM order so reading and tab order stay logical.

Keyboard

`Tab` Reach interactive children in order

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · LAYOUT

Stack

Spaces children evenly along one axis using the gap tokens.

Layout `.ds-stack .ds-col`

LIVE PREVIEW Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — `32px · r3-4 · 14px`

Stack · var(--gap)

- Item 1
- Item 2
- Item 3

Stack · var(--gap-l)

- Section 1
- Section 2
- Section 3

FLUENT-INSPIRED Structured · layered — `32px · r4/8 · 14px`

Stack · var(--gap)

- Item 1
- Item 2
- Item 3

Stack · var(--gap-l)

- Section 1
- Section 2
- Section 3

APPLE-INSPIRED Minimal · refined — `36px · r10/14 · 15px`

Stack · var(--gap)

- Item 1
- Item 2
- Item 3

Stack · var(--gap-l)

- Section 1
- Section 2
- Section 3

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Gap	8px	12px	16px
Large gap	16px	20px	28px
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

Presentational.

Keyboard

`Tab` Reach interactive children in order

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · LAYOUT

Split Pane

Two resizable panes, for list-detail and editor-preview layouts.

Layout `.ds-split-pane .ds-split-pane__h`

LIVE PREVIEW Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — `32px · r3-4 · 14px`

Issues

DS-142
Migrate billing tables to new schema

DS-139
Audit focus rings across admin console

DS-137
Invoices API returns stale currency codes

DS-131

DS-142

Drag the divider, or focus it and use the arrow keys.

FLUENT-INSPIRED Structured · layered — `32px · r4/8 · 14px`

Issues

DS-142
Migrate billing tables to new schema

DS-139
Audit focus rings across admin console


DS-137
Invoices API returns stale currency codes

DS-131

DS-142

Drag the divider, or focus it and use the arrow keys.

● **APPLE-INSPIRED** Minimal · refined `36px · r10/14 · 15px`



COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Divider	2px line, primary on hover	6px gutter with grip	1px hairline, wide invisible hit area
Container	1px border	Card, shadow 4	Borderless
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

The divider is a focusable `separator` with `aria-valuenow`; arrow keys resize in 5% steps.

Keyboard

`← / →` Resize by 5%

`Home / End` Minimum / maximum

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · LAYOUT

Divider

Separates content into groups.

Layout `.ds-divider .ds-divider-label`

LIVE PREVIEW

Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — `32px · r3-4 · 14px`

Above

Below

or continue with

Left | Right

FLUENT-INSPIRED Structured · layered — `32px · r4/8 · 14px`

Above

Below

or continue with

Left | Right

APPLE-INSPIRED Minimal · refined — `36px · r10/14 · 15px`

Above

Below

or continue with

Left | Right

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Colour	Separator grey	Divider grey	Translucent separator
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR

Identical in all three languages.

Accessibility

Use `hr` or `role="separator"` when the division is meaningful.

Keyboard

`Tab` Reach interactive children in order

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · LAYOUT

Toolbar

A row of related controls with groups and separators.

Layout `.ds-toolbar .ds-toolbar__sep`

LIVE PREVIEW

Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — 32px · r3-4 · 14px



FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px



APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px



COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Surface	Bordered, 4px	Raised, shadow 4, 8px	Floating material, 14px
Control size	Small (24px)	Small (24px)	Small (28px)
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR

Identical in all three languages.

Accessibility

`role="toolbar"` with a label; separators use `role="separator"`.

Keyboard

`Tab` Move between controls

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · LAYOUT

Page Header

Top of a page: location, title, status, primary actions and local navigation.

Layout `.ds-phead`

LIVE PREVIEW Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — `32px · r3-4 · 14px`

Projects / Ledger Migration

Ledger Migration

ON TRACK Lead: Maya Ruiz · Due Sep 30

Share | Create issue

Summary | Backlog | Board | Reports

FLUENT-INSPIRED Structured · layered — `32px · r4/8 · 14px`

Projects › Ledger Migration

Ledger Migration

On track Lead: Maya Ruiz · Due Sep 30

Share | + Create issue

Summary | Backlog | Board | Reports

APPLE-INSPIRED Minimal · refined — `36px · r10/14 · 15px`

Projects › Ledger Migration

Ledger Migration

On track Lead: Maya Ruiz · Due Sep 30

Share | Create issue

Summary | Backlog | Board | Reports

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Title	24px, 650	28px semibold	28px bold, tight tracking
Bottom edge	Tabs carry the line	Divider under the block	None
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

One h1 per page; breadcrumb and tabs keep their own landmarks and patterns.

Keyboard

`Tab` Reach interactive children in order

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · EDITORS

Rich Text Editor

Formatted text with a toolbar for emphasis, lists, quotes and links.

Editors `.ds-editor .ds-rte`

LIVE PREVIEW Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive `32px · r3-4 · 14px`

Billing v2 cut-over

Move **invoices**, line items and tax tables to the v2 schema. Follow the runbook step by step.

- Freeze writes for 10 minutes
- Run the schema diff and compare totals

32 words Saved just now

FLUENT-INSPIRED Structured · layered `32px · r4/8 · 14px`

Billing v2 cut-over

Move **invoices**, line items and tax tables to the v2 schema. Follow the runbook step by step.

- Freeze writes for 10 minutes
- Run the schema diff and compare totals

32 words Saved just now

APPLE-INSPIRED Minimal · refined `36px · r10/14 · 15px`

Billing v2 cut-over

Move **invoices**, line items and tax tables to the v2 schema. Follow the runbook step by step.

- Freeze writes for 10 minutes
- Run the schema diff and compare totals

32 words Saved just now

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Toolbar	Flat, inside the border	Canvas-tinted bar	Same surface as text
Frame	1px border	Card with shadow 2	Borderless, soft shadow
Text padding	12px	16px	20px
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

The editable region is a labelled multi-line `textbox`. Toolbar toggles expose `aria-pressed` that tracks the current selection. Native shortcuts (Ctrl+B / I / U) work.

Keyboard

`Ctrl + B / I / U` Bold / italic / underline

`Tab` Leave the editor to the next control

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · EDITORS

Code Editor

Editable code with line numbers and live syntax colouring.

Editors `.ds-code .ds-code__gutter`

LIVE PREVIEW Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — 32px · r3-4 · 14px

reconcile.js — Format — Run

```
1  // Reconcile invoices after the schema migration
2  import { db } from './db';
3
4  export async function reconcile(batch = 500) {
5    const rows = await db.invoices.find({ schema: 'v1' }).limit(batch);
6    let matched = 0;
7    for (const row of rows) {
8      if (row.total === row.v2Total) matched++;
9    }
10   return { checked: rows.length, matched };
11 }
```

Ln 1, Col 1 — JavaScript · Spaces: 2 · Esc then Tab leaves the editor

FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px

reconcile.js — Format — Run

```
// Reconcile invoices after the schema migration
import { db } from './db';

export async function reconcile(batch = 500) {
  const rows = await db.invoices.find({ schema: 'v1' }).limit(batch);
  let matched = 0;
  for (const row of rows) {
    if (row.total === row.v2Total) matched++;
  }
  return { checked: rows.length, matched };
}
```

Ln 1, Col 1 — JavaScript · Spaces: 2 · Esc then Tab leaves the editor

APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px

reconcile.js — Format — Run

```
// Reconcile invoices after the schema migration
import { db } from './db';

export async function reconcile(batch = 500) {
  const rows = await db.invoices.find({ schema: 'v1' }).limit(batch);
  let matched = 0;
  for (const row of rows) {
    if (row.total === row.v2Total) matched++;
  }
  return { checked: rows.length, matched };
}
```

Ln 1, Col 1 — JavaScript · Spaces: 2 · Esc then Tab leaves the editor

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Theme	Product colours on white	Editor-classic palette	Xcode-like palette
Gutter	Sunken grey	Same surface, teal numbers	Same surface, grey numbers

PROPERTY	ATLASSIAN	FLUENT	APPLE
Frame	1px border	Card, shadow 2	Borderless, soft shadow
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

A labelled native `textarea` sits over the coloured text, so screen readers and IME input work normally. Tab indents; Esc then Tab moves focus out.

Keyboard

`Tab` Indent two spaces

`Esc, then Tab` Leave the editor

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · EDITORS

JSON Viewer

Read structured data with collapsible objects and arrays.

Editors `.ds-json`

LIVE PREVIEW Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — 32px · r3-4 · 14px

GET /issues/DS-142 Expand all Collapse all


```
{
  "issue": "DS-142",
  "status": "In progress",
  "points": 8,
  "blocked": false,
  "assignee": {
    "name": "Maya Ruiz",
    "team": "Billing"
  },
  "labels": [
    "billing",
    "migration"
  ],
  "links": [
    {
      "type": "blocks",
      "key": "DS-137"
    }
  ],
  "due": null
}
```


FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px

GET /issues/DS-142 Expand all Collapse all


```
{
  "issue": "DS-142",
  "status": "In progress",
  "points": 8,
  "blocked": false,
  "assignee": {
    "name": "Maya Ruiz",
    "team": "Billing"
  },
  "labels": [
    "billing",
    "migration"
  ],
  "links": [
    {
      "type": "blocks",
      "key": "DS-137"
    }
  ],
  "due": null
}
```


APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px

GET /issues/DS-142 Expand all Collapse all


```
{
  "issue": "DS-142",
  "status": "In progress",
  "points": 8,
  "blocked": false,
  "assignee": {
    "name": "Maya Ruiz",
    "team": "Billing"
  },
  "labels": [
    "billing",
    "migration"
  ],
  "links": [
    {
      "type": "blocks",
      "key": "DS-137"
    }
  ],
  "due": null
}
```


Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo

PROPERTY	ATLASSIAN	FLUENT	APPLE
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

Toggles are buttons with `aria-expanded`; collapsed nodes show a summary (“2 keys”).

Keyboard

`Tab` Move between toggles

`Enter` Expand / collapse

What differs

Only the token values and each language’s own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · EDITORS

Formula Editor

Write spreadsheet-style formulas with function suggestions, cell references and a live result.

Editors `.ds-fx .ds-sheet`

LIVE PREVIEW

Same markup and content in each language.

ATLASSIAN-INSPIRED

Dense · productive — `32px · r3-4 · 14px`

Forecast formula

`fx =SUM(B2:B6)*1.2`

Functions: SUM, AVERAGE, MIN, MAX. Reference cells like B3 or ranges like B2:B6.

SUM() AVERAGE() MIN() MAX()

Result **84,912**

	A	B
1	Month	Revenue
2	Jan	12,400
3	Feb	13,850
4	Mar	12,990
5	Apr	15,420
6	May	16,100

FLUENT-INSPIRED

Structured · layered — `32px · r4/8 · 14px`

Forecast formula

`fx =SUM(B2:B6)*1.2`

Functions: SUM, AVERAGE, MIN, MAX. Reference cells like B3 or ranges like B2:B6.

SUM() AVERAGE() MIN() MAX()

Result **84,912**

	A	B
1	Month	Revenue
2	Jan	12,400
3	Feb	13,850
4	Mar	12,990
5	Apr	15,420
6	May	16,100

APPLE-INSPIRED

Minimal · refined — `36px · r10/14 · 15px`

Forecast formula

`fx =SUM(B2:B6)*1.2`

Functions: SUM, AVERAGE, MIN, MAX. Reference cells like B3 or ranges like B2:B6.

SUM() AVERAGE() MIN() MAX()

Result **84,912**

	A	B
1	Month	Revenue
2	Jan	12,400
3	Feb	13,850
4	Mar	12,990
5	Apr	15,420
6	May	16,100

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Formula field	Same as text field	Same as text field	Underline field
Referenced cells	Tint + outline	Tint + outline	Tint + outline
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none

PROPERTY	ATLASSIAN	FLUENT	APPLE
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

The result is in a live region. Errors explain what is allowed instead of a generic “invalid formula”.

Keyboard

`Tab` Move between fields

`Type` Edit the value

What differs

Only the token values and each language’s own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

COMPONENTS · EDITORS

Markdown Editor

Write Markdown on the left and see the formatted result on the right as you type.

Editors `.ds-md .ds-md__out`

LIVE PREVIEW Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — `32px · r3-4 · 14px`

release-notes.md — Publish

```
## Release notes 4.2

Billing now runs on the **v2 schema**. Invoices load *twice as fast*.

- Bulk export for reports
- New `reconcile()` job
- Fixed stale currency codes

> Rollback stays available for 14 days.
```

Release notes 4.2

Billing now runs on the **v2 schema**. Invoices load *twice as fast*.

- Bulk export for reports
- New `reconcile()` job
- Fixed stale currency codes

> Rollback stays available for 14 days.

Read the migration guide.

FLUENT-INSPIRED Structured · layered — `32px · r4/8 · 14px`

release-notes.md — Publish

```
## Release notes 4.2

Billing now runs on the **v2 schema**. Invoices load *twice as fast*.

- Bulk export for reports
- New `reconcile()` job
- Fixed stale currency codes

> Rollback stays available for 14 days.
```

Release notes 4.2

Billing now runs on the **v2 schema**. Invoices load *twice as fast*.

- Bulk export for reports
- New `reconcile()` job
- Fixed stale currency codes

> Rollback stays available for 14 days.

Read the migration guide.

APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px

release-notes.md — Publish

```
## Release notes 4.2

Billing now runs on the **v2 schema**. Invoices load *twice as fast*.

- Bulk export for reports
- New `reconcile()` job
- Fixed stale currency codes

> Rollback stays available for 14 days.

Read the [migration guide](#).
```

Release notes 4.2

Billing now runs on the **v2 schema**. Invoices load *twice as fast*.

- Bulk export for reports
- New `reconcile()` job
- Fixed stale currency codes

> Rollback stays available for 14 days.

Read the migration guide.

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Source pane	Sunken grey	Sunken grey	Grouped background
Preview type	Product body type	Product body type	Product body type, larger
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

The source is a labelled `textarea`; the preview is a labelled region that does not announce every keystroke.

Keyboard

`Tab` Move between fields

`Type` Edit the value

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this component reads.

PATTERNS

Forms

A complete “Create project” form: grouped sections, inline validation, an error summary and a success confirmation.

Composite pattern `.ds-panel .ds-field`

LIVE PREVIEW Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — 32px · r3–4 · 14px

Create project

Projects group issues, boards and reports for one team.

DETAILS

Project name *
For example, Ledger Migration
Shown in navigation and reports

Key *
LED
2–5 capital letters, used in issue keys

Description
What is this project for?

PEOPLE & ACCESS

Project lead
Maya Ruiz

Start date
Oct 27, 2026

Visibility

- ○ Private — Only invited members
- ◉ Workspace — Everyone in Ledger Inc.

☑ Email the team when the project is created

Cancel | Create project

FLUENT-INSPIRED Structured · layered

32px · r4/8 · 14px

Create project

Projects group issues, boards and reports for one team.

Details

Project name *

For example, Ledger Migration

Shown in navigation and reports

Key *

LED

2–5 capital letters, used in issue keys

Description

What is this project for?

People & access

Project lead

Maya Ruiz

Start date

Oct 27, 2026

Visibility

- ○ Private
  Only invited members
- ◉ Workspace
  Everyone in Ledger Inc.

Email the team when the project is created

Cancel

Create project

APPLE-INSPIRED Minimal · refined `36px · r10/14 · 15px`

Create project

Projects group issues, boards and reports for one team.

Details

Project name *

For example, Ledger Migration

Shown in navigation and reports

Key *

LED

2–5 capital letters, used in issue keys

Description

What is this project for?

People & access

Project lead

Maya Ruiz

Start date

Oct 27, 2026

Visibility

- Private
  Only invited members
- Workspace
  Everyone in Ledger Inc.

Email the team when the project is created

Cancel

Create project

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Section headers	Small uppercase eyebrow	Semibold group label	Grey text, generous space above
Field rhythm	16px between fields	20px	28px
Error summary	Section message at top	Message bar at top	Card at top
Primary action	Bottom right	Bottom right	Bottom right
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

Errors are shown inline and summarised at the top; the summary receives focus and each entry links to its field. Fields use native validation attributes and `aria-invalid`.

Keyboard

`Tab` Move through fields

`Enter` Submit from any text field

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this pattern reads.

PATTERNS

CRUD

Create, read, update and delete records in a table, with a modal form, confirmation and undo.

Composite pattern `.ds-table .ds-tbar`

LIVE PREVIEW Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — 32px · r3-4 · 14px

Team members

Filter by name or role — Add member

Name	Role	Access	
MR Maya Ruiz	Engineering lead	ADMIN	
JO Jonas Ortiz	Product designer	MEMBER	
AK Aiko Kato	Backend engineer	MEMBER	
LS Liam Shah	QA analyst	VIEWER	
PN Priya Nair	Product manager	MEMBER	

No members match

Try another name, or clear the filter.

FLUENT-INSPIRED Structured · layered 32px · r4/8 · 14px

Team members

Filter by name or role

+ Add member

Name	Role	Access
MR Maya Ruiz	Engineering lead	Admin
JO Jonas Ortiz	Product designer	Member
AK Aiko Kato	Backend engineer	Member
LS Liam Shah	QA analyst	Viewer
PN Priya Nair	Product manager	Member

No members match

Try another name, or clear the filter.

● **APPLE-INSPIRED** Minimal · refined `36px · r10/14 · 15px`

Team members

Filter by name or role

Add member

Name	Role	Access	
MR Maya Ruiz	Engineering lead	Admin	✎ 🗑
JO Jonas Ortiz	Product designer	Member	✎ 🗑
AK Aiko Kato	Backend engineer	Member	✎ 🗑
LS Liam Shah	QA analyst	Viewer	✎ 🗑
PN Priya Nair	Product manager	Member	✎ 🗑

No members match

Try another name, or clear the filter.

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Table density	36px rows	44px rows	48px rows
Row actions	Icon buttons, always visible	Icon buttons, always visible	Icon buttons, always visible
Delete flow	Confirm dialog → snackbar undo	Confirm dialog → snackbar undo	Confirm alert → snackbar undo
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely

PROPERTY	ATLASSIAN	FLUENT	APPLE
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

Row actions are named with the record (“Edit Maya Ruiz”). Dialogs return focus to the button that opened them. Removal offers undo.

Keyboard

`Tab` Move through rows and actions

`Enter` Activate

`Esc` Close dialogs

What differs

Only the token values and each language’s own CSS rules. Open the Code tab to compare the CSS and the tokens this pattern reads.

PATTERNS

Search

Global search with scopes, highlighted matches, result counts and a helpful empty state.

Composite pattern `.ds-result .ds-results`

LIVE PREVIEW Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive

32px · r3-4 · 14px

billing

All Issues Docs People

7 results for “billing”

Issue · Ledger Migration › Backlog

DS-142 Migrate billing tables to new schema

Move invoices, line items and tax tables to the v2 schema.

Issue · Ledger Migration › Sprint 42

DS-137 Invoices API returns stale currency codes

Currency codes are cached for 24h in the billing service.

Doc · Docs › Operations

Runbook: billing cut-over

Freeze writes, run the schema diff, compare totals, re-point replica.

Doc · Docs › Architecture

ADR-012 Billing schema v2

Why invoices move to a normalised line-item table.

Person · Backend engineer · Billing

Aiko Kato

Owns the invoices API and the rollback plan.

Doc · Docs › Releases

Release notes 4.2

Billing now runs on the v2 schema.

Person · Engineering lead · Billing

Maya Ruiz

Leads the Ledger Migration project.

FLUENT-INSPIRED Structured · layered

32px · r4/8 · 14px

billing

All | Issues | Docs | People

7 results for "billing"

Issue · Ledger Migration › Backlog

DS-142 Migrate billing tables to new schema

Move invoices, line items and tax tables to the v2 schema.

Issue · Ledger Migration › Sprint 42

DS-137 Invoices API returns stale currency codes

Currency codes are cached for 24h in the billing service.

Doc · Docs › Operations

Runbook: billing cut-over

Freeze writes, run the schema diff, compare totals, re-point replica.

Doc · Docs › Architecture

ADR-012 Billing schema v2

Why invoices move to a normalised line-item table.

Person · Backend engineer · Billing

Aiko Kato

Owns the invoices API and the rollback plan.

Doc · Docs › Releases

Release notes 4.2

Billing now runs on the v2 schema.

Person · Engineering lead · Billing

Maya Ruiz

Leads the Ledger Migration project.

● **APPLE-INSPIRED** Minimal · refined 36px · r10/14 · 15px

billing

All | Issues | Docs | People

7 results for “billing”

Issue · Ledger Migration › Backlog

DS-142 Migrate billing tables to new schema

Move invoices, line items and tax tables to the v2 schema.

Issue · Ledger Migration › Sprint 42

DS-137 Invoices API returns stale currency codes

Currency codes are cached for 24h in the **billing** service.

Doc · Docs › Operations

Runbook: billing cut-over

Freeze writes, run the schema diff, compare totals, re-point replica.

Doc · Docs › Architecture

ADR-012 Billing schema v2

Why invoices move to a normalised line-item table.

Person · Backend engineer · Billing

Aiko Kato

Owns the invoices API and the rollback plan.

Doc · Docs › Releases

Release notes 4.2

Billing now runs on the v2 schema.

Person · Engineering lead · Billing

Maya Ruiz

Leads the Ledger Migration project.

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Search field	Box, large	Box, large	Filled rounded field
Scopes	Underlined tabs	Tabs with icons	Segmented control
Results	Flat rows with dividers	Raised cards	Borderless cards on grey
Match highlight	Yellow marker	Bold brand text	Bold text
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

Result counts are announced politely. Matches are marked with `mark`, and the empty state suggests what to try next.

Keyboard

`Type` Results update as you type

`← / →` Change scope

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this pattern reads.

PATTERNS

Filtering

Narrow a list with faceted filters, quick chips and removable active-filter tags.

Composite pattern `.ds-filter-layout .ds-facets`

LIVE PREVIEW Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — `32px · r3-4 · 14px`

Status
- [ ] To do (1)
- [ ] In progress (2)
- [ ] In review (1)
- [ ] Blocked (1)
- [ ] Done (1)

Assignee
- [ ] Maya Ruiz
- [ ] Jonas Ortiz
- [ ] Aiko Kato
- [ ] Liam Shah
- [ ] Priya Nair

Only 5+ points

Updated today | Large (8+)

6 of 6 issues

DS-142 Migrate billing tables to new schema Maya Ruiz · 8 pts · 2h ago	IN PROGRESS
DS-139 Audit focus rings across admin console Jonas Ortiz · 3 pts · 5h ago	IN REVIEW
DS-137 Invoices API returns stale currency codes Aiko Kato · 5 pts · Yesterday	BLOCKED
DS-131 Add bulk export to reports view Liam Shah · 2 pts · 2d ago	TO DO
DS-128 Rename workspace roles in settings Priya Nair · 1 pts · 4d ago	DONE
DS-125 Reduce dashboard first paint below 1.5s Maya Ruiz · 13 pts · 5d ago	IN PROGRESS

FLUENT-INSPIRED Structured · layered

32px · r4/8 · 14px

Status

- [ ] To do (1)
- [ ] In progress (2)
- [ ] In review (1)
- [ ] Blocked (1)
- [ ] Done (1)

Assignee

- [ ] Maya Ruiz
- [ ] Jonas Ortiz
- [ ] Aiko Kato
- [ ] Liam Shah
- [ ] Priya Nair

Only 5+ points

Updated today | Large (8+)

6 of 6 issues

DS-142 Migrate billing tables to new schema
Maya Ruiz · 8 pts · 2h ago — In progress


DS-139 Audit focus rings across admin console
Jonas Ortiz · 3 pts · 5h ago — In review

DS-137 Invoices API returns stale currency codes
Aiko Kato · 5 pts · Yesterday — Blocked

DS-131 Add bulk export to reports view
Liam Shah · 2 pts · 2d ago — To do

DS-128 Rename workspace roles in settings
Priya Nair · 1 pts · 4d ago — Done

DS-125 Reduce dashboard first paint below 1.5s
Maya Ruiz · 13 pts · 5d ago — In progress



COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
Facet panel	Compact checkbox list	Checkbox groups with 8px rhythm	Spacious groups, 12px rhythm
Active filters	Square tags	Rounded tags with stroke	Capsules
Result list	Dense rows	Card list	Inset grouped list
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

Facets are grouped in fieldsets. Result counts are announced politely, and every active filter can be removed individually or all at once.

Keyboard

`Space` Toggle a facet

`Enter` Remove an active filter tag

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this pattern reads.

PATTERNS

Master Detail

Browse a list on one side and see the selected record's full detail on the other.

Composite pattern `.ds-md-layout .ds-list`

LIVE PREVIEW Same markup and content in each language.

ATLASSIAN-INSPIRED Dense · productive — 32px · r3-4 · 14px

DS-142
Migrate billing tables to new schema

DS-139
Audit focus rings across admin console

DS-137
Invoices API returns stale currency codes

DS-131
Add bulk export to reports view

DS-128
Rename workspace roles in settings

DS-125
Reduce dashboard first paint below 1.5s

DS-142

Migrate billing tables to new schema

Edit Resolve

Status IN PROGRESS
Assignee MR Maya Ruiz
Points 8
Updated 2h ago

Description Activity

Migrate billing tables to new schema. Acceptance: totals match within 0.01 and no customer-visible downtime.

FLUENT-INSPIRED Structured · layered — 32px · r4/8 · 14px

DS-142
Migrate billing tables to new schema

DS-139
Audit focus rings across admin console

DS-137
Invoices API returns stale currency codes

DS-131
Add bulk export to reports view

DS-128
Rename workspace roles in settings

DS-125
Reduce dashboard first paint below 1.5s

DS-142

Migrate billing tables to new schema

Edit | Resolve

Status: In progress
Assignee: MR Maya Ruiz
Points: 8
Updated: 2h ago

Description | Activity

Migrate billing tables to new schema. Acceptance: totals match within 0.01 and no customer-visible downtime.

APPLE-INSPIRED Minimal · refined — 36px · r10/14 · 15px

DS-142
Migrate billing tables to new schema

DS-139
Audit focus rings across admin console

DS-137
Invoices API returns stale currency c...

DS-131
Add bulk export to reports view

DS-128
Rename workspace roles in settings

DS-125
Reduce dashboard first paint below 1....

DS-142

Migrate billing tables to new schema

Edit | Resolve

Status: In progress
Assignee: MR Maya Ruiz
Points: 8
Updated: 2h ago

Description | Activity

Migrate billing tables to new schema. Acceptance: totals match within 0.01 and no customer-visible downtime.

COMPARISON

PROPERTY	ATLASSIAN	FLUENT	APPLE
List width	280px, no gap	300px + 16px gap	300px + 20px gap
Selection	Tint + left bar	Tint fill	Tint fill + disclosure chevrons
Detail surface	Bordered panel	Raised card	Borderless rounded panel
Density	Compact	Medium	Spacious
Corner radius	3–4px	4px controls · 8px surfaces	10px controls · 14–20px surfaces
Borders	Visible, functional	Subtle, strong bottom edge on inputs	Hairline or none
Shadow	Minimal, border-led	Layered elevation ramp	Soft, used rarely
Focus	2px outline, 2px offset	2px high-contrast inset ring	4px soft tint halo
Motion	~100ms, tint changes	150–250ms, decelerate	250–350ms, spring + scale

BEHAVIOUR Identical in all three languages.

Accessibility

The list is a `listbox` with roving focus; selection updates the detail region, which is announced politely.

Keyboard

`↑` / `↓` Move through the list and show details

`Tab` Move into the detail panel

What differs

Only the token values and each language's own CSS rules. Open the Code tab to compare the CSS and the tokens this pattern reads.