Assignment 9 and 10

Data Structures in C++ and Python

EC602 Fall 2016

- 1 Introduction
 - 1.1 Assignment Goals
 - 1.2 Due Date
 - 1.3 Submission Link
- 2 Data structures
 - 2.1 Operations on a Data Structure
 - 2.2 Types of Data Structures
- 3 Containers in Python
- 4 Containers in C++
- 5 Style
 - 5.1 Python PEP8
 - o <u>5.2 C++ lint</u>
- 6 The assignment: wordplayer
 - 6.1 Program Behavior
 - 6.2 Grading Rubric
 - 6.3 Python details
 - o 6.4 C++ details
- 7 Links

1 Introduction

Storing, managing, searching and understanding information is a critical task that all electrical and computer engineers must deal with and be prepared for.

One critical component of this is the use of appropriate data structures and algorithms.

This week, we challenge you to select among many possible data structures and algorithms to solve a problem.

1.1 Assignment Goals

The goals for assignment 9 are to

- design an efficient algorithm using python data structures and standard library modules
- write Python code that passes a static code-style analyzer.
- write Python code that is also elegant.
- explore algorithms in pursuit of solving assignment 10.

The goals for assignment 10 are to

- design an efficient algorithm using STL data structures.
- write C++ code that passes a static code-style analyzer.
- write C++ code that is also elegant.

1.2 Due Date

This assignment is due 2016-11-21 at midnight.

1.3 Submission Link

You can submit here: week 9 submit link and week 10 submit link

2 Data structures

2.1 Operations on a Data Structure

We consider dynamic data structures for storage of *dynamic sets*. The key operations are:

- insert: inserting a new element
- search: finding an element
- sort: retreiving all the elements in ascending or descending order
- delete: deleting an element

2.2 Types of Data Structures

There are three very important types of data structures we will consider

- hash tables (python dictionaries). A hash table has O(1) insert and O(1) search. However, the data is unsorted, so sorting would still require $O(N \log N)$.
- binary search trees. A binary search tree has $O(\log N)$ insert and $O(\log N)$ search.
- heaps or priority queue.

3 Containers in Python

Python does not have a built-in binary search tree or one that is part of the standard library.

There is speculation around why this is the case.

One theory is that there are so many flavors of BST that it would have been impossible to pick "the right one" to include in the standard library.

Another theory is that the BDFL GvR thinks that you should almost always use lists or dictionaries instead of a BST.

4 Containers in C++

The following STL containers are variations on binary search trees:

- map
- multimap
- set

multiset

Maps contain *elements* in addition to their *key*.

The following STL containers are variations on hash tables / dictionaries:

- unordered_map
- unordered_multimap
- unordered set
- unordered multiset

The following STL container implements a priority queue or heap:

• priority queue

In the above, the word multi indicates that there can be multiple values of a particular key in the structure.

5 Style

Programs are read much more frequently than they are written, so it is important that your programs follow a consistent style to help others (including future you) be able to read your code.

Following a style guide is a useful part of writing readable code, and it is common industry practice to adopt a company-wide style guide.

5.1 Python PEP8

Python style is "governed" by an official document <u>PEP8</u> and accompanying software pep8. The software is available both as a module and as a command-line program.

You can test your programs for compliance using

pep8 my_program.py

5.2 C++ lint

The python script complint is available from github, and can be installed from the command line as follows:

pip install cpplint

cpplint assesses your C++ programs according to google's C++ style guide

You can test your C++ programs for compliance. In a unix/linux terminal, type

cpplint my program.cpp

6 The assignment: wordplayer

Write a program to read all the words from a word list and then use this to answer what words can be formed from letters.

The wordlist is specified using a required command-line argument.

You must write both a python version and a C++ version.

Use the python version to explore the design space and test out ideas, then develop the C++ version using your best ideas.

6.1 Program Behavior

The filename of the wordlist is provided on the command line. It will contain all the defined words, one per line. Each word will only appear once.

In this problem, all words will be lower case.

After reading and "digesting" the information in the wordlist, the program should interact with the user using the terminal input and output.

The user will enter letters followed by a number N, and the program will respond with all the N-letter words that can be formed using those letters.

The words should be printed in alphabetical order, one per line, followed by . on its own line. This helps make the output more readable when multiple queries are made and the result is stored in a file.

If number is 0, the program exits.

Here is an example:

```
% python w9 wordplayer.py big wordlist.txt
testthisprogram 11
prostatites
prosthetist
seismograph
straightest
thermistors
thermostats
ndarmo 5
adorn
manor
monad
nomad
radon
roman
omrandn 6
random
rodman
exit 0
```

The lines with numbers represent user input, the other lines are the answers.

So, when you type

testthisprogram 11

the program responds with

```
prostatites
prosthetist
seismograph
straightest
thermistors
thermostats
```

which are the 11-letter words that can be formed by selecting 11 letters from testthisprogram.

The program continues answering problems until the number 0 is entered.

No error checking is required.

6.2 Grading Rubric

Out of 5, your grade on this assignment will be assessed as follows:

- 2 points: your code passes the unittester for specifications
- 1 point: your code passes the unittester for style (as determined by cpplint or pep8).
- 1 point: your code will be evaluated for elegance, as determined by code length. Code length is defined as the number of words. Shorter programs will score higher.
- 1 point: your code will be evaluated for efficiency, as determined by the time to process wordplayer_testinput.txt. Faster programs will score higher.

Your score for elegance and efficiency will be 0 unless you pass both the specification test and the style test.

You can test your program using the included files wordplayer_input.txt which is a 1000 line long file of letter combinations and word size targets.

The correct output for this input is in wordplayer_results.txt

In the terminal, you can type

```
python w9_wordplayer.py big_wordlist.txt < wordplayer_input.txt > mywordplayer_results.txt and then compare the output you created mywordplayer results.txt with my output.
```

6.3 Python details

Your python program must be called w9 wordplayer.py

My python program takes 3.7 seconds to run on the server, and is 149 words long.

[Note: if I use pypy3 to run the program, it only takes 1.6 seconds]

I have a shorter correct program that is 75 words long, but it is not as efficient.

Your grade on the python elegance factor will be 150 divided by the number of words, with a maximum grade of 1.0

Your grade on the efficiency factor will be 10 divided by your execution time, with a maximum grade of 1.0

6.4 C++ details

Your C++ program must be called w10_wordplayer.cpp

My C++ program takes 0.28 seconds to run on the server, and is 295 words long.

Your grade on the C++ elegance factor will be 400 divided by the number of words, with a maximum grade of 1.0.

Your grade on the efficiency factor will be 1.0 divided by your execution time, with a maximum grade of 1.0.

7 Links

Here are the relevant files for you to download:

- w9 wordplayer tester.pv
- big wordlist.txt
- wordplayer testinput.txt
- wordplayer results.txt