


# TEST CASES

## TC-1



```
import static com.kms.katalon.core.checkpoint.CheckpointFactory.findCheckpoint
import static com.kms.katalon.core.testcase.TestCaseFactory.findTestCase
import static com.kms.katalon.core.testdata.TestDataFactory.findTestData
import static com.kms.katalon.core.testobject.ObjectRepository.findTestObject
import static com.kms.katalon.core.testobject.ObjectRepository.findWindowsObject
import com.kms.katalon.core.checkpoint.Checkpoint as Checkpoint
import com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords as CucumberKW
import com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords as Mobile
import com.kms.katalon.core.model.FailureHandling as FailureHandling
import com.kms.katalon.core.testcase.TestCase as TestCase
import com.kms.katalon.core.testdata.TestData as TestData
import com.kms.katalon.core.testng.keyword.TestNGBuiltinKeywords as TestNGKW
import com.kms.katalon.core.testobject.TestObject as TestObject
import com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords as WS
import com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords as WebUI
import com.kms.katalon.core.windows.keyword.WindowsBuiltInKeywords as Windows
```

```
import com.kms.katalon.core.checkpoint.Checkpoint as Checkpoint
```

```

import com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords as CucumberKW
import com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords as Mobile
import com.kms.katalon.core.model.FailureHandling as FailureHandling
import com.kms.katalon.core.testcase.TestCase as TestCase
import com.kms.katalon.core.testdata.TestData as TestData
import com.kms.katalon.core.testng.keyword.TestNGBuiltinKeywords as TestNGKW
import com.kms.katalon.core.testobject.TestObject as TestObject
import com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords as WS
import com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords as WebUI
import com.kms.katalon.core.windows.keyword.WindowsBuiltinKeywords as Windows
import internal.GlobalVariable as GlobalVariable
import org.openqa.selenium.Keys as Keys

WebUI.openBrowser("")

WebUI.navigateToUrl('https://katalon-demo-cura.herokuapp.com/')

WebUI.click(findTestObject('Object Repository/Page_CURA Healthcare Service/a_Make Appointment'))

WebUI.setText(findTestObject('Object Repository/Page_CURA Healthcare Service/input_username_username'), 'John Doe')

WebUI.setEncryptedText(findTestObject('Object Repository/Page_CURA Healthcare Service/input_password_password'), 'g3/DOGG74jC3Flrr3yH+3D/yKbOqqUNM')

WebUI.click(findTestObject('Object Repository/Page_CURA Healthcare Service/button_Login'))

WebUI.click(findTestObject('Object Repository/Page_CURA Healthcare Service/input_Visit Date (Required)_visit_date'))

WebUI.click(findTestObject('Object Repository/Page_CURA Healthcare Service/td_22'))


WebUI.setText(findTestObject('Object Repository/Page_CURA Healthcare Service/textarea_Comment_comment'), 'please accept')

WebUI.click(findTestObject('Object Repository/Page_CURA Healthcare Service/button_Book Appointment'))

WebUI.closeBrowser()

```

**TC-3**



```

import static com.kms.katalon.core.checkpoint.CheckpointFactory.findCheckpoint
import static com.kms.katalon.core.testcase.TestCaseFactory.findTestCase
import static com.kms.katalon.core.testdata.TestDataFactory.findTestData
import static com.kms.katalon.core.testobject.ObjectRepository.findTestObject
import static com.kms.katalon.core.testobject.ObjectRepository.findWindowsObject
import com.kms.katalon.core.checkpoint.Checkpoint as Checkpoint
import com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords as CucumberKW
import com.kms.katalon.core.mobile.keyword.MobileBuiltinKeywords as Mobile
import com.kms.katalon.core.model.FailureHandling as FailureHandling
import com.kms.katalon.core.testcase.TestCase as TestCase
import com.kms.katalon.core.testdata.TestData as TestData
import com.kms.katalon.core.testng.keyword.TestNGBuiltinKeywords as TestNGKW
import com.kms.katalon.core.testobject.TestObject as TestObject
import com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords as WS
import com.kms.katalon.core.webui.keyword.WebUIBuiltInKeywords as WebUI
import com.kms.katalon.core.windows.keyword.WindowsBuiltinKeywords as Windows
import internal.GlobalVariable as GlobalVariable
import org.openqa.selenium.Keys as Keys

```

```
WebUI.openBrowser('')
```

```
WebUI.navigateToUrl('https://katalon-demo-cura.herokuapp.com/')
```

```
WebUI.click(findTestObject('Object Repository/Page_CURA Healthcare Service/a_Make Appointment'))
```

```
WebUI.setText(findTestObject('Object Repository/Page_CURA Healthcare Service/input_username_username'), 'John Doe')
```


```
WebUI.setEncryptedText(findTestObject('Object Repository/Page_CURA Healthcare Service/input_Password_password'), 'g3/DOGG74jC3Flrr3yH+3D/yKbOqqUNM')
```

```
WebUI.click(findTestObject('Object Repository/Page_CURA Healthcare Service/button_Login'))
```

```
WebUI.click(findTestObject('Object Repository/Page_CURA Healthcare Service/button_Login'))
```

```
WebUI.closeBrowser()
```

## TC-4



```
import static com.kms.katalon.core.checkpoint.CheckpointFactory.findCheckpoint
```

```
import static com.kms.katalon.core.testcase.TestCaseFactory.findTestCase
```

```
import static com.kms.katalon.core.testdata.TestDataFactory.findTestData
```

```
import static com.kms.katalon.core.testobject.ObjectRepository.findTestObject
```

```
import static com.kms.katalon.core.testobject.ObjectRepository.findWindowsObject
```

```
import com.kms.katalon.core.checkpoint.Checkpoint as Checkpoint
```

```
import com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords as CucumberKW
```

```
import com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords as Mobile
```

```
import com.kms.katalon.core.model.FailureHandling as FailureHandling
```

```
import com.kms.katalon.core.testcase.TestCase as TestCase
```

import com.kms.katalon.core.testdata.TestData as TestData

import com.kms.katalon.core.testng.keyword.TestNGBuiltinKeywords as TestNGKW

import com.kms.katalon.core.testobject.TestObject as TestObject

import com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords as WS

import com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords as WebUI

import com.kms.katalon.core.windows.keyword.WindowsBuiltinKeywords as Windows

import internal.GlobalVariable as GlobalVariable

import org.openqa.selenium.Keys as Keys

WebUI.openBrowser("")

WebUI.navigateToUrl('https://katalon-demo-cura.herokuapp.com/')

WebUI.click(findTestObject('Object Repository/Page\_CURA Healthcare Service/a\_Make Appointment'))

WebUI.setText(findTestObject('Object Repository/Page\_CURA Healthcare Service/input\_username\_username'), 'John Doe')


WebUI.setEncryptedText(findTestObject('Object Repository/Page\_CURA Healthcare Service/input\_password\_password'), 'g3/DOGG74jC3Flrr3yH+3D/yKbOqqUNM')

WebUI.click(findTestObject('Object Repository/Page\_CURA Healthcare Service/button\_Login'))

WebUI.selectOptionByValue(findTestObject('Object Repository/Page\_CURA Healthcare Service/select\_Tokyo CURA Healthcare Center \_5b4107'), 'Hongkong CURA Healthcare Center', true)

WebUI.closeBrowser()

## TC-5



import static com.kms.katalon.core.checkpoint.CheckpointFactory.findCheckpoint

```

import static com.kms.katalon.core.testcase.TestCaseFactory.findTestCase
import static com.kms.katalon.core.testdata.TestDataFactory.findTestData
import static com.kms.katalon.core.testobject.ObjectRepository.findTestObject
import static com.kms.katalon.core.testobject.ObjectRepository.findWindowsObject
import com.kms.katalon.core.checkpoint.Checkpoint as Checkpoint
import com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords as CucumberKW
import com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords as Mobile
import com.kms.katalon.core.model.FailureHandling as FailureHandling
import com.kms.katalon.core.testcase.TestCase as TestCase
import com.kms.katalon.core.testdata.TestData as TestData
import com.kms.katalon.core.testng.keyword.TestNGBuiltinKeywords as TestNGKW
import com.kms.katalon.core.testobject.TestObject as TestObject
import com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords as WS
import com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords as WebUI
import com.kms.katalon.core.windows.keyword.WindowsBuiltinKeywords as Windows
import internal.GlobalVariable as GlobalVariable
import org.openqa.selenium.Keys as Keys

WebUI.openBrowser("")

WebUI.navigateToUrl('https://katalon-demo-cura.herokuapp.com/')

WebUI.click(findTestObject('Object Repository/Page_CURA Healthcare Service/a_Make Appointment'))

WebUI.setText(findTestObject('Object Repository/Page_CURA Healthcare Service/input_Username_username'), 'John Doe')

WebUI.setEncryptedText(findTestObject('Object Repository/Page_CURA Healthcare Service/input_Password_password'), 'g3/DOGG74jC3Flrr3yH+3D/yKbOqqUNM')


WebUI.click(findTestObject('Object Repository/Page_CURA Healthcare Service/button_Login'))

WebUI.selectOptionByValue(findTestObject('Object Repository/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center _5b4107'), 'Seoul CURA Healthcare Center', true)

WebUI.closeBrowser()

```

## TC-6



```

import static com.kms.katalon.core.checkpoint.CheckpointFactory.findCheckpoint
import static com.kms.katalon.core.testcase.TestCaseFactory.findTestCase
import static com.kms.katalon.core.testdata.TestDataFactory.findTestData
import static com.kms.katalon.core.testobject.ObjectRepository.findTestObject
import static com.kms.katalon.core.testobject.ObjectRepository.findWindowsObject
import com.kms.katalon.core.checkpoint.Checkpoint as Checkpoint
import com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords as CucumberKW
import com.kms.katalon.core.mobile.keyword.MobileBuiltinKeywords as Mobile
import com.kms.katalon.core.model.FailureHandling as FailureHandling
import com.kms.katalon.core.testcase.TestCase as TestCase
import com.kms.katalon.core.testdata.TestData as TestData
import com.kms.katalon.core.testng.keyword.TestNGBuiltinKeywords as TestNGKW
import com.kms.katalon.core.testobject.TestObject as TestObject
import com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords as WS
import com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords as WebUI
import com.kms.katalon.core.windows.keyword.WindowsBuiltinKeywords as Windows
import internal.GlobalVariable as GlobalVariable
import org.openqa.selenium.Keys as Keys

WebUI.openBrowser("")

```



```
WebUI.navigateToUrl('https://katalon-demo-cura.herokuapp.com/')
```

```
WebUI.click(findTestObject('Object Repository/Page_CURA Healthcare Service/a_Make Appointment'))
```

```
WebUI.setText(findTestObject('Object Repository/Page_CURA Healthcare Service/input_username_username'), 'John Doe')
```


```
WebUI.setEncryptedText(findTestObject('Object Repository/Page_CURA Healthcare Service/input_Password_password'), 'g3/DOGG74jC3Flrr3yH+3D/yKbOqqUNM')
```

```
WebUI.click(findTestObject('Object Repository/Page_CURA Healthcare Service/button_Login'))
```

```
WebUI.click(findTestObject('Object Repository/Page_CURA Healthcare Service/input_Medicaid_programs'))
```

```
WebUI.closeBrowser()
```

## TC-7



```
import static com.kms.katalon.core.checkpoint.CheckpointFactory.findCheckpoint
```

```
import static com.kms.katalon.core.testcase.TestCaseFactory.findTestCase
```

```
import static com.kms.katalon.core.testdata.TestDataFactory.findTestData
```

```
import static com.kms.katalon.core.testobject.ObjectRepository.findTestObject
```

```
import static com.kms.katalon.core.testobject.ObjectRepository.findWindowsObject
```

```
import com.kms.katalon.core.checkpoint.Checkpoint as Checkpoint
```

```
import com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords as CucumberKW
```

```
import com.kms.katalon.core.mobile.keyword.MobileBuiltinKeywords as Mobile
```

```
import com.kms.katalon.core.model.FailureHandling as FailureHandling
```

```
import com.kms.katalon.core.testcase.TestCase as TestCase
```

```
import com.kms.katalon.core.testdata.TestData as TestData
```

```
import com.kms.katalon.core.testng.keyword.TestNGBuiltinKeywords as TestNGKW
```

```
import com.kms.katalon.core.testobject.TestObject as TestObject
```

```
import com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords as WS
```

```
import com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords as WebUI
```

```
import com.kms.katalon.core.windows.keyword.WindowsBuiltinKeywords as Windows
```

```
import internal.GlobalVariable as GlobalVariable
```

```
import org.openqa.selenium.Keys as Keys
```

```
WebUI.openBrowser("")
```

```
WebUI.navigateToUrl('https://katalon-demo-cura.herokuapp.com/')
```

```
WebUI.doubleClick(findTestObject('Object Repository/Page_CURA Healthcare Service/a_Make Appointment'))
```


```
WebUI.setText(findTestObject('Object Repository/Page_CURA Healthcare  
Service/input_username_username'), 'John Doe')
```

```
WebUI.setEncryptedText(findTestObject('Object Repository/Page_CURA Healthcare  
Service/input_password_password'), 'g3/DOGG74jC3Flrr3yH+3D/yKbOqqUNM')
```

```
WebUI.click(findTestObject('Object Repository/Page_CURA Healthcare Service/button_Login'))
```

```
WebUI.closeBrowser()
```

## TC-8



```

import static com.kms.katalon.core.checkpoint.CheckpointFactory.findCheckpoint
import static com.kms.katalon.core.testcase.TestCaseFactory.findTestCase
import static com.kms.katalon.core.testdata.TestDataFactory.findTestData
import static com.kms.katalon.core.testobject.ObjectRepository.findTestObject
import static com.kms.katalon.core.testobject.ObjectRepository.findWindowsObject
import com.kms.katalon.core.checkpoint.Checkpoint as Checkpoint
import com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords as CucumberKW
import com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords as Mobile
import com.kms.katalon.core.model.FailureHandling as FailureHandling
import com.kms.katalon.core.testcase.TestCase as TestCase
import com.kms.katalon.core.testdata.TestData as TestData
import com.kms.katalon.core.testng.keyword.TestNGBuiltinKeywords as TestNGKW
import com.kms.katalon.core.testobject.TestObject as TestObject
import com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords as WS
import com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords as WebUI
import com.kms.katalon.core.windows.keyword.WindowsBuiltinKeywords as Windows
import internal.GlobalVariable as GlobalVariable
import org.openqa.selenium.Keys as Keys

WebUI.openBrowser("")

WebUI.navigateToUrl('https://katalon-demo-cura.herokuapp.com/')

WebUI.click(findTestObject('Object Repository/Page_CURA Healthcare Service/a_Make Appointment'))

WebUI.setText(findTestObject('Object Repository/Page_CURA Healthcare Service/input_Username_username'), 'John Doe')

WebUI.setEncryptedText(findTestObject('Object Repository/Page_CURA Healthcare Service/input_Password_password'), 'g3/DOGG74jC3Flrr3yH+3D/yKbOqqUNM')


WebUI.click(findTestObject('Object Repository/Page_CURA Healthcare Service/button_Login'))

WebUI.click(findTestObject('Object Repository/Page_CURA Healthcare Service/input_Medicaid_programs'))

WebUI.closeBrowser()

```

**TC-9**



```
WebUI.click(findTestObject('Object Repository/Page_CURA Healthcare Service/a_Make Appointment'))
```

```
WebUI.setText(findTestObject('Object Repository/Page_CURA Healthcare Service/input_Username_username'), 'John Doe')
```


```
WebUI.setEncryptedText(findTestObject('Object Repository/Page_CURA Healthcare Service/input_Password_password'), 'g3/DOGG74jC3Flrr3yH+3D/yKbOqqUNM')
```

```
WebUI.click(findTestObject('Object Repository/Page_CURA Healthcare Service/button_Login'))
```

```
WebUI.click(findTestObject('Object Repository/Page_CURA Healthcare Service/input_Medicaid_programs'))
```

```
WebUI.closeBrowser()
```

## TC-10



```
import static com.kms.katalon.core.checkpoint.CheckpointFactory.findCheckpoint
```

```
import static com.kms.katalon.core.testcase.TestCaseFactory.findTestCase
```

```
import static com.kms.katalon.core.testdata.TestDataFactory.findTestData
```

```
import static com.kms.katalon.core.testobject.ObjectRepository.findTestObject
```

```
import static com.kms.katalon.core.testobject.ObjectRepository.findWindowsObject
```

```
import com.kms.katalon.core.checkpoint.Checkpoint as Checkpoint
```

```
import com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords as CucumberKW
```

```
import com.kms.katalon.core.mobile.keyword.MobileBuiltinKeywords as Mobile
```

```
import com.kms.katalon.core.model.FailureHandling as FailureHandling
```

```
import com.kms.katalon.core.testcase.TestCase as TestCase
```

```
import com.kms.katalon.core.testdata.TestData as TestData
```

```
import com.kms.katalon.core.testng.keyword.TestNGBuiltinKeywords as TestNGKW
```

```
import com.kms.katalon.core.testobject.TestObject as TestObject
```

```
import com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords as WS
```

```
import com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords as WebUI
```

```
import com.kms.katalon.core.windows.keyword.WindowsBuiltinKeywords as Windows
```

```
import internal.GlobalVariable as GlobalVariable
```

```
import org.openqa.selenium.Keys as Keys
```

```
WebUI.openBrowser("")
```

```
WebUI.navigateToUrl('https://katalon-demo-cura.herokuapp.com/')
```

```
WebUI.click(findTestObject('Object Repository/Page_CURA Healthcare Service/a_Make Appointment'))
```

```
WebUI.setText(findTestObject('Object Repository/Page_CURA Healthcare  
Service/input_username_username'), 'John Doe')
```

```
WebUI.setEncryptedText(findTestObject('Object Repository/Page_CURA Healthcare  
Service/input_Password_password'), 'g3/DOGG74jC3Flrr3yH+3D/yKbOqqUNM')
```


```
WebUI.click(findTestObject('Object Repository/Page_CURA Healthcare Service/button_Login'))
```

```
WebUI.click(findTestObject('Object Repository/Page_CURA Healthcare Service/input_None_programs'))
```

```
WebUI.closeBrowser()
```

## RECORD AND PLAY BACK

### RECORD AND PLAY BACK 1



```
import static com.kms.katalon.core.checkpoint.CheckpointFactory.findCheckpoint
import static com.kms.katalon.core.testcase.TestCaseFactory.findTestCase
import static com.kms.katalon.core.testdata.TestDataFactory.findTestData
import static com.kms.katalon.core.testobject.ObjectRepository.findTestObject
import static com.kms.katalon.core.testobject.ObjectRepository.findWindowsObject
import com.kms.katalon.core.checkpoint.Checkpoint as Checkpoint
import com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords as CucumberKW
import com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords as Mobile
import com.kms.katalon.core.model.FailureHandling as FailureHandling
import com.kms.katalon.core.testcase.TestCase as TestCase
import com.kms.katalon.core.testdata.TestData as TestData
import com.kms.katalon.core.testng.keyword.TestNGBuiltinKeywords as TestNGKW
import com.kms.katalon.core.testobject.TestObject as TestObject
import com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords as WS
import com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords as WebUI
import com.kms.katalon.core.windows.keyword.WindowsBuiltinKeywords as Windows
import internal.GlobalVariable as GlobalVariable
import org.openqa.selenium.Keys as Keys

WebUI.openBrowser("")

WebUI.navigateToUrl('https://katalon-demo-cura.herokuapp.com/')

WebUI.click(findTestObject('Object Repository/CURA HEALTH CARE_LOGIN/Page_CURA Healthcare Service/a_Make Appointment'))


WebUI.setText(findTestObject('Object Repository/CURA HEALTH CARE_LOGIN/Page_CURA Healthcare Service/input_Username_username'), 'John Doe')

WebUI.setEncryptedText(findTestObject('Object Repository/CURA HEALTH CARE_LOGIN/Page_CURA Healthcare Service/input_Password_password'), 'g3/DOGG74jC3Flrr3yH+3D/yKbOqqUNM')

WebUI.click(findTestObject('Object Repository/CURA HEALTH CARE_LOGIN/Page_CURA Healthcare Service/button_Login'))

WebUI.closeBrowser()
```

## RECORD AND PLAY BACK 2



```
import static com.kms.katalon.core.checkpoint.CheckpointFactory.findCheckpoint
import static com.kms.katalon.core.testcase.TestCaseFactory.findTestCase
import static com.kms.katalon.core.testdata.TestDataFactory.findTestData
import static com.kms.katalon.core.testobject.ObjectRepository.findTestObject
import static com.kms.katalon.core.testobject.ObjectRepository.findWindowsObject
import com.kms.katalon.core.checkpoint.Checkpoint as Checkpoint
import com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords as CucumberKW
import com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords as Mobile
import com.kms.katalon.core.model.FailureHandling as FailureHandling
import com.kms.katalon.core.testcase.TestCase as TestCase
import com.kms.katalon.core.testdata.TestData as TestData
import com.kms.katalon.core.testng.keyword.TestNGBuiltinKeywords as TestNGKW
import com.kms.katalon.core.testobject.TestObject as TestObject
import com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords as WS
import com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords as WebUI
import com.kms.katalon.core.windows.keyword.WindowsBuiltinKeywords as Windows
import internal.GlobalVariable as GlobalVariable
```



```
import org.openqa.selenium.Keys as Keys
```

```
WebUI.openBrowser("")
```

```
WebUI.navigateToUrl('https://katalon-demo-cura.herokuapp.com/')
```

```
WebUI.click(findTestObject('Object Repository/CURA HEALTH CARE_BOOK  
APPOINTMENT/Page_CURA Healthcare Service/a_Make Appointment'))
```

```
WebUI.setText(findTestObject('Object Repository/CURA HEALTH CARE_BOOK  
APPOINTMENT/Page_CURA Healthcare Service/input_Username_username'), 'John Doe')
```

```
WebUI.setEncryptedText(findTestObject('Object Repository/CURA HEALTH CARE_BOOK  
APPOINTMENT/Page_CURA Healthcare Service/input_Password_password'),  
'g3/DOGG74jC3Flrr3yH+3D/yKbOqqUNM')
```

```
WebUI.click(findTestObject('Object Repository/CURA HEALTH CARE_BOOK  
APPOINTMENT/Page_CURA Healthcare Service/button_Login'))
```

```
WebUI.click(findTestObject('Object Repository/CURA HEALTH CARE_BOOK  
APPOINTMENT/Page_CURA Healthcare Service/input_Visit Date (Required)_visit_date'))
```

```
WebUI.click(findTestObject('Object Repository/CURA HEALTH CARE_BOOK  
APPOINTMENT/Page_CURA Healthcare Service/td_23'))
```


```
WebUI.setText(findTestObject('Object Repository/CURA HEALTH CARE_BOOK  
APPOINTMENT/Page_CURA Healthcare Service/textarea_Comment_comment'), 'please accept')
```

```
WebUI.doubleClick(findTestObject('Object Repository/CURA HEALTH CARE_BOOK  
APPOINTMENT/Page_CURA Healthcare Service/button_Book Appointment'))
```

```
WebUI.closeBrowser()
```

## MANUAL MODE

### MANUAL MODE 1



```
import static com.kms.katalon.core.checkpoint.CheckpointFactory.findCheckpoint
import static com.kms.katalon.core.testcase.TestCaseFactory.findTestCase
import static com.kms.katalon.core.testdata.TestDataFactory.findTestData
import static com.kms.katalon.core.testobject.ObjectRepository.findTestObject
import static com.kms.katalon.core.testobject.ObjectRepository.findWindowsObject
import com.kms.katalon.core.checkpoint.Checkpoint as Checkpoint
import com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords as CucumberKW
import com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords as Mobile
import com.kms.katalon.core.model.FailureHandling as FailureHandling
import com.kms.katalon.core.testcase.TestCase as TestCase
import com.kms.katalon.core.testdata.TestData as TestData
import com.kms.katalon.core.testng.keyword.TestNGBuiltinKeywords as TestNGKW
import com.kms.katalon.core.testobject.TestObject as TestObject
import com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords as WS
import com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords as WebUI
import com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword
import com.kms.katalon.core.windows.keyword.WindowsBuiltinKeywords as Windows
import internal.GlobalVariable as GlobalVariable
import org.openqa.selenium.Keys as Keys

// openBrowser

WebUI.openBrowser("")

// Give URL

WebUI.navigateToUrl('https://katalon-demo-cura.herokuapp.com/')

WebUI.click(findTestObject('MANUAL MODE_LOGIN/Page_CURA Healthcare Service/a_Make Appointment'))


WebUI.click(findTestObject('MANUAL MODE_LOGIN/Page_CURA Healthcare Service/button_Login'))

WebUI.click(findTestObject('MANUAL MODE_LOGIN/Page_CURA Healthcare Service/input_Password_password'))
```

```
WebUI.click(findTestObject('MANUAL MODE_LOGIN/Page_CURA Healthcare  
Service/input_username_username'))
```

## TEST SUITS

### TEST SUIT 1



```
import static com.kms.katalon.core.checkpoint.CheckpointFactory.findCheckpoint
import static com.kms.katalon.core.testcase.TestCaseFactory.findTestCase
import static com.kms.katalon.core.testdata.TestDataFactory.findTestData
import static com.kms.katalon.core.testobject.ObjectRepository.findTestObject
import com.kms.katalon.core.checkpoint.Checkpoint as Checkpoint
import com.kms.katalon.core.checkpoint.CheckpointFactory as CheckpointFactory
import com.kms.katalon.core.model.FailureHandling as FailureHandling
import com.kms.katalon.core.testcase.TestCase as TestCase
import com.kms.katalon.core.testcase.TestCaseFactory as TestCaseFactory
import com.kms.katalon.core.testdata.TestData as TestData
import com.kms.katalon.core.testdata.TestDataFactory as TestDataFactory
import com.kms.katalon.core.testobject.ObjectRepository as ObjectRepository
import com.kms.katalon.core.testobject.TestObject as TestObject
```

```
import com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords as WS
import com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords as WebUI
import com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords as Mobile
import internal.GlobalVariable as GlobalVariable
import com.kms.katalon.core.annotation.Setup
import com.kms.katalon.core.annotation.SetupTestCase
import com.kms.katalon.core.annotation.TearDown
import com.kms.katalon.core.annotation.TearDownTestCase

/**
 * Some methods below are samples for using Setup/TearDown in a test suite.
 */
/**
 * Setup test suite environment.
 */
@Setup(skipped = true) // Please change skipped to be false to activate this method.
def setUp() {
    // Put your code here.
}
/**
 * Clean test suites environment.
 */
@TearDown(skipped = true) // Please change skipped to be false to activate this method.
def tearDown() {
    // Put your code here.
}
/**
```

\* Run before each test case starts.

\*/

@SetupTestCase(skipped = true) // Please change skipped to be false to activate this method.

```
def setupTestCase() {
```

```
    // Put your code here.
```

```
}
```

/\*\*

\* Run after each test case ends.

\*/

@TearDownTestCase(skipped = true) // Please change skipped to be false to activate this method.

```
def tearDownTestCase() {
```

```
    // Put your code here.
```


```
}
```

/\*\*

\* References:

\* Groovy tutorial page: <http://docs.groovy-lang.org/next/html/documentation/> \*/

## TEST SUIT 2



```
import static com.kms.katalon.core.checkpoint.CheckpointFactory.findCheckpoint
import static com.kms.katalon.core.testcase.TestCaseFactory.findTestCase
import static com.kms.katalon.core.testdata.TestDataFactory.findTestData
import static com.kms.katalon.core.testobject.ObjectRepository.findTestObject
import com.kms.katalon.core.checkpoint.Checkpoint as Checkpoint
import com.kms.katalon.core.checkpoint.CheckpointFactory as CheckpointFactory
import com.kms.katalon.core.model.FailureHandling as FailureHandling
import com.kms.katalon.core.testcase.TestCase as TestCase
import com.kms.katalon.core.testcase.TestCaseFactory as TestCaseFactory
import com.kms.katalon.core.testdata.TestData as TestData
import com.kms.katalon.core.testdata.TestDataFactory as TestDataFactory
import com.kms.katalon.core.testobject.ObjectRepository as ObjectRepository
import com.kms.katalon.core.testobject.TestObject as TestObject
import com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords as WS
import com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords as WebUI
import com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords as Mobile
import internal.GlobalVariable as GlobalVariable
import com.kms.katalon.core.annotation.Setup
import com.kms.katalon.core.annotation.SetupTestCase
import com.kms.katalon.core.annotation.TearDown
import com.kms.katalon.core.annotation.TearDownTestCase

/**
 * Some methods below are samples for using Setup/TearDown in a test suite.
 */

/**
 * Setup test suite environment.
 */
```

```
@SetUp(skipped = true) // Please change skipped to be false to activate this method.

def setUp() {

    // Put your code here.

}

/**
 * Clean test suites environment.
 */

@TearDown(skipped = true) // Please change skipped to be false to activate this method.

def tearDown() {

    // Put your code here.

}

/**
 * Run before each test case starts.
 */

@SetupTestCase(skipped = true) // Please change skipped to be false to activate this method.

def setupTestCase() {

    // Put your code here.

}

/**
 * Run after each test case ends.
 */

@TearDownTestCase(skipped = true) // Please change skipped to be false to activate this method.

def tearDownTestCase() {

    // Put your code here.

}
```


/\*\*

\* References:

\* Groovy tutorial page: <http://docs.groovy-lang.org/next/html/documentation/>

\*/

## DATA DRIVEN TEST



```
import static com.kms.katalon.core.checkpoint.CheckpointFactory.findCheckpoint
```

```
import static com.kms.katalon.core.testcase.TestCaseFactory.findTestCase
```

```
import static com.kms.katalon.core.testdata.TestDataFactory.findTestData
```

```
import static com.kms.katalon.core.testobject.ObjectRepository.findTestObject
```

```
import com.kms.katalon.core.checkpoint.Checkpoint as Checkpoint
```

```
import com.kms.katalon.core.model.FailureHandling as FailureHandling
```

```
import com.kms.katalon.core.testcase.TestCase as TestCase
```

```
import com.kms.katalon.core.testdata.TestData as TestData
```

```
import com.kms.katalon.core.testobject.TestObject as TestObject
```

```
import com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords as WS
```



```

import com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords as WebUI
import com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords as Mobile
import internal.GlobalVariable as GlobalVariable
import com.kms.katalon.core.annotation.BeforeTestCase
import com.kms.katalon.core.annotation.BeforeTestSuite
import com.kms.katalon.core.annotation.AfterTestCase
import com.kms.katalon.core.annotation.AfterTestSuite
import com.kms.katalon.core.context.TestCaseContext
import com.kms.katalon.core.context.TestSuiteContext

class CuraHealthCare_Login_TL {

    /**
     * Executes before every test case starts.
     * @param testCaseContext related information of the executed test case.
     */
    //@BeforeTestCase
    //def sampleBeforeTestCase(TestCaseContext testCaseContext) {
        //println testCaseContext.getTestCasId()
        //println testCaseContext.getTestCaseVariables()
    //}

    @BeforeTestCase
    def sampleBeforeTestCase(TestCaseContext testCaseContext) {
        WebUI.openBrowser("")
        WebUI.navigateToUrl('https://katalon-demo-cura.herokuapp.com/')
        WebUI.click(findTestObject('Object Repository/TL/Page_CURA Healthcare Service/a_Make
Appointment'))
    }

    /**

```

```

* Executes after every test case ends.

* @param testCaseContext related information of the executed test case.

*/

//@AfterTestCase

//def sampleAfterTestCase(TestCaseContext testCaseContext) {

    //println testCaseContext.getTestCaseId()

    //println testCaseContext.getTestCaseStatus()

//}

@AfterTestCase

def sampleAfterTestCase(TestCaseContext testCaseContext) {

    WebUI.closeBrowser()

}

/**

* Executes before every test suite starts.

* @param testSuiteContext: related information of the executed test suite.

*/

//@BeforeTestSuite

//def sampleBeforeTestSuite(TestSuiteContext testSuiteContext) {

    //println testSuiteContext.getTestSuiteId()

//}

/**

//* Executes after every test suite ends.

//* @param testSuiteContext: related information of the executed test suite.

//*/

//@AfterTestSuite

//def sampleAfterTestSuite(TestSuiteContext testSuiteContext) {

```

```


        //println testSuiteContext.getTestSuiteId()

    //}

}

```

## TEST LISTNERS



```

import static com.kms.katalon.core.checkpoint.CheckpointFactory.findCheckpoint
import static com.kms.katalon.core.testcase.TestCaseFactory.findTestCase
import static com.kms.katalon.core.testdata.TestDataFactory.findTestData
import static com.kms.katalon.core.testobject.ObjectRepository.findTestObject
import static com.kms.katalon.core.testobject.ObjectRepository.findWindowsObject
import com.kms.katalon.core.checkpoint.Checkpoint as Checkpoint
import com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords as CucumberKW
import com.kms.katalon.core.mobile.keyword.MobileBuiltinKeywords as Mobile
import com.kms.katalon.core.model.FailureHandling as FailureHandling
import com.kms.katalon.core.testcase.TestCase as TestCase
import com.kms.katalon.core.testdata.TestData as TestData
import com.kms.katalon.core.testng.keyword.TestNGBuiltinKeywords as TestNGKW

```

```
import com.kms.katalon.core.testobject.TestObject as TestObject

import com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords as WS

import com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords as WebUI

import com.kms.katalon.core.windows.keyword.WindowsBuiltInKeywords as Windows

import internal.GlobalVariable as GlobalVariable

import org.openqa.selenium.Keys as Keys
```

```
WebUI.setText(findTestObject('Object Repository/TL/Page_CURA Healthcare  
Service/input_Username_username'), 'John Doe')
```

```
WebUI.setEncryptedText(findTestObject('Object Repository/TL/Page_CURA Healthcare  
Service/input_Password_password'), 'g3/DOGG74jC3Flrr3yH+3D/yKbOqqUNM')
```

```
WebUI.click(findTestObject('Object Repository/TL/Page_CURA Healthcare Service/button_Login'))
```