

1. Redback	2
1.1 Requirements	3
1.1.1 Background - Redback	4
1.1.2 Motivational Model - Redback	5
1.1.3 Personas - Redback	8
1.1.4 User Stories - Redback	11
1.1.5 Plan (Trello) - Redback	16
1.2 Development	17
1.2.1 Tests Guide (in construction, refer to sprints for details)	18
1.2.2 Technical Details	23
1.2.3 Redback-Backend	26
1.2.3.1 Backend deployment	27
1.2.4 Redback-Frontend	37
1.2.4.1 Frontend deployment	38
1.3 Sprints	39
1.3.1 Sprint 2	40

Redback

Team Redback

Requirements	Development	Meetings	Sprints
	Presentation	Ceremonies	

Name	Preferred Name	Photo	Contact	Current Role
GUO YI LEE	Gant		Glee3@student.unimelb.edu.au	Product Owner
Yu Wu	Felix		ywwu13@student.unimelb.edu.au	Scrum Master
Qi Li	Leon		lql4@student.unimelb.edu.au	Backend Developer
Jiacheng Zhang	Gary		jiachzhang2@student.unimelb.edu.au	Frontend developer
Sirui Liang	Sirui		sirliang@student.unimelb.edu.au	Testing

Useful Links

Github: <https://github.com/COMP90082SM12022/GA-Redback>

Coach Ollie info: <https://vic.tri-alliance.com/about/coaches/>

Garmin API info: <https://developer.garmin.com/fit/overview/>

CoachingMate info: <https://coachingmate.com/>

Garmin Watch info: <https://www.garmin.com/en-AU/c/wearables-smartwatches/>

Requirements

This page is for project requirements.

- Background
- Motivational Model
- Personas
- User Stories
- Plan

Background - Redback

Project overview

This project is to integrate CoachingMate with the Garmin API and UI to allow athletes to be able to connect their Garmin devices with CoachingMate.

CoachingMate is a health and fitness application that transforms methods and practices of interaction between how coaches and athletes interact with one another. CoachingMate provides an array of services to coaches, allowing them to efficiently view and manage their athletes. Features such as visibility in income revenue, managing their fitness schedules, easy drag and drop workout builder system to allow coaches to create workout programs seamlessly.

To further elevate the CoachingMate capability, CoachingMate is focusing on tracking the fitness stats of their athletes, specifically their physical activity and details during their training program period. This would be achieved by having the athlete wear a Garmin watch, a fitness tracker watch, which will track the physical activity, in terms of activity levels, heart rates and other details. The Garmin watch data is being transferred over to the Garmin database servers.

CoachingMate will tap on this information through the Garmin API, which will provide the user/coach with the information required to analyse and track the athlete's performance, which would be displayed in a form of dashboard or visual analytics.

Vision Statement / Goal

In-scope :

The final product of this group is to achieve transferring data from Garmin watches to the CoachingMate backend by using the Garmin APIs, using the Garmin developer resources.

The key criteria of this project is for users to enable seamless data transmission from their Garmin watch to the CoachingMate dashboard.

Key functions to be achieved including:

- The connection is seamless and once data is synchronised the updates will automatically appear on the CoachingMate dashboard.
- The users can decide what data from Garmin devices they want to share with CoachingMate.
- Connection and disconnection will be instant with just a click.
- The user will be notified when data synchronisation with CoachingMate succeed or failed.
- Data transmitted will be stored in different databases for data access control purposes planned for later stages. (TBC)

Out-scope :

Once the API has been created successfully, the focus of the project would shift toward working on improving the user interface of the CoachingMate dashboard, including better visualisation of the data collected from the Garmin API, data access control and displaying of multiple users' data in one dashboard.

Business Case

Provides an in-depth analysis – currently coaches using CoachingMate do not have access to any of the athlete's performance data

Improves coaching advice – coaches can use the athlete's performance data to provide a more detailed and targeted training program depending on the performance

Easier accessibility – by integration into CoachingMate, the coaches do not require to individually access each athlete's Garmin data on their personal accounts just to view the information but can view easily on the CoachingMate platform.

Motivational Model - Redback

Versions


Version ID	Description	Date
2.1	Edited in accordance to what we target to achieve within this project, focusing on athletes as users	2022-04-28
2.0	The second version based on after consulting the supervisor, Hanna, and the deeper understanding of the project with Edwardo	2022-03-26
1.0	The first version is based on an initial understanding of the project and client meetings.	2022-03-23

Version 2.1

Do-Be-Feel-Who List - Version 2.1

Do	Be	Feel	Who
Data Integration	Data extraction	Structured Reliable	Athlete
	Data backup		
	Data retrieval		
Data Visualisation	Monitor statistics	Comprehensive	Useful
	Monitor Caloric burn		Insightful
	Activity display		Athlete
Account Features	User sign up	Simple Achievable Accessible Straightforward Seamless	Athlete
	User login		
	Watch synchronization		
	Data synchronization		
	Data backup		
Customisation	Deep-dive data display	Detailed Flexible Creative	Personalised Hooked

Goal Model - Version 2.1




Version 2.0

Do-Be-Feel-Who List - Version 2.0

Do			Be	Feel	Who
Data Integration	Successful data retrieval from the Garmin watch into the API, API to the servers, servers to the CoachingMate website		Data extraction	Structured Reliable	Understandable Guided Quick
			Data backup		
			Data retrieval		
Data Visualisation	Provide athlete's Garmin watch data through graphical representation		Monitor statistics	Comprehensive	Useful Insightful
			Monitor Caloric burn		
			Activity display		
	Combine relational data outside of the Garmin watch		Financial display		Manager
Account Features	Account creation		User sign up	Simple	Smooth Effortless
			User login	Achievable	
	Watch can be synchronised to the website through the API		Watch synchronization	Accessible	Athlete
	Data transferred to CoachingMate website		Data synchronization	Straightforward	
			Data backup	Seamless	
Customisation	Able to see achievements and detailed targets on a personal level		Deep-dive data display	Detailed	Personalised
			Athlete Snapshot display	Flexible Creative	
	A single view encompassing the day-to-day details of the managed athletes		Athlete Manager	Hooked	Coach, Manager

Goal Model - Version 2.0




Version 1.0

Do-Be-Feel-Who List - Version 1.0

WHO	DO	BE	FEEL
Client	Provide industry information advice on the direction of the project	well informed clear direction	optimistic trusting

Students	Analyse previous materials proper communication and updates	well informed perceptive engaging analytical rational	enthusiastic passionate eager
Supervisor	Overlook the project progress provide direction and guidance	approachable experienced	contented satisfied

Goal Model - Version 1.0



Personas - Redback

NAME Jack Brown	TYPE Athlete
	Quote “ <i>Only by constantly recording your sports performance can you make a better workout plan.</i> ”
Demographic <input checked="" type="radio"/> Male 26 years <input type="checkbox"/> Sydney Single Athlete	Motivations As an athlete, Jack needs to plan his own training and keep track of the hours of training each day. Recently, he heard about a website called Garmin. The website can help athletes make training plans and record training time. The website offers its app, which can be used on a phone or smartwatch. Jack thinks Garmin's products are very convenient and allow him to focus more on training. He decided to sign up for its membership and download the app on his smartwatch.
	Goals <ul style="list-style-type: none">To efficiently manage his training program.To record the calories he burned during each exercise.To check his exercise history in a visualization way.After training, his performance will be digitized and can be viewed by him.
	Frustrations <ul style="list-style-type: none">The user interface is cluttered and he couldn't find the information he needed.The data could not be uploaded in time, and he could not immediately see his training results on the website.Unable to find the data or information he needs on the website (eg heat map, average heart rate).
Technology 	Channels 

UXPRESSIA
This persona was built in uxpressia.com

NAME

Scott Graham

Gym Manager



Demographic

♂ Male _____ 30 years

📍 Vancouver, BC

Single _____

Gym Manager _____

Quote

I wish there is a tool that would allow me to assess whether the coaches are dutiful by monitoring the clients' training status.

I don't like analyzing many charts like a data scientist. It'd be better if the data visualization is as simple as possible

”

Motivations

As a gym manager, Scott is seeking a tool that can help him manage the gym. Although the gym itself has a management system, the system is unable to track the clients' training feedback and whether the coaches are dutiful.

In addition, Scott needs to use separate software in his work. For example, he needs to use financial software to manage the gym's finance and human resource software to manage the clients and coaches. Therefore, Scott wishes there is software that can combine these functions.

Goals

- To track the clients' and coaches' training status
- To schedule the training program
- To assign the clients to coaches
- To manage the gym's finance, such as clients' fee and coaches' income

Frustrations

- The system did not update the training and finance status in time
- The data visualization is not easy to understand
- The security of the account as the manager

Technology



Channels



NAME

Angelina Johnson

Coach



Quote

"I always strive to help my athletes achieve their full potential and meanwhile enjoy a positive experience!"

Demographic

Female 26 years
Melbourne
Single

Motivations

Angelina is now working as a coach in a sports training club in Melbourne for 2 to 3 years with specializations in multiple sports including swimming, body-building, running, and so on. Angelina regularly coaches 5 to 8 people per week, her clients are mostly white-collar workers.

Angelina is looking for a system where she can see a comprehensive list of athletes' performance data to make better coaching plans. Besides, she also expects to monitor the performance of all of her athletes in a collective view.

Goals

- Track athletes' health and performance data transformed from smart devices.
- Develop and update training plans based on data collected to achieve more effective coaching outcomes.

Frustrations

- Lack of clear demonstration of the performance data from smart devices.
- Lack of interaction with data collected.
- Switching among different athletes' data is inconvenient.

Technology



Channels



UXPRESSIA

This persona was built in uxpressia.com

User Stories - Redback

Versions

Version ID	Description	Date
2.1	In-scope section is further branched out to further clarify the details of what was required to achieve from the user stories	2022-04-28
2.0	Redone the In-scope section in accordance to progress and better understanding of the current project situation	2022-04-14
1.0	The first version is based on an initial understanding of the project and client meetings.	2022-03-25

Version 2.1

In-scope

Epic	User	User Story ID	User Stories	MoSCoW Priority	Story Points(2 hour/pt)
E1- Account Administration Features	As an athlete, I am able to create an account, so that I can view and edit my profile and devices.				
	Athlete	#01	<ul style="list-style-type: none"> The user can create the account, set the password and username. 1. Able to type into the username field 2. Able to type into the password field 3. User data is able to be stored into the backend database 	Must have	3
	Athlete	#02	<ul style="list-style-type: none"> The user can reset the password, in case the password is forgotten. 1. Enable to change password link 2. Password is updated in the backend database 	Must have	4
	Athlete	#03	<ul style="list-style-type: none"> The user account can bind with any sports watch. 1. The user account is able to have the option to sync with the Garmin server 2. Create the API required for the Garmin server data to sync with the CoachingMate server data 3. Create the API link from the Garmin server linking with the Backend (Java) 	Must have	4
	Athlete	#04	<ul style="list-style-type: none"> The user can unbind with any sports watch that they have currently binded with. <p>Option screen of able to unbind the syncronisation to be seen displayed the Garmin Connect website</p>	Must have	2
E2 - Data Synchronisation	As an athlete, I am able to sync the data from the watch to the website when I finish the workout so that I can govern my exercise data easily.				
	Athlete	#05	<ul style="list-style-type: none"> Able to choose the option to sync and upload their data from Garmin server to the CoachingMate server. 1. Ensure that the API call from the Garmin server into the Backend (Java) 2. Option screen of the syncronisation to appear and for the user to accept to bind the watch 3. Able to choose which data files for the CoachingMate to retrieve 4. Ensure that the data files that can be read by the Backend (Java) 	Must have	12
	Athlete	#06	<ul style="list-style-type: none"> Able to upload the data consistently from the Garmin server on the CoachingMate website. 1. Create a MongoDB server in the cloud to store the data required 2. Ensure that the MongoDB server is able to Save data from Backend (Java) 3. Data retrieved in the Backend must be in proper format to ensure that data is properly stored in MongoDB server 4. Ensure that the Backend (Java) can retrieve data from the MongoDB server 	Must have	10
	As an athlete, I want to get a notification when the transition is completed.				
	Athlete	#07	<ul style="list-style-type: none"> When the synchronization succeeds, it should show the latest date of the data that has been synchronised. 	Should have	3

E3 - Data Visualisation	As an athlete, I want to view my sports data on the website, so that it is easier for me to see what degree I achieved and dig into details to check my performance on different targets.				
	Athlete	#09	<ul style="list-style-type: none"> I want to view basic sports data on my activity, such as the duration of the activity, calories burn, distance, based on the specific activity transferred. <ol style="list-style-type: none"> Ensure the User input is able to request data with the Frontend (React) Backend (Java) is able to retrieve the data required from the MongoDB (Database) Backend (Java) is able to produce output into the Frontend (React) Frontend is able to display the necessary data from the Backend 	Must have	8
	Athlete	#10	<ul style="list-style-type: none"> I want to be able to see a summary of my activities in a form of a dashboard to be able to see clearly what I have achieved overall <ol style="list-style-type: none"> Create a statistic graph over time to show calories burnt over each day Create a relational graph of two statistics to show relational data between them 	Could have	4

Out-scope

Epics	User	User Stories	MoSCoW Priority	Story Points(1 hour/pt)
A5	Athlete	As an athlete, I want to be able to know the intricate exercise statistics details of my exercise history that are displayed in a visualization way.	Must have	10
A6	Athlete	As an athlete, I want to know how many calories I used during each exercise so that I can know and control the exercise plan. <ul style="list-style-type: none"> The website can automatically calculate the calories consumed, based on corresponding sports data. 	Should have	5
A7	Athlete	As an athlete, I want to view my exercise history in a visualization way, so that I can get to know my status in an easily accessible way.	Should have	15
C2	Coach	As a coach, I want to be able to see the heat map of the athletes when they are running/cycling so that I can better manage their training.	Should have	8
C3	Coach	As a coach, I want to compare the performance of my athletes in the specific training period, so that I can track the performance of each athlete.	Should have	5
C4	Coach	As a coach, I want to be able to see the distance of athletes when they run/bike/swim so that I can better manage their training. <ul style="list-style-type: none"> The website can extract the distance data from the database, which corresponds to the workout timezone. 	Must have	10
C5	Coach	As a coach, I want to be able to see an athlete's heart rate, exercise time, and calorie burn as they work out so that I can better manage their training.	Should have	10
C6	Coach	As a coach, I want to be able to see all my athlete's performance data in a collective view so that it is easier to check the athletes' status.	Should have	5
M3	Manager	As a manager, I want to see the status of all the coaches and athletes so that I can track the athletes' feedback and assess whether the coaches are dutiful.	Must have	5
M4	Manager	As a manager, I want the product to be scalable and robust so that historical data can be inherited when users use different types of smart products.	Should have	10
M5	Manager	As a manager, I want the software to support financial and human resource management so that I only need to use other software.	Should have	10

Version 2.0

In-scope

Epics	User	User Story ID	User Stories	MoSCoW Priority	Story Points(1 hour/pt)
E1- Account Administration Features	As an athlete, I am able to create an account, so that I can view and edit my profile and devices.				
	Athlete	01	<ul style="list-style-type: none"> The user can create the account, set the password and username. 	Must have	8
	Athlete	02	<ul style="list-style-type: none"> The user can reset the password, in case the password is forgotten. 	Must have	8

	Athlete	03	<ul style="list-style-type: none"> The user account can bind with any sports watch. 	Must have	6
	Athlete	04	<ul style="list-style-type: none"> The user can unbind with any sports watch that they have currently binded with. 	Must have	6
E2 - Data Synchronisation					
	Athlete	05	<ul style="list-style-type: none"> Able to choose the option to sync and upload their data from Garmin server to the CoachingMate server. 	Must have	8
	Athlete	06	<ul style="list-style-type: none"> Able to upload the data consistently from the Garmin server on the CoachingMate website. 	Must have	5
As an athlete, I want to get a notification when the transition is completed otherwise know the fault type.					
	Athlete	07	<ul style="list-style-type: none"> When the synchronization succeeds, it should show the latest date of the data that has been synchronised. 	Should have	7
	Athlete	08	<ul style="list-style-type: none"> When the synchronization fault, it should show a notification that the API is not synchroised. 	Should have	7
E3 - Data Visualisation					
	As an athlete, I want to view my sports data on the website, so that it is easier for me to see what degree I achieved and dig into details to check my performance on different targets.				
	Athlete	09	<ul style="list-style-type: none"> I want to view basic sports data on my activity, such as the duration of the activity, calories burn, distance, based on the specific activity transferred. 	Must have	10
	Athlete	10	<ul style="list-style-type: none"> I want to be able to see a summary of my activities in a form of a dashboard to be able to see clearly what I have achieved overall 	Could have	10

Out-scope

Epic	User	User Stories	MoSCoW Priority	Story Points(1 hour/pt)
A5	Athlete	As an athlete, I want to be able to know the intricate exercise statistics details of my exercise history that are displayed in a visualization way.	Must have	10
A6	Athlete	As an athlete, I want to know how many calories I used during each exercise so that I can know and control the exercise plan. <ul style="list-style-type: none"> The website can automatically calculate the calories consumed, based on corresponding sports data. 	Should have	5
A7	Athlete	As an athlete, I want to view my exercise history in a visualization way, so that I can get to know my status in an easily accessible way.	Should have	15
C2	Coach	As a coach, I want to be able to see the heat map of the athletes when they are running/cycling so that I can better manage their training.	Should have	8
C3	Coach	As a coach, I want to compare the performance of my athletes in the specific training period, so that I can track the performance of each athlete.	Should have	5
C4	Coach	As a coach, I want to be able to see the distance of athletes when they run/bike/swim so that I can better manage their training. <ul style="list-style-type: none"> The website can extract the distance data from the database, which corresponds to the workout timezone. 	Must have	10
C5	Coach	As a coach, I want to be able to see an athlete's heart rate, exercise time, and calorie burn as they work out so that I can better manage their training.	Should have	10
C6	Coach	As a coach, I want to be able to see all my athlete's performance data in a collective view so that it is easier to check the athletes' status.	Should have	5
M3	Manager	As a manager, I want to see the status of all the coaches and athletes so that I can track the athletes' feedback and assess whether the coaches are dutiful.	Must have	5
M4	Manager	As a manager, I want the product to be scalable and robust so that historical data can be inherited when users use different types of smart products.	Should have	10
M5	Manager	As a manager, I want the software to support financial and human resource management so that I only need to use other software.	Should have	10

Version 1.0

In-scope

Epics	User	User Stories	MoSCoW Priority	Story Points(1 hour/pt)
A1	Athlete	<p>As an athlete, I am able to create an account, so that I can view and edit my profile and devices.</p> <ul style="list-style-type: none"> The user can create the account, set the password and username. The user can reset the password, in case the password is forgotten. The user account can bind with multiple sports watch. The user can unbind with any sports watch they currently have. 	Must have	30
A2	Athlete	<p>As an athlete, I am able to sync the data from the watch to the website when I finish the workout so that I can govern my exercise data easily.</p> <ul style="list-style-type: none"> The app should have a button, that can synchronize the data from the phone to the user profile. The watch has backup, in case the time when the connection is unavailable. The watch can automatically resume the synchronization if wireless is available again. 	Must have	30
A3	Athlete	<p>As an athlete, I want to get a notification when the transition is completed otherwise know the fault type.</p> <ul style="list-style-type: none"> When the synchronization succeeds, there will be a notification shown on the phone. When the synchronization fault, the fault type can be shown on the phone. 	Should have	6
A4	Athlete	As an athlete, I want to view my sports data on my website profile, so that it is easier for me to see what degree I achieved and dig into details to check my performance on different targets.	Must have	24
C1	Coach	As a coach, I want to see the workout data of my athletes, so that I can monitor the athlete statistic.	Should have	12
M1	Manager	<p>As a manager, I want to regulate the Garmin watches data type as JSON, so that allows more types of sports watch to be extended.</p> <ul style="list-style-type: none"> The features can be extracted to different queries. The format of data can be unified when developed. 	Should have	10
M2	Manager	<p>As a manager, I want to assign different panel views for users based on user type, so that users can get the information they need.</p> <ul style="list-style-type: none"> The database has three user types: <ul style="list-style-type: none"> The normal athlete can only view his workout history data. The coach can only view a set of athlete's data from his workout group. The manager can view all-athletes data, and adjust the content of data, i.e change, move, delete. The database should allow the queries option and return without failure to request. 	Should have	28

Out-scope

Epics	User	User Stories	MoSCoW Priority	Story Points(1 hour/pt)
A5	Athlete	As an athlete, I want to be able to know the intricate exercise statistics details of my exercise history that are displayed in a visualization way.	Must have	10
A6	Athlete	<p>As an athlete, I want to know how many calories I used during each exercise so that I can know and control the exercise plan.</p> <ul style="list-style-type: none"> The website can automatically calculate the calories consumed, based on corresponding sports data. 	Should have	5
A7	Athlete	As an athlete, I want to view my exercise history in a visualization way, so that I can get to know my status in an easily accessible way.	Should have	15
C2	Coach	As a coach, I want to be able to see the heat map of the athletes when they are running/cycling so that I can better manage their training.	Should have	8
C3	Coach	As a coach, I want to compare the performance of my athletes in the specific training period, so that I can track the performance of each athlete.	Should have	5
C4	Coach	<p>As a coach, I want to be able to see the distance of athletes when they run/bike/swim so that I can better manage their training.</p> <ul style="list-style-type: none"> The website can extract the distance data from the database, which corresponds to the workout timezone. 	Must have	10
C5	Coach	As a coach, I want to be able to see an athlete's heart rate, exercise time, and calorie burn as they work out so that I can better manage their training.	Should have	10

C6	Coach	As a coach, I want to be able to see all my athlete's performance data in a collective view so that it is easier to check the athletes' status.	Should have	5
M3	Manager	As a manager, I want to see the status of all the coaches and athletes so that I can track the athletes' feedback and assess whether the coaches are dutiful.	Must have	5
M4	Manager	As a manager, I want the product to be scalable and robust so that historical data can be inherited when users use different types of smart products.	Should have	10
M5	Manager	As a manager, I want the software to support financial and human resource management so that I only need to use other software.	Should have	10


Plan (Trello) - Redback

This is the Trello page of team Redback: <https://trello.com/b/NcHpFGZF/comp90082-2022-sm1-ga-redback>

Sprint2:



Sprint1:



Development

[Tests Guide \(in construction, refer to sprints for details\)](#)

[Commit History](#)

[Technical Details](#)

[Redback-Backend](#)

[Redback-Frontend](#)

Tests Guide (in construction, refer to sprints for details)

The tests are 100% documented here on Confluence, and require manual testing, due to the cross platform testing required between backend(Java), frontend(React), and database(MongoDB).

The following steps below would show that the CoachingMate is running smoothly, and that the data from the

Test: Ensure Backend is properly deployed

Once backend is deployed, the server would be able to receive data from garmin connect.

To be able to see if the server is able to receive the data, the user must first deploy both backend and frontend.

1. Create an account on the frontend, using a new username and password.

(account creation photo. Photo will be inserted once Frontend is completed)

2. Once logged in, sync your CoachingMate account with your Garmin Connect account, so that the CoachingMate account will have access to your watch.

(photo of requesting access to your garmin account. Photo will be inserted once Frontend is completed)

3. To ensure that the server is receiving data from Garmin connect, either 1)push an activity from your watch to the Garmin Connect account, or 2) create an activity

(photo of pushing an activity to garmin. Photo will be inserted once Frontend is completed)

4. Once the activity is pushed to the Garmin Connect account, the CoachingMate Java backend would be able to receive the data shortly.

The data received from the API should include the garmin-push-controller:

1. activities
2. activityDetails
3. epoche

The Garmin-push-controller contains the data from the athletes to be used for analysis for CoachingMate.

garmin-push-controller Garmin Push Controller

POST /activities push2 data url

configure this url to end point configuration, and the garmin endpoint will transfer the data to this server

Parameters

Name Description

info **required** info Example Value | Model "string"

Parameter content type application/json

Responses

Code Description

200 OK Example Value | Model "string"

201 Created

401 Unauthorized

403 Forbidden

404 Not Found

POST /epochs push data url

configure this url to end point configuration, and the garmin endpoint will transfer the data to this server

Parameters

Name Description

info **required** info Example Value | Model "string"

Parameter content type application/json

Responses

Code Description

200 OK Example Value | Model "string"

201 Created

401 Unauthorized

403 Forbidden

404 Not Found

POST /activityDetails push data url

configure this url to end point configuration, and the garmin endpoint will transfer the data to this server

Parameters

Name	Description
info <small>required</small>	info (body) Example Value Model "string"
	Parameter content type application/json

Responses

Code	Description
200	OK Example Value Model "string"
201	Created
401	Unauthorized
403	Forbidden
404	Not Found

The data from the server can be displayed through the swagger ui deployed within the backend of the heroku server.

An example of our swagger ui that our team have deployed is located [here](https://lk-redback2.herokuapp.com/api/swagger-ui.html#). <https://lk-redback2.herokuapp.com/api/swagger-ui.html#>

Screenshots of how the swagger ui looks like once deployed from the heroku server below:

swagger

Select a spec: default

Activity Data Retrieve Controller

- GET** /activity/getActivityByAccessToken retrieve Data By Username
- GET** /activity/getActivityByUsername retrieve Data By Username

Garmin Push Controller


- POST** /activities push2 data url
- POST** /activityDetails push data url
- POST** /epochhs push data url

Login Controller

- POST** /Login login interface

OAuth Controller

- GET** /auth/accessToken callback url
- GET** /auth/requestToken oauth RequestToken
- HEAD** /auth/requestToken oauth RequestToken



The data that will be displayed in MongoDB will produce the same results as shown in the screenshots below:

test.activity

DOCUMENTS	14	STORAGE SIZE	20.5KB	Avg. Size	438B	INDEXES	1	Total Size	36.9KB	Avg. Size	36.9KB
Documents						Indexes					
Aggregations						OPTIONS		FIND		RESET	
Schema											
Explain Plan											
Indexes											
Validation											

ADD DATA **VIEW** **☰** **...**

FILTER { field: 'value' } **OPTIONS** **FIND** **RESET** **...**

Displaying documents 1 - 14 of 14 **C REFRESH**

```

_id: ObjectId('625becc19b5a832fc5b7ciba')
durationInSeconds: 10
averageSpeedInMetersPerSecond: 0.233
averageHeartRateInBeatsPerMinute: 92
distanceInMeters: 2.42
activityName: "Running"
userId: "5073e79f-df60-45dc-92f2-bc0ef300f1f0"
deviceName: "forerunner935"
averagePaceInMinutesPerKilometer: 71.53076
activityId: 8654408415
startTimeInSeconds: 1650191523
userAccessToken: "227a7c55-590d-498f-97ad-fb6ba3cb2591"
startTiaeOfOffsetInSeconds: 36000
maxPaceInMinutesPerKilometer: 6.8956003
maxHeartRateInBeatsPerMinute: 95
summaryId: "8654408415"
maxSpeedInMetersPerSecond: 2.417
activityType: "RUNNING"
  
```

test.activityDetails

Documents Aggregations Schema Explain Plan Indexes Validation

FILTER { field: 'value' } OPTIONS FIND RESET ...

ADD DATA VIEW {} {}

Displaying documents 1 - 6 of 6 < > C REFRESH

```
_id: ObjectId('625bfb021225d51f33796559')
summary: Object
activityId: 8654812566
userAccessToken: "227a7c55-590d-498f-97ad-fb6ba3cb259f"
summaryId: "8654812566-detail"
laps: Array
userId: "5073e79f-df60-45dc-92f2-bc0ef300f1f0"
samples: Array
```

test.epoch

Documents Aggregations Schema Explain Plan Indexes Validation

FILTER { field: 'value' } OPTIONS FIND RESET ...

ADD DATA VIEW {} {}

Displaying documents 1 - 20 of 370 < > C REFRESH

```
_id: ObjectId('625c184db2254248a0cc56fd')
activeKilocalories: 23
durationInSeconds: 900
distanceInMeters: 324.31
userId: "5073e79f-df60-45dc-92f2-bc0ef300f1f0"
steps: 346
activeTimeInSeconds: 420
meanMotionIntensity: 2
intensity: "ACTIVE"
startTimeInSeconds: 1650026700
userAccessToken: "227a7c55-590d-498f-97ad-fb6ba3cb259f"
startTimeOffsetInSeconds: 36000
maxMotionIntensity: 2
summaryId: "x46edbf2-025968cc-6"
activityType: "WALKING"
met: 3.0090992
```

Technical Details

A. Spring framework

The Spring Framework is an application framework and inversion of the control container for the Java platform. The framework's core features can be used by any Java application, but there are extensions for building web applications on top of the Java EE (Enterprise Edition) platform.


More details:

<https://www.baeldung.com/jsf-spring-boot-controller-service-dao>

B. class in our project

- coachingmateanalytics.coachingmate.controller: Front controller layer
- coachingmateanalytics.coachingmate.entity: Data entity class
- coachingmateanalytics.coachingmate.dao : Data interface access layer
- coachingmateanalytics.coachingmate.service : Data service interface layer
- coachingmateanalytics.coachingmate.service.servicelmpl : Data service interface implementation layer
- coachingmateanalytics.coachingmate.utils : Tool library
- coachingmateanalytics.coachingmate.interceptor : used to set the response header for all request
- resources/application.yml : Project profile resources/static/ : Static resource directory

C. Project Flow



Information saving (Purple flow):

- GarminAPI publishes the data to the URL portal.
- Then the server backend will then post the data.
- The server backend sends the posted data and saves it to the MongoDB database in different API data formats according to the categories of the data(See in 'API data format' below).

Information retrieval (Yellow flow):

1. The user, after given data permission through Garmin authentication, can then request data through the frontend.
2. Frontend will send the data request to the backend
3. The server backend will retrieve the requested data in MongoDB.
4. The server backend will do port mapping and send the data to the frontend
5. The server frontend can then get the requested data back to the user.

D. API data format

activity data: reflect the summary of one activity acquire from Garmin bind

```
_id: ObjectId('625becc19b5a832fc5b7c1ba')
durationInSeconds: 10
averageSpeedInMetersPerSecond: 0.233
averageHeartRateInBeatsPerMinute: 92
distanceInMeters: 2.42
activityName: "Running"
userId: "5073e79f-df60-45dc-92f2-bc0ef300f1f0"
deviceName: "forerunner935"
averagePaceInMinutesPerKilometer: 71.53076
activityId: 8654408415
startTimeInSeconds: 1650191523
userAccessToken: "227a7c55-590d-498f-97ad-fb6ba3cb259f"
startTimeOffsetInSeconds: 36000
maxPaceInMinutesPerKilometer: 6.8956003
maxHeartRateInBeatsPerMinute: 95
summaryId: "8654408415"
maxSpeedInMetersPerSecond: 2.417
activityType: "RUNNING"
```

activity details data example: reflect the specification of one activity acquire from Garmin bind, sampling per second

```
_id: ObjectId('625fb02122581f33796559')
summary: Object
  durationInSeconds: 10
  averageSpeedInMetersPerSecond: 1.362
  averageHeartRateInBeatsPerMinute: 88
  distanceInMeters: 13.39
  activityName: "Running"
  deviceName: "forerunner935"
  steps: 4
  averageRunCadenceInStepsPerMinute: 25.09375
  averagePaceInMinutesPerKilometer: 12.336906
  activityId: 8654812566
  startTimeInSeconds: 1650195177
  startTimeOffsetInSeconds: 36000
  maxPaceInMinutesPerKilometer: 4.0676014
  maxHeartRateInBeatsPerMinute: 93
  maxRunCadenceInStepsPerMinute: 138
  maxSpeedInMetersPerSecond: 3.424
  activityType: "RUNNING"
  activityId: 8654812566
  userAccessToken: "227a7c55-590d-498f-97ad-fb6ba3cb259f"
  summaryId: "8654812566-detail"
  laps: Array
    userId: "5073e79f-df60-45dc-92f2-bc0ef300f1f0"
    samples: Array
      0: Object
        startTimeInSeconds: 1650195177
        timerDurationInSeconds: 0
        movingDurationInSeconds: 0
        heartRate: 84
        elevationInMeters: 33.20000076293945
        speedMetersPerSecond: 0
        airTemperatureCelsius: 32
        totalDistanceInMeters: 0
      1: Object
        startTimeInSeconds: 1650195178
        timerDurationInSeconds: 1
        movingDurationInSeconds: 0
        heartRate: 86
        elevationInMeters: 33.20000076293945
        speedMetersPerSecond: 0
        clockDurationInSeconds: 1
        stepsPerMinute: 0
        airTemperatureCelsius: 32
        totalDistanceInMeters: 0
      2: Object
      3: Object
      4: Object
```

epho data example: reflect calories active and sedentary consumption, sampling 15 minutes.

```
_id: ObjectId('625c184db2254248a9cc5e0f')
activeKilocalories: 23
durationInSeconds: 900
distanceInMeters: 324.31
userId: "5073a78f-df60-45dc-92f2-bc0ef300f1f0"
steps: 346
activeTimeInSeconds: 480
meanMotionIntensity: 2
intensity: "ACTIVE"
startTimeInSeconds: 1650026700
userAccessToken: "227a7c55-590d-498f-97ad-fb6ba3cb259f"
startTimeOffsetInSeconds: 36000
maxMotionIntensity: 2
summaryId: "946ed9f2-625968cc-6"
activityType: "WALKING"
met: 3.009092
```

```
_id: ObjectId('625c184db2254248a9cc5e0f')
activeKilocalories: 0
durationInSeconds: 900
distanceInMeters: 0
userId: "5073a78f-df60-45dc-92f2-bc0ef300f1f0"
steps: 0
activeTimeInSeconds: 480
meanMotionIntensity: 0
intensity: "SEATEDARY"
startTimeInSeconds: 1650026700
userAccessToken: "227a7c55-590d-498f-97ad-fb6ba3cb259f"
startTimeOffsetInSeconds: 36000
maxMotionIntensity: 0
summaryId: "946ed9f2-625968cc-8"
```

E. Garmin authentication

Step 1: Acquire Unauthorized Request Token

For each user, the first step in getting user-approved data is acquiring a request token and token secret. This request token does not have the ability to access data, nor is it user-specific yet.

Enter your consumer secret below to generate the signature for getting the Request Token.

Step 2: Authorization of the Request Token

The request token from step 1 needs to be approved by the user. This is done by redirecting to Garmin Connect where the user logs in and grants access to the data. Garmin Connect will redirect the user to the given callback URL and append the OAuth verifier.

Step 3: Acquire User Access Token

After the user authorized the data access, the Request Token needs to be exchanged for a User Access Token. The request needs to be signed with the Consumer Key, the Request Token from step 1 and the OAuth verifier from step 2 Swagger

Redback-Backend

Backend deployment

Development Environment Instructions

1. Install IDEA from this [location](#).

2. Install maven from this [location](#).

Reference blog: <https://toolsqa.com/maven/how-to-install-maven-on-windows/>

3. Install Mongodb from this [location](#).

Reference blog: <https://medium.com/@LondonAppBrewery/how-to-download-install-mongodb-on-windows-4ee4b3493514>

4. Install git version control in IDEA

Reference video: https://www.youtube.com/watch?v=mM_drNdss4c

Installation and Setup Instructions

1. install JDK

[Official tutorial for JDK installation](#)

2. install maven

[Official tutorial for Maven installation](#)

take mac os for example

- download apache-maven-3.6.3-bin.tar.gz
- tar xzvf apache-maven-3.6.3-bin.tar.gz
- Alternatively, use your preferred archive extraction tool.
- Add the bin directory of the created directory apache-maven-3.6.3 to the PATH environment variable
- Confirm with mvn -v in a new shell. The result should look similar to

```
Apache Maven 3.6.3 (ceceddd343002696d0abb50b32b541b8a6ba2883f)
Maven home: /opt/apache-maven-3.6.3
Java version: 1.8.0_45, vendor: Oracle Corporation
Java home: /Library/Java/JavaVirtualMachines/jdk1.8.0_45.jdk/Contents/Home/jre
Default locale: en_US, platform encoding: UTF-8
OS name: "mac os x", version: "10.8.5", arch: "x86_64", family: "mac"
```

3. install MongoDB

[Official tutorial for mongoDB installation](#)

```
brew install mongodb-community@4.4
```

4. install git environment

- Linux install

```
yum install git
```

- mac install

```
brew install git
```

- Before you can use Git for version management, you need to configure Git by telling git your **username** and your **email account**

```
//configuration
[root@localhost ~]# git config --global user.name flymegoc
[root@localhost ~]# git config --global user.email 343672271@qq.com

//Check the configuration
[root@localhost ~]# git config --list
user.name=flymegoc
user.email=343672271@qq.com
```

5. Run this project locally

Clone down this repository. You will need maven and JDK1.8 installed globally on your machine.

```
git clone https://github.com/agogear/coaching-mate.git
```

Modify configuration file: [application-dev.properties](#)

- create your MongoDB database with {database name} manually in your local environment

```
spring.data.mongodb.database={database name}
```

```
spring.data.mongodb.port=27017
```

- export data from cloud database: cloud MongoDB database
- import data to your local MongoDB database

Installation:

```
cd coachingmate  
mvn install
```

To Start Server:

```
java -jar ./target/coachingmate-0.0.1-SNAPSHOT.jar
```

To login App:

```
localhost:8080/login?username={username}&password={password}
```

Deployment guidelines

There are three places' variable should be replaced by yours

- MongoDB
- Garmin app API
- Garmin app api portal

MongoDB:

Using a Gmail account create a free cloud space, and Replace the URL.

1.

Deploy a cloud database

Experience the best of MongoDB on AWS, Azure, and Google Cloud. Choose a deployment option to get started.

PREVIEW

Serverless

For serverless applications that aren't critical with variable traffic. Minimal configuration required.

- ✓ Pay only for the operations you run.
- ✓ Resources scale seamlessly to meet your workload.
- ✓ Always-on security and backups.

Create

Starting at \$0.30/1M reads

I'll do this later

ADVANCED

Dedicated

For production applications with sophisticated workload requirements. Advanced configuration controls.

- ✓ Network isolation and fine-grained access controls.
- ✓ On-demand performance advice.
- ✓ Multi-region and multi-cloud options available.

Create

Starting at \$0.08/hr*
*Estimated cost \$56.94/month

FREE

Shared

For learning and exploring MongoDB in a cloud environment. Basic configuration options.

- ✓ No credit card required to start.
- ✓ Explore with sample datasets.
- ✓ Upgrade to dedicated clusters for full functionality.

Create

Starting at **FREE**

MongoDB
Are you registered for MongoDB World? Use code MDBSAVE25 & get 25% off your in-person...

Advanced Configuration Options

2.

Create a Shared Cluster

Welcome to MongoDB Atlas! We've recommended some of our most popular options, but feel free to customize your cluster to your needs. For more information, check our [documentation](#).

PREVIEW Serverless

Dedicated

FREE Shared

For learning and exploring MongoDB in a sandbox environment. Basic configuration controls.

No credit card required to start. Upgrade to dedicated clusters for full functionality.

Explore with sample datasets. Limit of one free cluster per project.

Cloud Provider & Region

AWS, Sydney (ap-southeast-2) ▾



Google Cloud

Azure

★ Recommended region ⓘ ⚡ Paid tier region ⓘ

NORTH AMERICA

N. Virginia (us-east-1) ★

Oregon (us-west-2) ★

Ohio (us-east-2) ★ ⓘ

N. California (us-west-1) ⓘ

Montreal (ca-central-1) ⓘ

SOUTH AMERICA

São Paulo (sa-east-1)

EUROPE

Paris (eu-west-3) ★

Stockholm (eu-north-1) ★

Ireland (eu-west-1) ★

Frankfurt (eu-central-1) ★

London (eu-west-2) ★ ⓘ

Milan (eu-south-1) ★ ⓘ

MIDDLE EAST

Bahrain (me-south-1) ★

AFRICA

Cape Town (af-south-1) ★

AUSTRALIA

Sydney (ap-southeast-2) ★

ASIA

Mumbai (ap-south-1)

Tokyo (ap-northeast-1)

Singapore (ap-southeast-1) ★

Seoul (ap-northeast-2)

Hong Kong (ap-east-1) ★

Jakarta (ap-southeast-3) ★ ⓘ

Osaka (ap-northeast-3) ★ ⓘ

Cluster Tier

M0 Sandbox (Shared RAM, 512 MB Storage)

Encrypted

Additional Settings

MongoDB 5.0, No Backup

FREE

Free forever! Your M0 cluster is ideal for experimenting in a limited sandbox.
You can upgrade to a production cluster anytime.

[Back](#)[Create Cluster](#)

3.

The screenshot shows the 'IP Access List' configuration screen. On the left, a sidebar lists 'SECURITY', 'Quickstart', 'Database Access', 'Network Access', 'Advanced', and 'New On Atlas'. The main area has two input fields: 'IP Address' (containing 'Enter IP Address') and 'Description' (containing 'Enter description'). Below these are buttons for 'Add Entry' and 'Add My Current IP Address'. A table titled 'IP Access List' shows one entry: '120.21.92.50/32' with the description 'My IP Address'. A 'REMOVE' button is next to the entry. At the bottom right is a 'Finish and Close' button.

4.

The screenshot shows the 'Database Deployments' page. The sidebar includes 'DEPLOYMENT', 'Database' (selected), 'Data Lake', 'DATA SERVICES', 'Triggers', 'Data API' (PREVIEW), 'SECURITY', 'Database Access', 'Network Access', 'Advanced', and 'New On Atlas'. The main content displays a deployment named 'Cluster0' with a status of 'FREE'. It shows metrics: Connections (100.0/s), Data Size (512.0 MB), and a note about enhancing experience with MongoDB. A table at the bottom provides detailed information: VERSION (5.0.7), REGION (AWS / Sydney (ap-southeast-2)), CLUSTER TIER (M0 Sandbox (General)), TYPE (Replica Set - 3 nodes), BACKUPS (Inactive), LINKED REALM APP (None Linked), and ATLAS S (Create). An 'Upgrade' button is also present.

5.

Connect to Cluster0

✓ Setup connection security

✓ Choose a connection method

Connect

1 Select your driver and version

DRIVER

Java

VERSION

4.3 or later

2 Add your connection string into your application code

Include full driver code example

```
mongodb+srv://lgwdaaa:<password>@cluster0.ly945.mongodb.net/myFirstDatabase?  
retryWrites=true&w=majority
```



Replace **<password>** with the password for the **lgwdaaa** user. Replace **myFirstDatabase** with the name of the database that connections will use by default. Ensure any option params are **URL encoded**.

Having trouble connecting? [View our troubleshooting documentation](#)

Go Back

Close

6. Replace the URL with your copy one

```
CoachingmateApplication  
resources  
static  
templates  
application.properties  
application-dev.properties  
application-pre.properties  
banner.txt  
cert2.p12  
logback-spring.xml  
trigger.txt  
test  
java  
coachingmateanalytics.coachingmate  
dao  
AnnTest  
#spring.redis.timeout=3000ms  
#spring.data.mongodb.uri = mongodb://coachin...coachingmate  
#mongodb for local configuration  
#spring.data.mongodb.database=coachin...  
#spring.data.mongodb.port=27017  
spring.data.mongodb.uri = mongodb+srv://redback:comp90082@cluster0.9yat6.mongodb.net/test
```

Garmin app API:

1. You need to create a new app in the developer portal of Garmin.

<https://developerportal.garmin.com/>

The screenshot shows the Garmin Developer Portal interface. On the left, a sidebar menu includes links for Overview, Apps (which is selected and highlighted in blue), Blog, Forum, SmartDocs, Documentation, FAQs, and API Tools. The main content area is titled "Tri Alliance Pty Ltd's Apps" and displays a message: "These are your apps! Explore them!". Below this, four app entries are listed, each with a green "Approved" button on the right:

- cm-test
- CoachingMate
- CoachingMate-Boxjelly
- CoachingMatePro

2. Then you need to write down the consumer key and consumerSececret

The screenshot shows the details page for the "CoachingMatePro" app. At the top, there are tabs for Keys (selected), Products, Details, Analytics, and Edit "CoachingMatePro". The main content area is titled "CoachingMatePro's Keys" and contains the following information:

Consumer Key	96afaae3-5af3-4ce5-9a83-94ef96f777aa
Consumer Secret	OUeTbGbtI3BzYXwVaB8NnvAXvGD33xnpSH
Key Issued	Wed, 04/06/2022 - 12:11 pm
Expires	Never

After that process, you own API key and secret. That info should be included in your apps, replaced those vars with yours.

The screenshot shows a Java IDE interface with several tabs open. On the left, the project structure is displayed under 'Project'. It includes packages like Program, Program_status, Record, RequestToken, Session, UserPartner, interceptor, logs, service, utils, resources, static, and templates. Under 'service', there are sub-packages serviceimpl containing ActivityServiceImpl and UserServiceImpl, and another package containing ActivityService, HttpRequestAdapter, OAuthConfiguration, OAuthService, and UserService. The 'utils' package contains Consts and TokenSecret. The 'resources' package contains application.properties, application-dev.properties, and application-pre.properties. The 'static' and 'templates' folders are also listed.

The main code editor window shows the `application-dev.properties` file. The file contains various configuration properties, many of which are highlighted in yellow or orange, indicating they are being edited. Some of the highlighted lines include:

```

#server.ssl.key-store-password=password
#
##the password used to access the key in the key store
#server.ssl.key-password=password

spring.banner.location=banner.txt
spring.devtools.restart.trigger-file=trigger.txt

spring.thymeleaf.cache=false

#Consumer Credentials
#oauth.consumerkey = d258c644-e0d8-4177-9d0c-b5b4470a2c95
#oauth.consumerSecret = 2qzSIIbfivQmY0XA2Uz0837cWE7HLLxnoSB

## new redback
oauth.consumerkey = 96afaae3-5af3-4ce5-9a83-94ef96f777aa
oauth.consumerSecret = 0UeTbGbt3BzYXwBa8NnvAXvGD33xnpvSH

### last year
#oauth.consumerkey = c9b342b6-a2f7-44ad-b262-3e26a9e23636
#oauth.consumerSecret = WnxWrooimSNFArFXeVpN2QGIPcDwDJS8ScG


#ed create
#oauth.consumerkey = 77216eea-c39e-43a9-a996-d8ddee837c59
#oauth.consumerSecret = 1Mg0Vgiea6aVmni2u8ooFgGF1BQ27Chb1U1

```

Garmin app api portal:

You need to upload your project to GitHub, and then connect the GitHub repository with Heroku.

1. create a new application on Heroku



2. text our app name and region

The screenshot shows the 'Create New App' form. At the top, it says 'Create New App'. Below that, there's a 'App name' field containing 'coachingmate2020-90082', which has a green checkmark next to it. A message below the field says 'coachingmate2020-90082 is available'. There's also a 'Choose a region' dropdown set to 'United States'. At the bottom, there's a 'Create app' button.

3. fork this repository to your own repository

4. Select Github and find this forked project in your own repository

The screenshot shows the Heroku Dashboard with the 'Deployment method' section. It includes options for 'Heroku Git' (purple icon), 'GitHub Connect to GitHub' (black icon with a red circle around it), and 'Container Registry' (blue icon). Below this, there's a 'Connect to GitHub' section with instructions to connect the app to GitHub for code diffs and deploys. A search bar shows 'chenyuguo' and 'Coach' with a 'Search' button. Underneath, it says 'Missing a GitHub organization? Ensure Heroku Dashboard has team access.' A list shows 'chenyuguo/coachingmate'. On the right, a 'Connect' button is highlighted with a red circle.

5. connect successfully

The screenshot shows a successful GitHub connection. It displays 'Connected to chenyuguo/coachingmate by chenyuguo' with a 'Disconnect...' button. Below it, a note says 'Releases in the [activity feed](#) link to GitHub to view commit diffs'.

6. find our app and click the Open app button

The screenshot shows the Heroku dashboard for the 'coachingmate2020' app. It includes a navigation bar with 'Personal', 'coachingmate2020', 'GitHub chenyuguo/coachingmate master', and tabs for 'Overview', 'Resources', 'Deploy', 'Metrics', 'Activity', 'Access', and 'Settings'. On the right, there are 'Open app' and 'More' buttons, with the 'Open app' button circled in red.


7. find our URL in the build log


The screenshot shows the 'Build Log' for the 'lk-redback2' app. It includes a navigation bar with 'Personal', 'lk-redback2', and tabs for 'Overview', 'Resources', 'Deploy', 'Metrics', 'Activity', 'Access', and 'Settings'. The main area shows the build log output:


```
[INFO] Discovering process types
[INFO] Profile declares types   -> (none)
[INFO] Default types for buildpack -> web
[INFO] -----> Compressing...
[INFO] Done: 85.5M
[INFO] -----> Launching...
[INFO] Released v5
[INFO] https://lk-redback2.herokuapp.com/ deployed to Heroku
[INFO]
[INFO] Build finished
```

At the bottom right, it says 'ID 7eaaa2b3-576e-4cb0-af6b-e70aa1429af8'.

Finally, replace the Garmin developer URL as the Heroku app + path







```

private static final Logger logger = LoggerFactory.getLogger(GarminPushController.class);
public static final String STORE_PATH="D:/coachingmate/public/garmindata";
@.Autowired
ActivityService activityService;
@PostMapping(value = "/activities")
@ApiOperation(value = "push2 data url", notes = "configure2 this url to end point configuration, " +
        "and the garmin endpoint will transfer the data to this server")
public ResponseEntity<String> activityDetailsReceiverFromGarmin(@RequestBody String info) {
    logger.info("start push activity details Receiver From Garmin data");
    HttpHeaders httpHeaders = new HttpHeaders();
}

@PostMapping(value = "/activityDetails")
@ApiOperation(value = "push data url", notes = "configure this url to end point configuration, " +
        "and the garmin endpoint will transfer the data to this server")
public ResponseEntity<String> activityDetailsReceiverFromGarmin(@RequestBody String info) {
    logger.info("start push activity details Receiver From Garmin data");
    HttpHeaders httpHeaders = new HttpHeaders();
}

@PostMapping(value = "/epochs")
@ApiOperation(value = "push data url", notes = "configure this url to end point configuration, " +
        "and the garmin endpoint will transfer the data to this server")
public ResponseEntity<String> epochsReceiverFromGarmin(@RequestBody String info) {
    logger.info("start push epochs Receiver From Garmin data");
    HttpHeaders httpHeaders = new HttpHeaders();
}

```

Redback-Frontend

Frontend deployment

Clone down the project:

```
git clone https://github.com/COMP90082SM12022/GA-Redback.git
```

In the repository .../src/redback-frontend:

- Installation of the node dependencies:

```
cd Cm-frontend  
yarn
```

- To run:

```
yarn start
```

Sprints

[Sprint 2](#)

Sprint 2

For the Sprint 2 goal, our team is to ensure that the frontend of the code passed down by the previous team is working as intention, re-establishing the connection of the backend to the Garmin Watch API, and producing a program that can display simple data.

- Frontend - to be fixed and deployed successfully
- Backend - find the key problem in the API connection and reestablishing it
- Backend - set up an online database server to receive the data
- Frontend - able to receive the data from the backend and display successfully (added due to additional time to work on)

With team members enrolled in the University of Melbourne as full-time students, in consideration of their other units, it is estimated that each student will be able to allocate 1 hour of their time per day on the project. In total, each person will be able to contribute 2 hours per working day, for 5 days a week, with a total of a team of 5 members, which sums up to a total of 50 hours per week.

Sprint 2 – 4 weeks (200 hours)

1 story point = 8 hours

25 story points


The start date of the project will begin on March 28 and will end on the May 1. In accordance with the bucket system, where the velocity of the team is 12.5 story points per week, which can be calculated by 50 story points divided by 4 weeks.

Our initial plan was to only finish up E1 and partial of E2 User Story 05, however process was smoother than expected, thus leading up to the completion of both E1 and up to E2 (user story E6) during this sprint 2.

User Stories Planned

Epics	User	User Story ID	User Stories	MoSCoW Priority	Story Points (4 hour/pt)
E1- Account Administration Features	As an athlete, I am able to create an account, so that I can view and edit my profile and devices.				
	Athlete	01	<ul style="list-style-type: none">• The user can create the account, set the password and username.1. Able to type into the username field2. Able to type into the password field3. User data is able to be stored into the backend database	Must have	3
	Athlete	02	<ul style="list-style-type: none">• The user can reset the password, in case the password is forgotten.1. Enable to change password link2. Password is updated in the backend database	Must have	4
	Athlete	03	<ul style="list-style-type: none">• The user account can bind with any sports watch.1. The user account is able to have the option to sync with the Garmin server2. Create the API required for the Garmin server data to sync with the CoachingMate server data3. Create the API link from the Garmin server linking with the Backend (Java)	Must have	4
	Athlete	04	<ul style="list-style-type: none">• The user can unbind with any sports watch that they have currently binded with. <p>Option screen of able to unbind the syncronisation to be seen displayed the Garmin Connect website</p>	Must have	2
E2 - Data Synchronisation	As an athlete, I am able to sync the data from the watch to the website when I finish the workout so that I can govern my exercise data easily.				

Athlete	05	<ul style="list-style-type: none"> • Able to choose the option to sync and upload their data from Garmin server to the CoachingMate server. 1. Ensure that the API call from the Garmin server into the Backend (Java) 2. Option screen of the synchronisation to appear and for the user to accept to bind the watch 3. Able to choose which data files for the CoachingMate to retrieve 4. Ensure that the data files that can be read by the Backend (Java) 	Must have	12
Athlete	06	<ul style="list-style-type: none"> • Able to upload the data consistently from the Garmin server on the CoachingMate website. 1. Create a MongoDB server in the cloud to store the data required 2. Ensure that the MongoDB server is able to Save data from Backend (Java) 3. Data retrieved in the Backend must be in proper format to ensure that data is properly stored in MongoDB server 4. Ensure that the Backend (Java) can retrieve data from the MongoDB server 	Must have	10



In accordance to the burndown chart, our team have completed the required story points on 22/04/2022, which an additional week for our team to work on additional story points. Our team added the user story E2: 06 into the final week for completion, adding an additional 10 story points completed, totalling to 35 story points completed within this sprint, compared to the expected 25 story points.

The GA project was to initially target to only setting up the API and backend of the code, up till E2. However, due to the fast progress that the team has achieved. Sprint 3 will incorporate working on a new frontend system in accordance to the new epic E3.

Test cases - acceptance criteria

Test Case	User Story ID	User Story	Test Instructions	Outcome

1	#01	The user can create the account, set the password and username.	<p>Click on "create new account"</p> <p>Type in a username into the username field.</p> <p>Type in a password into the password field.</p> <p>Click on "confirm"</p>	Account creation successful is shown
3	#03	The user account can bind with any sports watch.	<p>Gamin notification popup to sync with the CoachingMate server appears</p> <p>click "Connect to Garmin" button</p> <p>Login into the Garmin account which your sports watch is connected</p>	Sports watch connected to the Garmin account is sync with the CoachingMate account
4	#04	The user can unbind with any sports watch that they have currently binded with.	Go onto the Garmin connect website, under connections, click disconnect CoachingMate	Garmin account will disconnect from the CoachingMate
5	#05	Able to choose the option to sync and upload their data from Garmin server to the CoachingMate server.	<p>Once Test Case 3 is done, data will be synced to the CoachingMate server immediately.</p> <p>The data received from the API should include the garmin-push-controller:</p> <ol style="list-style-type: none"> 1. activities 2. activityDetails 3. epoch <p>The data from the server can be shown by using the swagger UI deployed. The url will depends on the herokuapp server your team has deployed.</p> <p>An example of our swagger ui that our team have deployed is located here.</p> <p>https://lk-redback2.herokuapp.com/api/swagger-ui.html#</p>	Herokuapp should be receiving the data from the Garmin server live and should reflect on swagger UI
6	#06	Able to upload the data consistently from the Garmin server on the CoachingMate website.	<p>Login into the Garmin server https://connect.garmin.com/</p> <p>Under the Activities, All Activities, on the top right hand corner click in the "+Manual Activity".</p> <p>Once a manual activity is added, it should reflect onto the CoachingMate website of your account shortly.</p>	Manual Activity that is added from Garmin server will reflect onto the CoachingMate website in about less than 5 minutes