






| Item   | Qty   | Partname   | Material  | Partnumber/Remarks   |
|--|---|--|---|--|
| 56   | 1   | PCB_spinner v1   | -   | RVS304   |
| 55   | 7   | Inbus M3X6   | -   | POMMA  |
| 54   | 1   | voorkant   | rood transparant                                      | AL6082   |
| 52   | 1   | grote spinner  | -   | RVS304   |
| 51   | 8   | Inbus M6X10  | -   | Div.   |
| 49   | 1   | Schaffner FN281-6-06   | -   | AI6082   |
| 48   | 1   | voorwand   | -   | AI6082   |
| 47   | 2   | electronica wand   | -   | AI6082   |
| 46   | 4   | afstandsbus  | -   | Nylon  |
| 45   | 1   | venster  | PMMA  | helder   |
| 44   | 1   | vulring knop   | POM   | -  |
| 43   | 1   | frontpanel   | AI6082  | -  |
| 42   | 1   | achterwand   | AI6082  | -  |
| 41   | 1   | PSU RS-25  | AI6082  | -  |
| 40   | 1   | bovenkant  | AI6082  | -  |
| 39   | 6   | Inbus M4X30  | -   | RVS304   |
| 38   | 1   | Maxon EC32   | -   | RVS304   |
| 37   | 1   | madier koppeling 60299812                                    | -   | AI6082   |
| 36   | 1   | motorflens   | -   | AI6082   |
| 35   | 1   | legenhuis  | -   | verenstaal   |
| 34   | 1   | snapping   | -   | Ms   |
| 33   | 1   | kogellagerbus  | -   | -  |
| 32   | 2   | SKF-61800  | -   | CST0   |
| 31   | 1   | schotelveer  | -   | RVS304   |
| 30   | 1   | as   | PS  | -  |
| 29   | 1   | petri dish   | -   | RVS304   |
| 28   | 1   | drukhouder   | -   | PMMA   |
| 27   | 1   | achterkant   | rood transparant                                      | PMMA   |
| 26   | 2   | korte kant   | rood transparant                                      | PMMA   |
| 25   | 1   | daksel   | rood transparant                                      | RVS304   |
| 24   | 20  | Laagpolkosschroef M3X5                                       | -   | RVS304   |
| 23   | 1   | magneetkoel  | -   | RVS304   |
| 22   | 2   | capilair klem houder   | PVC   | -  |
| 21   | 1   | stang  | silicone  | RVS304   |
| 20   | 1   | stang D3x1L20  | -   | RVS304   |
| 19   | 1   | capilairklemwinkel   | -   | glas   |
| 18   | 1   | puntje   | -   | AI6082   |
| 17   | 1   | instelarm  | -   | CuSn   |
| 16   | 1   | instelspij   | -   | POM  |
| 15   | 2   | glijsbus   | -   | RVS304   |
| 14   | 1   | hoekinsteller  | -   | PA   |
| 13   | 1   | aandraaiing  | -   | RVS304   |
| 12   | 1   | draaihoogteschijver  | -   | PA   |
| 11   | 2   | drukstuk   | -   | RVS304   |
| 10   | 20  | Inbus M4X10  | -   | PA   |
| 09   | 4   | kareliknop M4  | -   | RVS304   |
| 08   | 1   | hoogteering  | -   | RVS304   |
| 07   | 1   | piptopaal  | -   | RVS304   |
| 06   | 2   | Verzinken zaaggleuf Schroef M3X6                             | -   | RVS304   |
| 05   | 3   | handgreep  | -   | RS 237-845   |
| 04   | 1   | plakplaat  | -   | St-37  |
| 03   | 1   | druckmodule  | -   | AI6082   |
| 02   | 1   | draaddekplaat  | -   | AL6082   |
| 01   | 1   | montageplaat   | -   | AI6082   |
| Item   | Qty   | Partname   | Material  | Partnumber/Remarks   |
| Physics of Cellular Interactions                                     |   |  |   |  |
| 00   | Varia-Slow spinner  |  |   |  |
| DRN  | 07-03-2018  |  |   |  |
| PRO  | 06-05-2021  |  |   |  |
| Date   | Name  |  |   |  |
| General technical<br>specifications<br>after agreed<br>ISO-2748-IH-E | Geometrical<br>specifications<br>after agreed<br>ISO-8015-E | Surface roughness<br>values<br>after agreed<br>ISO-2748-IH-E | Dimensions<br>values<br>after agreed<br>ISO-2748-IH-E | Technical<br>specifications<br>after agreed<br>ISO-2748-IH-E |
| scale 1:1  | 0   | 50   | 0 mm  | Size   |
|  |   |  | mm  | Partnumber   |
|  |   |  |   | CELIN-00-01-00   |
|  |   |  |   | Number of sheets 1 of 2                                      |




|                                   |  |                |          |   |
|-----------------------------------|--|----------------|----------|---|
| 01                                | 1  | montageplaat   | A16082   | .   |
| Item                              | Qty                                      | Partname       | Material | Partnumber/Remarks                        |
|                                   |  |                |          | Date Name                                 |
| DRN                               | 07-03-2018                               | DJS            |          |   |
| PRD                               | 06-05-2021                               | H.Boluit       |          |   |
| General tolerance after specified | Geen algemene tolerantie na de opgegeven |                |          |   |
| ISO 2768-H-E                      | ISO 2768-H-E                             |                |          |   |
| ISO 8015-E                        | ISO 8015-E                               |                |          |   |
| scale 1:1                         | 0  | 50             | 0 mm     | Geen speciale tolerantie voor de schetsen |
|                                   |  |                |          |   |
| Size                              | Partnumber                               | CELIN-00-01-01 |          |   |
| A0                                |  |                |          |   |
| Number of sheets                  | 2 of 2                                   |                |          |   |

AMOLF

ANOLE




|   |     |               |   |  |
|---|-----|---------------|---|--|
| 02                                      | 1   | draaddekplaat | AL6082  | .  |
| Item                                    | Qty | Partname      | Material  | Partnumber/Remarks   |
| <b>Physics of Cellular Interactions</b> |     |               |   | Date Name  |
| 00 Varia-Slow spinner                   |     |               | DRN 15-05-2019  | DJS  |
|   |     |               | PRD 06-05-2021  | H.Boluijt  |
|   |     |               |   |  |
|   |     |               | General tolerances unless otherwise specified ISO-2768-fH-E | Geometrical tolerances unless otherwise specified ISO-8015-E   |
|   |     |               |   | Surface roughness of machined surfaces unless otherwise specified 3.2 Ra (maximum standard) 1.6 Ra (fitting typical) |
| scale: 1:1                              | 0   | 50            | Dim.in mm   |  |
|   |     |               | Size A4   | Partnumber: CELIN-00-01-02   |
|   |     |               | Number of sheets: 1 of 1                                    |  |





This drawing may not be used for commercial purposes without written authorisation

|   |     |           |   |  |
|---|-----|-----------|---|--|
| 04                                      | 1   | plakplaat | St-37   | .  |
| Item                                    | Qty | Partname  | Material  | Partnumber/Remarks   |
| <b>Physics of Cellular Interactions</b> |     |           | Date  | Name   |
| 00 Varia-Slow spinner                   |     |           | DRN 07-03-2018  | DJS  |
|   |     |           | PRD 06-05-2021  | H.Boluijt  |
|   |     |           |   |  |
| scale: 1:1                              |     |           | General tolerances unless otherwise specified ISO-2768-fH-E | Geometrical tolerances unless otherwise specified ISO-8015-E   |
| 0                                       |     |           | Dim.in mm   | Surface roughness of machined surfaces unless otherwise specified 3,2 Ra (maximum standard) 1,6 Ra (fitting typical) |
|   |     |           | Size A4   | Partnumber: CELIN-00-01-04   |
|   |     |           | Number of sheets: 1 of 1                                    |  |
|   |     |           |   |  |





This drawing may not be used for commercial purposes without written authorisation


|   |     |           |  |  |
|---|-----|-----------|--|--|
| 07                                      | 1   | pipetpaal | RVS304   | .  |
| Item                                    | Qty | Partname  | Material   | Partnumber/Remarks   |
| <b>Physics of Cellular Interactions</b> |     |           | Date   | Name   |
| 00 Varia-Slow spinner                   |     |           | DRN 07-03-2018   | DJS  |
|   |     |           | PRD 06-05-2021   | H.Boluijt  |
|   |     |           |  |  |
|   |     |           | General tolerances<br>unless<br>otherwise specified<br>ISO-2768-fH-E | Geometrical tolerances<br>unless<br>otherwise specified<br>ISO-8015-E  |
|   |     |           |  | Surface roughness<br>of machined surfaces<br>unless otherwise specified<br>3,2 Ra (maximum standard)<br>1,6 Ra (fitting typical) |
| scale: 1:1                              | 0   | 50        | Dim.in mm  |  |
|   |     |           | Size   | Partnumber:  |
|   |     |           | A4   | <b>CELIN-00-01-07</b>  |
| Number of sheets: 1 of 1                |     |           |  |  |






This drawing may not be used for commercial purposes without written authorisation

|  |     |            |  |  |
|--|-----|------------|--|--|
| 08   | 1   | hoogtering | RVS304   | .  |
| Item   | Qty | Partname   | Material   | Partnumber/Remarks   |
| <b>Physics of Cellular Interactions</b><br>00 Varia-Slow spinner |     |            |  | Date Name  |
|  |     |            | DRN 07-03-2018   | DJS  |
|  |     |            | PRD 06-05-2021   | H.Boluijt  |
|  |     |            |  |  |
|  |     |            | General tolerances<br>unless<br>otherwise specified<br>ISO-2768-fH-E | Geometrical tolerances<br>unless<br>otherwise specified<br>ISO-8015-E  |
|  |     |            |  | Surface roughness<br>of machined surfaces<br>unless otherwise specified<br>3,2 Ra (maximum standard)<br>1,6 Ra (fitting typical) |
| scale: 1:1   | 0   | 50         | Dim.in mm  |  |
|  |     |            | Size A4  | Partnumber: CELIN-00-01-08   |
|  |     |            | Number of sheets: 1 of 1   |  |
|  |     |            |  |  |




|   |     |           |   |  |
|---|-----|-----------|---|--|
| 11  | 2   | drukstuk  | PA  | .  |
| Item  | Qty | Partname  | Material  | Partnumber/Remarks   |
| <b>Physics of Cellular Interactions</b>   |     |           | Date  | Name   |
| 00 Varia-Slow spinner   |     |           | DRN   | 07-03-2018 DJS   |
| scale: 2:1  |     |           | PRD   | 06-05-2021 H.Boluijt   |
| 0   | 25  | Dim.in mm | General tolerances<br>unless<br>otherwise specified | Geometrical tolerances<br>unless<br>otherwise specified  |
|   |     |           | ISO-2768-fH-E                                       | Surface roughness<br>of machined surfaces<br>unless otherwise specified<br>3,2 Ra (maximum standard)<br>1,6 Ra (fitting typical) |
|   |     |           | ISO-8015-E  |  |
|   |     |           | Size  | Partnumber:  |
| A4  |     |           |   | <b>CELIN-00-01-11</b>  |
| Number of sheets: 1 of 1  |     |           |   |  |







This drawing may not be used for commercial purposes without written authorisation

|  |     |              |  |   |
|--|-----|--------------|--|---|
| 13   | 1   | aandraairing | PA   | .   |
| Item   | Qty | Partname     | Material   | Partnumber/Remarks  |
| <b>Physics of Cellular Interactions</b><br>00 Varia-Slow spinner |     |              | Date   | Name  |
| scale: 1:1   |     |              | DRN 28-03-2018   | DJS   |
| 0  |     |              | PRD 06-05-2021   | H.Boluijt   |
| 50   |     |              |  |   |
| Dim.in mm  |     |              | General tolerances<br>unless<br>otherwise specified<br>ISO-2768-fH-E   | Geometrical tolerances<br>unless<br>otherwise specified<br>ISO-8015-E |
|  |     |              | Surface roughness<br>of machined surfaces<br>unless otherwise specified<br>3,2 Ra (maximum standard)<br>1,6 Ra (fitting typical) |   |
|  |     |              | Size   | Partnumber:   |
|  |     |              | A4   | <b>CELIN-00-01-13</b>   |
| Number of sheets: 1 of 1   |     |              |  |   |








beide ringen in pos. 10 persen  
dan gat op maat ruimen




|   |     |          |  |  |
|---|-----|----------|--|--|
| 15                                      | 2   | glijsbus | POM  | .  |
| Item                                    | Qty | Partname | Material   | Partnumber/Remarks   |
| <b>Physics of Cellular Interactions</b> |     |          | Date   | Name   |
| 00 Varia-Slow spinner                   |     |          | DRN 07-03-2018   | DJS  |
|   |     |          | PRD 06-05-2021   | H.Boluijt  |
|   |     |          |  |  |
|   |     |          | General tolerances<br>unless<br>otherwise specified<br>ISO-2768-fH-E | Geometrical tolerances<br>unless<br>otherwise specified<br>ISO-8015-E  |
|   |     |          |  | Surface roughness<br>of machined surfaces<br>unless otherwise specified<br>3,2 Ra (maximum standard)<br>1,6 Ra (fitting typical) |
| scale: 1:1                              | 0   | 50       | Dim.in mm  |  |
|   |     |          | Size   | Partnumber:  |
|   |     |          | A4   | <b>CELIN-00-01-15</b>  |
| Number of sheets: 1 of 1                |     |          |  |  |



Doorsnede A-A






|   |     |            |  |  |
|---|-----|------------|--|--|
| 16                                      | 1   | instelspil | CuSn   | .  |
| Item                                    | Qty | Partname   | Material   | Partnumber/Remarks   |
| <b>Physics of Cellular Interactions</b> |     |            | Date   | Name   |
| 00 Varia-Slow spinner                   |     |            | DRN 07-03-2018   | DJS  |
|   |     |            | PRD 06-05-2021   | H.Boluijt  |
|   |     |            |  |  |
|   |     |            | General tolerances<br>unless<br>otherwise specified<br>ISO-2768-fH-E | Geometrical tolerances<br>unless<br>otherwise specified<br>ISO-8015-E  |
|   |     |            |  | Surface roughness<br>of machined surfaces<br>unless otherwise specified<br>3,2 Ra (maximum standard)<br>1,6 Ra (fitting typical) |
| scale: 1:1                              | 0   | 50         | Dim.in mm  |  |
|   |     |            | Size   | Partnumber:  |
|   |     |            | A4   | <b>CELIN-00-01-16</b>  |
| Number of sheets: 1 of 1                |     |            |  |  |




This drawing may not be used for commercial purposes without written authorisation


|   |     |           |  |  |
|---|-----|-----------|--|--|
| 17                                      | 1   | instelarm | Al6082   | .  |
| Item                                    | Qty | Partname  | Material   | Partnumber/Remarks   |
| <b>Physics of Cellular Interactions</b> |     |           | Date   | Name   |
| 00 Varia-Slow spinner                   |     |           | DRN 07-03-2018   | DJS  |
|   |     |           | PRD 06-05-2021   | H.Boluijt  |
|   |     |           |  |  |
|   |     |           | General tolerances<br>unless<br>otherwise specified<br>ISO-2768-fH-E | Geometrical tolerances<br>unless<br>otherwise specified<br>ISO-8015-E  |
|   |     |           |  | Surface roughness<br>of machined surfaces<br>unless otherwise specified<br>3,2 Ra (maximum standard)<br>1,6 Ra (fitting typical) |
| scale: 2:1                              | 0   | 25        |  | Dim.in mm  |
|   |     |           | Size   | Partnumber:  |
|   |     |           | A4   | <b>CELIN-00-01-17</b>  |
| Number of sheets: 1 of 1                |     |           |  |  |





Doorsnede A-A

|   |     |                     |   |  |
|---|-----|---------------------|---|--|
| 19                                      | 1   | capillairklemwartel | RVS304  | .  |
| Item                                    | Qty | Partname            | Material  | Partnumber/Remarks   |
| <b>Physics of Cellular Interactions</b> |     |                     | Date  | Name   |
| 00 Varia-Slow spinner                   |     |                     | DRN 07-03-2018  | DJS  |
|   |     |                     | PRD 06-05-2021  | H.Boluijt  |
|   |     |                     |   |  |
|   |     |                     | General tolerances unless otherwise specified ISO-2768-fH-E | Geometrical tolerances unless otherwise specified ISO-8015-E   |
|   |     |                     |   | Surface roughness of machined surfaces unless otherwise specified 3,2 Ra (maximum standard) 1,6 Ra (fitting typical) |
| scale: 2:1                              | 0   | 25                  |   | Dim.in mm  |
|   |     |                     | Size  | Partnumber:  |
|   |     |                     | A4  | <b>CELIN-00-01-19</b>  |
| Number of sheets: 1 of 1                |     |                     |   |  |









Doorsnede A-A




|  |     |   |                       |  |
|--|-----|---|-----------------------|--|
| 28   | 1   | drukhouder  | RVS304                | .  |
| Item   | Qty | Partname  | Material              | Partnumber/Remarks   |
|  |     |   |                       | Date Name  |
| DRN  |     | 07-03-2018  | DJS                   |  |
| PRD  |     | 06-05-2021  | H.Boluijt             |  |
|  |     |   |                       |  |
| General tolerances unless otherwise specified                                      |     | Geometrical tolerances unless otherwise specified |                       | Surface roughness of machined surfaces unless otherwise specified 3.2 Ra (maximum standard) 1.6 Ra (fitting typical) |
| ISO-2768-fH-E  |     | ISO-8015-E  |                       | ISO-8015-E   |
| scale: 1:1   |     | 0   | 50                    | Dim.in mm  |
| <b>Physics of Cellular Interactions</b>  |     | <b>00 Varia-Slow spinner</b>                      |                       |  |
| AMOLF  |     |   |                       |  |
| This drawing may not be used for commercial purposes without written authorisation |     | Size  | Partnumber:           |  |
|  |     | A4  | <b>CELIN-00-01-28</b> |  |
| Number of sheets: 1 of 1   |     |   |                       |  |



Doorsnede A-A




| 30  | 1             | as  | RVS304         |  |
|---|---------------|---|----------------|--|
| Item  | Qty           | Partname  | Material       | Partnumber/Remarks   |
| <b>Physics of Cellular Interactions</b>       |               |   |                |  |
| 00 Varia-Slow spinner                         |               |   |                |  |
| scale: 1:1                                    | 0             | 50  | Dim.in mm      |  |
| General tolerances unless otherwise specified | ISO-2768-fH-E | Geometrical tolerances unless otherwise specified | ISO-8015-E     | Surface roughness of machined surfaces unless otherwise specified 3,2 Ra (maximum standard) 1,6 Ra (fitting typical) |
| Size  | Partnumber:   | A3  | CELIN-00-01-30 |  |
| Number of sheets: 1 of 1                      |               |   |                |  |






Doorsnede A-A

This drawing may not be used for commercial purposes without written authorisation





|   |     |               |  |  |
|---|-----|---------------|--|--|
| 33                                      | 1   | kogellagerbus | Ms   | .  |
| Item                                    | Qty | Partname      | Material   | Partnumber/Remarks   |
| <b>Physics of Cellular Interactions</b> |     |               | Date   | Name   |
| 00 Varia-Slow spinner                   |     |               | DRN 25-06-2018   | DJS  |
| scale: 1:1                              |     |               | PRD 06-05-2021   | H.Boluijt  |
| 0                                       |     |               |  |  |
| 50                                      |     |               | General tolerances unless otherwise specified ISO-2768-fH-E  | Geometrical tolerances unless otherwise specified ISO-8015-E |
| Dim.in mm                               |     |               | Surface roughness of machined surfaces unless otherwise specified 3,2 Ra (maximum standard) 1,6 Ra (fitting typical) |  |
|   |     |               | Size A4  | Partnumber: CELIN-00-01-33                                   |
| Number of sheets: 1 of 1                |     |               |  |  |




Doorsnede B-B



| 35  | 1   | lagerhuis   | Al6082        |                    |
|---|---|---|---------------|--------------------|
| Item  | Qty   | Partname  | Material      | Partnumber/Remarks |
| <b>Physics of Cellular Interactions</b>       |   |   |               |                    |
| 00 Varia-Slow spinner                         |   |   |               |                    |
| scale: 1:1                                    | 0   | 50  | Dim.in mm     |                    |
|   |   |   |               |                    |
| General tolerances unless otherwise specified | Geometrical tolerances unless otherwise specified | Surface roughness of machined surfaces unless otherwise specified | ISO-2768-fH-E | ISO-8015-E         |
| ISO-2768-fH-E                                 | ISO-8015-E  | 1,6 Ra (maximum standard)<br>1,6 Ra (fitting typical)             |               |                    |
| Size  | Partnumber:                                       |   |               |                    |
| A3  | CELIN-00-01-35                                    |   |               |                    |
| Number of sheets: 1 of 1                      |   |   |               |                    |





Doorsnede A-A





This drawing may not be used for commercial purposes without written authorisation

| 36                               | 1          | motorfleks                 | AI6082   |  |
|----------------------------------|------------|----------------------------|----------|--|
| Item                             | Qty        | Partname                   | Material | Partnumber/Remarks   |
| DRN                              | 07-03-2018 | DJS                        |          | Date Name  |
| PRD                              | 06-05-2021 | H.Boluijt                  |          |  |
|                                  |            |                            |          |  |
|                                  |            |                            |          | General tolerances unless otherwise specified ISO-2768-fH-E  |
|                                  |            |                            |          | Geometrical tolerances unless otherwise specified ISO-8015-E   |
|                                  |            |                            |          | Surface roughness of machined surfaces unless otherwise specified 3,2 Ra (maximum standard) 1,6 Ra (fitting typical) |
| Physics of Cellular Interactions |            | 00 Varia-Slow spinner      |          |  |
| scale: 1:1                       |            | 0                          | 50       | Dim.in mm  |
|                                  |            |                            |          |  |
| Size A3                          |            | Partnumber: CELIN-00-01-36 |          |  |
| Number of sheets: 1 of 1         |            |                            |          |  |





|   |     |            |   |   |
|---|-----|------------|---|---|
| 40                                      | 1   | bovenkant  | Al6082  | .   |
| Item                                    | Qty | Partname   | Material  | Partnumber/Remarks  |
|   |     |            |   | Date Name   |
| DRN                                     |     | 15-05-2019 | DJS   |   |
| PRD                                     |     | 06-05-2021 | H.Boluijt   |   |
|   |     |            |   |   |
| scale: 1:1                              | 0   | 50         | General tolerances unless otherwise specified ISO-2768-fH-E | Geometrical tolerances unless otherwise specified ISO-8015-E Surface roughness of machined surfaces unless otherwise specified 3,2 Ra (maximum standard) 1,6 Ra (fitting typical) |
|   |     |            |   |   |
| <b>Physics of Cellular Interactions</b> |     |            |   |   |
| 00 Varia-Slow spinner                   |     |            |   |   |
|   |     |            | Size<br>A4  | Partnumber:<br><b>CELIN-00-01-40</b>  |
|   |     |            |   | Number of sheets: 1 of 1  |




|   |     |            |  |  |
|---|-----|------------|--|--|
| 42                                      | 1   | achterwand | Al6082   | .  |
| Item                                    | Qty | Partname   | Material   | Partnumber/Remarks   |
| <b>Physics of Cellular Interactions</b> |     |            | Date   | Name   |
| 00 Varia-Slow spinner                   |     |            | DRN 15-05-2019   | DJS  |
|   |     |            | PRD 06-05-2021   | H.Boluijt  |
|   |     |            |  |  |
|   |     |            | General tolerances<br>unless<br>otherwise specified<br>ISO-2768-fH-E | Geometrical tolerances<br>unless<br>otherwise specified<br>ISO-8015-E  |
|   |     |            |  | Surface roughness<br>of machined surfaces<br>unless otherwise specified<br>3.2 Ra (maximum standard)<br>1.6 Ra (fitting typical) |
| scale: 1:1                              | 0   | 50         | Dim.in mm  |  |
|   |     |            | Size   | Partnumber:  |
|   |     |            | A4   | <b>CELIN-00-01-42</b>  |
| Number of sheets: 1 of 1                |     |            |  |  |



This drawing may not be used for commercial purposes without written authorisation



DETAIL B  
SCHAAL 2:1








## Doorsnede A-A





Planning for Health Initiatives

## 00 Varia-Slow spinne


|   |     |            |   |  |
|---|-----|------------|---|--|
| 43  | 1   | frontpanel | AI6082  | .  |
| Item  | Qty | Partname   | Material  | Partnumber/Remarks   |
|   |     |            |   | Date Name  |
|   |     |            | DRN   | 15-05-2019 DJS   |
|   |     |            | PRD   | 06-05-2021 H.Boluijt   |
|   |     |            |   |  |
| <b>Physics of Cellular Interactions</b>   |     |            | General tolerances unless otherwise specified ISO-2768-fH-E   | Geometrical tolerances unless otherwise specified ISO-8015-E |
| 00 Varia-Slow spinner   |     |            | Surface roughness of machined surfaces unless otherwise specified 3,2 Ra (maximum standard) 1,6 Ra (fitting typical)  |  |
| scale: 1:1  | 0   | 50         | <br><br>Dim.in mm |  |
|   |     |            | Size A3   | Partnumber: CELIN-00-01-43                                   |
| Number of sheets: 1 of 1  |     |            |   |  |




|  |     |              |   |  |
|--|-----|--------------|---|--|
| 44   | 1   | vulring knop | POM   | .  |
| Item   | Qty | Partname     | Material  | Partnumber/Remarks   |
| <b>Physics of Cellular Interactions</b><br>00 Varia-Slow spinner |     |              | Date  | Name   |
|  |     |              | DRN   | 15-05-2019   |
|  |     |              | PRD   | 06-05-2021   |
|  |     |              |   | H.Boluijt  |
|  |     |              | General tolerances<br>unless<br>otherwise specified | Geometrical tolerances<br>unless<br>otherwise specified  |
|  |     |              | ISO-2768-fH-E                                       | Surface roughness<br>of machined surfaces<br>unless otherwise specified<br>3,2 Ra (maximum standard)<br>1,6 Ra (fitting typical) |
| scale: 1:1   | 0   | 50           | Dim.in mm   |  |
|  |     |              | Size  | Partnumber:  |
|  |     |              | A4  | CELIN-00-01-44   |
| Number of sheets: 1 of 1   |     |              |   |  |



|   |     |          |           |  |  |  |
|---|-----|----------|-----------|--|--|--|
| 45                                      | 1   | venster  | PMMA      | holder   |  |  |
| Item                                    | Qty | Partname | Material  | Partnumber/Remarks                               |  |  |
| <b>Physics of Cellular Interactions</b> |     |          |           | Date   | Name   |  |
| 00 Varia-Slow spinner                   |     |          |           | DRN  | 15-05-2019   | DJS  |
| scale: 1:1                              |     |          | 50        | PRD  | 06-05-2021   | H.Boluijt  |
| 0<br>                                   |     |          | Dim.in mm | General tolerances<br>unless otherwise specified | Geometrical tolerances<br>unless otherwise specified | Surface roughness<br>of machined surfaces<br>unless otherwise specified<br>3,2 Ra (maximum standard)<br>1,6 Ra (fitting typical) |
|   |     |          |           | ISO-2768-fH-E                                    | ISO-8015-E   |  |
|   |     |          |           | Size   | Partnumber:  |  |
|   |     |          |           | A4   | CELIN-00-01-45                                       |  |
| Number of sheets: 1 of 1                |     |          |           |  |  |  |



Doorsnede A-A

|   |     |                  |   |   |
|---|-----|------------------|---|---|
| 47  | 2   | elektronica wand | AI6082  | .   |
| Item  | Qty | Partname         | Material  | Partnumber/Remarks  |
|   |     |                  |   | Date Name   |
|   |     |                  | DRN   | 15-05-2019 DJS  |
|   |     |                  | PRD   | 06-05-2021 H.Boluijt  |
|   |     |                  |   |   |
| <b>Physics of Cellular Interactions</b>   |     |                  | General tolerances unless otherwise specified ISO-2768-fH-E                                     | Geometrical tolerances unless otherwise specified ISO-8015-E                              |
| 00 Varia-Slow spinner   |     |                  |   | Surface roughness of machined surfaces 3,2 Ra (maximum standard) 1,6 Ra (fitting typical) |
| scale: 1:1  | 0   | 50               |  Dim.in mm |   |
|  |     |                  | Size A3   | Partnumber: CELIN-00-01-47  |
|  |     |                  | Number of sheets: 1 of 1  |   |