



Doorsnede B-B



Doorsnede A-A



56	1	PCB spinmer v1	-	-
57	1	Inbus M3X8	RVS304	-
54	1	voorkant	PMMA	rood transparant
52	1	grote spinmer	AL6082	-
51	8	Inbus M6X10	RVS304	-
49	1	Schaffner FN261-9-06	Div.	-
48	1	voorzand	Al6082	-
47	2	elektronica wand	Al6082	-
46	4	afstandsbus	Nylon	-
45	1	venster	PMMA	helder
44	1	vulling knop	POM	-
43	1	frontpanel	Al6082	-
42	1	achterwand	Al6082	-
41	1	PSU RS-25	Al6082	-
40	1	bovenkant	Al6082	-
39	6	Inbus M4X30	RVS304	-
38	1	maxon EC22-363399	-	-
37	1	mader koppeling 60298612	RVS304	-
36	1	motorflens	Al6082	-
35	1	lagerhuis	Al6082	-
34	1	inapring	verenstaal	-
33	1	kogelagerhuis	Ms	-
32	2	SKF-61800	-	-
31	1	schotelveer	CS70	-
30	1	as	RVS304	-
29	1	petri dish	PS	-
28	1	drukhouder	RVS304	-
27	1	achterkant	PMMA	rood transparant
26	2	korte kant	PMMA	rood transparant
25	1	deksel	PMMA	rood transparant
24	20	Laagbolkop Schroef M3X5	RVS304	-
23	1	magneetvoet	-	-
22	1	capillair klem houder	RVS304	-
21	1	slang	PVC	-
20	1	slang D3xdi1xL20	silicone	-
19	1	capillairklemwafel	RVS304	-
18	1	pompje	glas	-
17	1	invalarm	Al6082	-
16	1	invalstijl	CuSn	-
15	2	glijbus	POM	-
14	1	hoekenstaller	RVS304	-
13	1	aandraaijer	PA	-
12	1	draaihoogteschuiver	RVS304	-
11	2	drukstak	PA	-
10	20	Inbus M4X10	RVS304	-
09	4	kartelknop M4	PA	-
08	1	hoogterling	RVS304	-
07	1	pijpepaal	RVS304	-
06	2	Verzonken zaaggleuf schroef M3X8	RVS304	-
05	3	handgreep	RVS	RS 237-845
04	1	plaatplaat	St-37	-
03	1	drukmodule	Al6082	-
02	1	draaddeekplaat	AL6082	-
01	1	montageplaat	Al6082	-
Item	Qty	Partname	Material	Partnumber/Remarks

Physics of Cellular Interactions

00 Varia-Slow spinner

scale: 1:1

0 50

0cm max

Downloaded from
www.elsevier.com

Downloaded from
www.elsevier.com

Downloaded from
www.elsevier.com




Size
A0




Number of sheets: 1 of 2



07-03-2018
08-10-2020

DJS
H.Boluijt




CELIN-00-01-00




01	1	montageplaat	A16082			
Item	Qty	Partname	Material	Partnumber	Remarks	
Physics of Cellular Interactions				Date	Name	
00 Varia-Slow spinner				DRN	07-03-2018	DJS
				PRD	08-10-2020	H. Boulijn
				General information	General information	Serial numbers of selected objects
scale: 1:1 				alternate opened ISO-2108-8-E	alternate opened ISO-8015-E	Serial numbers of selected objects (see alternate opened of the listing below)
AMOLF				Size	Part number	
				A0	CELIN-00-01-01	
				Number of sheets: 2 of 2		






This drawing may not be used for commercial purposes without written authorisation



02	1	draaddekplaat	AL6082	.				
Item	Qty	Partname	Material	Partnumber/Remarks				
<div>Physics of Cellular Interactions</div> <div>00 Varia-Slow spinner</div>					Date	Name		
				DRN	15-05-2019	DJS		
				PRD	08-10-2020	H.Boluijt		
scale: 1:1		<div>0<div></div>50</div>		<div> Dim.in mm</div>		<div>General tolerances unless otherwise specified ISO-2768-fH-E</div>	<div>Geometrical tolerances unless otherwise specified ISO-8015-E</div>	<div>Surface roughness of machined surfaces unless otherwise specified 3,2 Ra (maximum standard 1,6 Ra (fitting typical))</div>
<div></div>				Size A4	Partnumber: CELIN-00-01-02			
				Number of sheets: 1 of 1				




General tolerances unless otherwise specified ISO-2768-FH-E	Geometrical tolerances unless otherwise specified ISO-8015-E	Surface roughness of machined surfaces unless otherwise specified 3,2 Ra (maximum standard) 1,6 Ra (fitting typical)
--	---	--





04	1	plakplaat	St-37	.				
Item	Qty	Partname	Material	Partnumber/Remarks				
<div>Physics of Cellular Interactions</div> <div>00 Varia-Slow spinner</div>					Date	Name		
				DRN	07-03-2018	DJS		
				PRD	08-10-2020	H.Boluijt		
scale: 1:1		<div>0<div></div>50</div>		<div> Dim in mm</div>		General tolerances unless otherwise specified ISO-2768-fH-E	Geometrical tolerances unless otherwise specified ISO-8015-E	Surface roughness of machined surfaces unless otherwise specified 3,2 Ra (maximum standard) 1,6 Ra (fitting typical)
<div></div>				Size A4	Partnumber: CELIN-00-01-04			
				Number of sheets: 1 of 1				




This drawing may not be used for commercial purposes without written authorisation





07	1	pipetpaal	RVS304	.		
Item	Qty	Partname	Material	Partnumber/Remarks		
<div>Physics of Cellular Interactions</div> <div>00 Varia-Slow spinner</div>					Date	Name
				DRN	07-03-2018	DJS
				PRD	08-10-2020	H.Boluijt
				General tolerances unless otherwise specified ISO-2768-FH-E		Geometrical tolerances unless otherwise specified ISO-8015-E
scale: 1:1		<div>050</div>		<div></div> <div>Dim in mm</div>		
<div></div> <div></div>				Size	Partnumber:	
				A4	CELIN-00-01-07	
				Number of sheets: 1 of 1		



This drawing may not be used for commercial purposes without written authorisation





08	1	hoogtering	RVS304	.			
Item	Qty	Partname	Material	Partnumber/Remarks			
<div>Physics of Cellular Interactions</div> <div>00 Varia-Slow spinner</div>					Date	Name	
				DRN	07-03-2018	DJS	
				PRD	08-10-2020	H.Boluijt	
scale: 1:1		<div>050</div>	<div></div> <div>Dim in mm</div>	General tolerances unless otherwise specified ISO-2768-FH-E		Geometrical tolerances unless otherwise specified ISO-8015-E	Surface roughness of machined surfaces unless otherwise specified 3,2 Ra (maximum standard) 1,6 Ra (fitting typical)
<div></div> <div></div>				Size A4	Partnumber: CELIN-00-01-08		
				Number of sheets: 1 of 1			

This drawing may not be used for commercial purposes without written authorisation




11	2	drukstuk	PA	.
Item	Qty	Partname	Material	Partnumber/Remarks
Physics of Cellular Interactions 00 Varia-Slow spinner				Date
				Name
				DRN
				PRD
scale: 2:1 <div> <div>0</div> <div>25</div> <div>Dim in mm</div> </div>				General tolerances unless otherwise specified
				Geometrical tolerances unless otherwise specified
 				Surface roughness of machined surfaces unless otherwise specified
				Size
				Partnumber:
				Number of sheets: 1 of 1





Doorsnede B-B




Doorsnede C-C

12	1	draaihoogteschuiver	RVS304	.		
Item	Qty	Partname	Material	Partnumber/Remarks		
<div>Physics of Cellular Interactions</div> <div>00 Varia-Slow spinner</div>					Date	Name
				DRN	07-03-2018	DJS
				PRD	08-10-2020	H.Boluijt
scale: 1:1		<div>050</div> <div></div>		General tolerances unless otherwise specified ISO-2768-FH-E		Geometrical tolerances unless otherwise specified ISO-8015-E
						Surface roughness of machined surfaces unless otherwise specified 3,2 Ra (maximum standard) 1,6 Ra (fitting typical)
<div>AMOLF</div> <div></div>				Size	Partnumber:	
				A4	CELIN-00-01-12	
				Number of sheets: 1 of 1		





This drawing may not be used for commercial purposes without written authorisation




This drawing may not be used for commercial purposes without written authorisation




13	1	aandraairing	PA					
Item	Qty	Partname	Material	Partnumber/Remarks				
<div>Physics of Cellular Interactions</div> <div>00 Varia-Slow spinner</div>					Date	Name		
				DRN	28-03-2018	DJS		
				PRD	08-10-2020	H.Boluijt		
scale: 1:1		<div>0<div></div>50</div>		<div></div> <div>Dim.in mm</div>		<div>General tolerances unless otherwise specified ISO-2768-FH-E</div>	<div>Geometrical tolerances unless otherwise specified ISO-8015-E</div>	<div>Surface roughness of machined surfaces unless otherwise specified 3,2 Ra (maximum standard) 1,6 Ra (fitting typical)</div>
<div></div>				Size	Partnumber:			
				A4	CELIN-00-01-13			
Number of sheets: 1 of 1								


Surface roughness
of machined surfaces
unless otherwise specified
3,2 Ra (maximum standard)
1,6 Ra (fitting typical)




Doorsnede A-A





14	1	hoekinsteller	RVS304				
Item	Qty	Partname	Material	Partnumber/Remarks			
<div>Physics of Cellular Interactions</div> <div>00 Varia-Slow spinner</div>					Date	Name	
				DRN	07-03-2018	DJS	
				PRD	08-10-2020	H.Boluijt	
scale: 1:1		<div>0<div></div>50</div>		<div><div>Dim in mm</div></div>			
<div></div>				General tolerances unless otherwise specified ISO-2768-fH-E		Geometrical tolerances unless otherwise specified ISO-8015-E	Surface roughness of machined surfaces unless otherwise specified 3,2 Ra (maximum standard) 1,6 Ra (fitting typical)
				Size A3		Partnumber: CELIN-00-01-14	
				Number of sheets: 1 of 1			





beide ringen in pos. 10 persen
dan gat op maat ruimen







15	2	glijbus	POM	.
Item	Qty	Partname	Material	Partnumber/Remarks
Physics of Cellular Interactions 00 Varia-Slow spinner				Date
				Name
				DRN
				PRD
scale: 1:1 <div> 0 50 </div> Dim in mm				General tolerances unless otherwise specified ISO-2768-fH-E
				Geometrical tolerances unless otherwise specified ISO-8015-E
 				Surface roughness of machined surfaces unless otherwise specified 3,2 Ra (maximum standard) 1,6 Ra (fitting typical)
				Size A4
				Partnumber: CELIN-00-01-15
Number of sheets: 1 of 1				

This drawing may not be used for commercial purposes without written authorisation








Doorsnede A-A



16	1	instelspil	CuSn	.			
Item	Qty	Partname	Material	Partnumber/Remarks			
<div>Physics of Cellular Interactions</div> <div>00 Varia-Slow spinner</div>					Date	Name	
				DRN	07-03-2018	DJS	
				PRD	08-10-2020	H.Boluijt	
scale: 1:1		<div>0<div></div>50</div>		<div></div> <div>Dim.in mm</div>	General tolerances unless otherwise specified ISO-2768-FH-E	Geometrical tolerances unless otherwise specified ISO-8015-E	Surface roughness of machined surfaces unless otherwise specified 3,2 Ra (maximum standard 1,6 Ra (fitting typical)
<div></div>				Size A4	Partnumber: CELIN-00-01-16		
				Number of sheets: 1 of 1			




This drawing may not be used for commercial purposes without written authorisation






17	1	instelarm	AI6082	.		
Item	Qty	Partname	Material	Partnumber/Remarks		
<div>Physics of Cellular Interactions</div> <div>00 Varia-Slow spinner</div>					Date	Name
				DRN	07-03-2018	DJS
				PRD	08-10-2020	H.Boluijt
				General tolerances unless otherwise specified ISO-2768-fH-E		Geometrical tolerances unless otherwise specified ISO-8015-E
scale: 2:1		0 <div><div></div><div></div><div></div><div></div><div></div></div> 25		<div></div> <div>Dim.in mm</div>		
<div></div>				Size	Partnumber:	
				A4	CELIN-00-01-17	
				Number of sheets: 1 of 1		

This drawing may not be used for commercial purposes without written authorisation


General tolerances unless otherwise specified	Geometrical tolerances unless otherwise specified	Surface roughness of machined surfaces unless otherwise specified
ISO-2768-FH-E	ISO-8015-E	3,2 Ra (maximum standard) 1,6 Ra (fitting typical)






This drawing may not be used for commercial purposes without written authorisation



19	1	capillairklemwartel	RVS304	.				
Item	Qty	Partname	Material	Partnumber/Remarks				
<div>Physics of Cellular Interactions</div> <div>00 Varia-Slow spinner</div>					Date	Name		
				DRN	07-03-2018	DJS		
				PRD	08-10-2020	H.Boluijt		
scale: 2:1		<div>0<div></div>25</div>		<div></div> <div>Dim.in mm</div>		General tolerances unless otherwise specified ISO-2768-fH-E	Geometrical tolerances unless otherwise specified ISO-8015-E	Surface roughness of machined surfaces unless otherwise specified 3,2 Ra (maximum standard 1,6 Ra (fitting typical))
<div></div>				Size A4	Partnumber: CELIN-00-01-19			
				Number of sheets: 1 of 1				




General tolerances unless otherwise specified ISO-2768-FH-E	Geometrical tolerances unless otherwise specified ISO-8015-E	Surface roughness of machined surfaces unless otherwise specified 3,2 Ra (maximum standard) 1,6 Ra (fitting typical)
--	---	--






Doorsnede A-A

22	1	capillair klem houder	RVS304			
Item	Qty	Partname	Material	Partnumber/Remarks		
<div>Physics of Cellular Interactions</div> <div>00 Varia-Slow spinner</div>					Date	Name
				DRN	07-03-2018	DJS
				PRD	08-10-2020	H.Boluijt
				General tolerances unless otherwise specified ISO-2768-fH-E		Geometrical tolerances unless otherwise specified ISO-8015-E
scale: 2:1		0 <div><div></div><div></div><div></div><div></div><div></div></div> 25		<div></div> <div>Dim in mm</div>		
<div></div> <div></div>				Size	Partnumber:	
				A3	CELIN-00-01-22	
				Number of sheets: 1 of 1		







28	1	drukhouder	RVS304	.		
Item	Qty	Partname	Material	Partnumber/Remarks		
<div>Physics of Cellular Interactions</div> <div>00 Varia-Slow spinner</div>					Date	Name
				DRN	07-03-2018	DJS
				PRD	08-10-2020	H.Boluijt
scale: 1:1		<div>050</div>		<div></div> <div>Dim.in mm</div>		
<div></div> <div></div>				General tolerances unless otherwise specified ISO-2768-FH-E	Geometrical tolerances unless otherwise specified ISO-8015-E	Surface roughness of machined surfaces unless otherwise specified 3,2 Ra (maximum standard) 1,6 Ra (fitting typical)
				Size A4	Partnumber: CELIN-00-01-28	
				Number of sheets: 1 of 1		



This drawing may not be used for commercial purposes without written authorisation






Doorsnede A-A



30	1	as	RVS304				
Item	Qty	Partname	Material	Partnumber/Remarks			
<div>Physics of Cellular Interactions</div> <div>00 Varia-Slow spinner</div>					Date	Name	
				DRN	07-03-2018	DJS	
				PRD	08-10-2020	H.Boluijt	
scale: 1:1		<div>0<div></div>50</div>		<div><div>Dim.in mm</div></div>			
<div></div>				General tolerances unless otherwise specified ISO-2768-fH-E		Geometrical tolerances unless otherwise specified ISO-8015-E	Surface roughness of machined surfaces unless otherwise specified 3,2 Ra (maximum standard) 1,6 Ra (fitting typical)
				Size A3		Partnumber: CELIN-00-01-30	
				Number of sheets: 1 of 1			







Doorsnede A-A

33	1	kogellagerbus	Ms			
Item	Qty	Partname	Material	Partnumber/Remarks		
<div>Physics of Cellular Interactions</div> <div>00 Varia-Slow spinner</div>					Date	Name
				DRN	25-06-2018	DJS
				PRD	08-10-2020	H.Boluijt
				General tolerances unless otherwise specified ISO-2768-fH-E		Geometrical tolerances unless otherwise specified ISO-8015-E
scale: 1:1		<div>050</div>		<div></div> <div>Dim in mm</div>		
<div></div> <div></div>				Size	Partnumber:	
				A4	CELIN-00-01-33	
				Number of sheets: 1 of 1		




This drawing may not be used for commercial purposes without written authorisation





35	1	lagerhuis	AI6082	.		
Item	Qty	Partname	Material	Partnumber/Remarks		
<div>Physics of Cellular Interactions</div> <div>00 Varia-Slow spinner</div>				<div></div> <div>Date</div> <div>Name</div>		
				DRN	07-03-2018	DJS
				PRD	08-10-2020	H.Boluijt
<div>scale: 1:1</div>		<div>0</div> <div></div> <div></div> <div></div> <div></div> <div>50</div>	<div></div> <div>Dim.in mm</div>	<div>General tolerances unless otherwise specified</div> <div>ISO-2768-fH-E</div>	<div>Geometrical tolerances unless otherwise specified</div> <div>ISO-8015-E</div>	<div>Surface roughness of machined surfaces unless otherwise specified</div> <div>3,2 Ra (maximum standard) 1,6 Ra (fitting typical)</div>
<div></div> <div></div>				<div>Size</div> <div>A3</div>	<div>Partnumber:</div> <div>CELIN-00-01-35</div>	
				<div>Number of sheets: 1 of 1</div>		






Doorsnede A-A







36	1	motorflens	Al6082	.				
Item	Qty	Partname	Material	Partnumber/Remarks				
<div>Physics of Cellular Interactions</div> <div>00 Varia-Slow spinner</div>					Date	Name		
				DRN	07-03-2018	DJS		
				PRD	08-10-2020	H.Boluijt		
scale: 1:1		<div>0<div></div>50</div>		<div><div><div></div><div></div></div><div>Dim in mm</div></div>				
<div><div><div></div><div></div></div><div>AMOLF</div></div> <div><div></div><div></div></div>				General tolerances unless otherwise specified ISO-2768-fH-E		Geometrical tolerances unless otherwise specified ISO-8015-E	Surface roughness of machined surfaces unless otherwise specified 3,2 Ra (maximum standard) 1,6 Ra (fitting typical)	
				Size			Partnumber:	
				A3		CELIN-00-01-36		
				Number of sheets: 1 of 1				




40	1	bovenkant	AI6082	.		
Item	Qty	Partname	Material	Partnumber/Remarks		
<div>Physics of Cellular Interactions</div> <div>00 Varia-Slow spinner</div>					Date	Name
				DRN	15-05-2019	DJS
				PRD	08-10-2020	H.Boluijt
				General tolerances unless otherwise specified ISO-2768-fH-E		Geometrical tolerances unless otherwise specified ISO-8015-E
scale: 1:1		<div>050</div>		<div></div> <div>Dim.in mm</div>		
<div></div> <div></div>				Size A4	Partnumber: CELIN-00-01-40	
				Number of sheets: 1 of 1		

This drawing may not be used for commercial purposes without written authorisation




42	1	achterwand	AI6082	.		
Item	Qty	Partname	Material	Partnumber/Remarks		
<div>Physics of Cellular Interactions</div> <div>00 Varia-Slow spinner</div>					Date	Name
				DRN	15-05-2019	DJS
				PRD	08-10-2020	H.Boluijt
				General tolerances unless otherwise specified ISO-2768-fH-E		Geometrical tolerances unless otherwise specified ISO-8015-E
scale: 1:1		<div>050</div>		<div></div> <div>Dim.in mm</div>		
<div></div> <div></div>				Size	Partnumber:	
				A4	CELIN-00-01-42	
Number of sheets: 1 of 1						


This drawing may not be used for commercial purposes without written authorisation








Doorsnede A-A



DETAIL C
SCHAAL 2:1




43	1	frontpanel	AI6082	.		
Item	Qty	Partname	Material	Partnumber/Remarks		
<div>Physics of Cellular Interactions</div> <div>00 Varia-Slow spinner</div>					Date	Name
				DRN	15-05-2019	DJS
				PRD	08-10-2020	H.Boluijt
				General tolerances unless otherwise specified ISO-2768-fH-E		Geometrical tolerances unless otherwise specified ISO-8015-E
scale: 1:1		<div><div>0</div><div></div><div></div><div></div><div></div><div>50</div></div>		<div></div> <div>Dim.in mm</div>		
<div></div> <div></div>				Size	Partnumber:	
				A3	CELIN-00-01-43	
				Number of sheets: 1 of 1		









44	1	vulring knop	POM	.
Item	Qty	Partname	Material	Partnumber/Remarks
Physics of Cellular Interactions 00 Varia-Slow spinner				Date
				Name
				DRN
				PRD
scale: 1:1		0 50 		General tolerances unless otherwise specified ISO-2768-FH-E
		 Dim.in mm		Geometrical tolerances unless otherwise specified ISO-8015-E
				Surface roughness of machined surfaces unless otherwise specified 3,2 Ra (maximum standard) 1,6 Ra (fitting typical)
			Size	Partnumber:
			A4	CELIN-00-01-44
Number of sheets: 1 of 1				

This drawing may not be used for commercial purposes without written authorisation



This drawing may not be used for commercial purposes without written authorisation

45	1	venster	PMMA	helder			
Item	Qty	Partname	Material	Partnumber/Remarks			
<div>Physics of Cellular Interactions</div> <div>00 Varia-Slow spinner</div>					Date	Name	
				DRN	15-05-2019	DJS	
				PRD	08-10-2020	H.Boluijt	
scale: 1:1		<div>050</div>	<div></div> <div>Dim in mm</div>	General tolerances unless otherwise specified ISO-2768-FH-E		Geometrical tolerances unless otherwise specified ISO-8015-E	Surface roughness of machined surfaces unless otherwise specified 3,2 Ra (maximum standard) 1,6 Ra (fitting typical)
<div></div> <div></div>				Size A4	Partnumber: CELIN-00-01-45		
				Number of sheets: 1 of 1			

47	2	elektronica wand	AI6082	.		
Item	Qty	Partname	Material	Partnumber/Remarks		
<div>Physics of Cellular Interactions</div> <div>00 Varia-Slow spinner</div>					Date	Name
				DRN	15-05-2019	DJS
				PRD	08-10-2020	H.Boluijt
				General tolerances unless otherwise specified ISO-2768-fH-E		
scale: 1:1		<div><div>0</div><div></div><div></div><div></div><div></div><div>50</div></div>		<div></div> <div>Dim.in mm</div>		
<div></div> <div></div>				Size	Partnumber:	
				A3	CELIN-00-01-47	
Number of sheets: 1 of 1						