

2012

6 4 24

1 4

A $\sqrt{9}$

B $\sqrt[3]{8}$

C $\frac{\pi}{2}$

D 3.3030030003

2 4

A

B

C

D

3 4 a^2b^3 $6(2a+4b)$

A 3

B 2

C 1

D 0

4 4

A

B

C

D

5 4

36° 38° 38° 39° 40° 40° 41° 41° 41° 41°

42° 43° 44°

A 40° 40°

B 41° 40°

C 40° 41°

D 41° 41°

6 4

A

B

C

D

12 4 48

7 4 $3a \cdot 2a^2$ _____

8 4 $\sin 60^{\circ} \tan 30^{\circ}$ _____

9 4 $y = \sqrt{3x+6}$ _____


10 4 $x^2 - 3x + m = 0$ m _____

11 4 $y = x^2 - 3$ _____

12 4 1 0.000 000 001 0.4

4×10^n n _____

13 4 AB $i = 1$ 4 $AC = 2$ BC _____



14 4 $y=kx+b$ $k \neq 0$ x y

x	...	2	1	0	1	2	...
y	...	8	5	2	1	4	...

x $kx+b \geq 1$ _____

15 4 G $\triangle ABC$ $\overrightarrow{AB}=\vec{a}$ $\overrightarrow{AC}=\vec{b}$ $\overrightarrow{BG}=\vec{a}+\vec{b}$ _____


16 4 6000 600

	40 50	50 60	60 70	70 80	80 90	90 100
	12	18	180			
					0.16	0.04

70 80 _____


17 4 $ABCD$ $AB=2$ $BC=4$ A B y x C $\angle OAB$

30° C _____



18 4 $ABCD$ $AB=3$ $\angle A=60^\circ$ E CB $BE=1$ AE DB O

DO _____




□□□□□□□□□□ 7 □□□□ 78 □□

19 10 $\frac{m^2-m-6}{m^2-m-2} \div \frac{m+2}{m+1} - \frac{m}{m-2}$

20 10 $\triangle AOB$ $A(1,0)$ B y $OB=2OA$

1 B


2 $\triangle AOB$ O 90° B x B' $y = ax^2 + bx + 2$ A B'



21 10 AC BD O $\angle D = \angle B$ AB = 2CD

1 $\triangle COD \sim 9 \triangle AOB$

2 AD $\triangle AOB \sim 16 \triangle ACD$




22 10 “ ” “ ” 240

10 2

23 12 ABCD AD = CD AC $\angle DAB = \angle ACB$ $\angle B = 60^\circ$

1 ABCD

2 AB E DE DEBC



24 12 $y = \frac{k}{x}$ $y = -\frac{k}{x}$ $k \neq 0$ y $y = \frac{k}{x}$ $y = -\frac{k}{x}$ $k \neq 0$ “ ”


$y = f(x)$ $y = h(x)$ y $y = f(x)$ $y = h(x)$ “ ”

1 $y = 3x - 4$ “ ” _____

2 _____ “ ” $y = x^2 - 2x + 3$

3 “ ” $y = -\frac{2}{x} \ (x > 0)$ $y = -\frac{2}{x} \ (x < 0)$ $A \ B \ C \ CB \ AB \ 1 \ 2$

$C \ y = -\frac{2}{x} \ (x < 0)$ “ ” $\frac{1}{2} \ B$



25 14 $\text{Rt}\triangle ABC \ \angle C = 90^\circ \ AC = 6 \ \sin B = \frac{3}{5} \odot B \ 1 \odot B \ CB \ P \ O$

AB

1 1 $\odot B \ P \ 180^\circ \odot M \odot M \ AB$

2 2 1 $\triangle OMP \ OA$

3 3 $N \ BC \ NB \ \odot N \ OA \ \odot O \ NB \ y \ OA \ x \ y \ x$




图 1




图 2




图 3

$$\textcircled{2} \qquad \qquad \qquad \textcircled{3} \quad \pi$$

③ π

 π

B

C

D

R5

180

3 4 a 2b 3 6 2a+4b

A 3 B 2 C 1 D 0

33

36

6 2a+4b 6 2 a 2b

∴a 2b 3

∴6 2a+4b

6 2 a 2b

6 2×3

0

D

a 2b

4 4

A B C D

X2

A 1

B

C 1

D 1

B

1 0

0 1

5 4 36 38 38 39 40 40 41 41 41 41

42 43 44

A 40 40 B 41 40 C 40 41 D 41 41

W4 W5

$$\frac{\sqrt{3}}{2} \frac{\sqrt{3}}{3}$$

$$\frac{3\sqrt{3}}{6} \frac{2\sqrt{3}}{6}$$

$$\frac{\sqrt{3}}{6}$$

$$\frac{\sqrt{3}}{6}$$

$$\sin 60^\circ \frac{\sqrt{3}}{2} \tan 30^\circ \frac{\sqrt{3}}{3}$$

$$9 \quad 4 \quad y = \sqrt{3x+6} \quad \underline{x \geq -2}$$

E4

$$3x+6 \geq 0$$

$$x \geq -2$$

$$x \geq -2$$

1

2 0

3

$$10 \quad 4 \quad x^2 - 3x + m = 0 \quad m = -\frac{9}{4}$$

AA

$$x^2 - 3x + m = 0 \quad \Delta = b^2 - 4ac = 0 \quad 9 - 4m = 0$$

$$\therefore x^2 - 3x + m = 0$$

$$\therefore \Delta = b^2 - 4ac = 3^2 - 4 \times 1 \times m = 9 - 4m = 0$$

$$m = \frac{9}{4}$$

$$\frac{9}{4}$$

$$ax^2 + bx + c = 0 \quad a \neq 0 \quad \Delta = b^2 - 4ac$$

$$\textcircled{1} \quad \Delta = 0$$

$$\textcircled{2} \quad \Delta = 0$$

$$\textcircled{3} \quad \Delta = 0$$

$$11 \quad 4 \quad y = x^2 - 3 \quad 2 \quad 3 \quad \underline{y = x + 2}^2$$

H6

2B

“ ”

$$“ ” \quad y \cdot x^2 \cdot 3 \quad 2 \quad y \cdot x+2 \cdot ^2 \cdot 3$$

$$“ ” \quad y \cdot x+2 \cdot ^2 \cdot 3 \quad 3 \quad y \cdot x+2 \cdot ^2$$

$$y \cdot x+2 \cdot ^2$$

$$12 \cdot 4 \quad 1 \quad 0.000 \, 000 \, 001 \quad 0.4$$

$$4 \times 10^n \quad n \quad \underline{10}$$

$$1J \quad -$$

$$0.4 \quad 0.4 \times 0.000 \, 000 \, 001 \quad 1 \quad a \times 10$$

$$n \quad 0$$

$$\div 1 \quad 0.000 \, 000 \, 001$$


$$\therefore 0.4 \quad 0.4 \times 0.000 \, 000 \, 001 \quad 4 \times 10^{10}$$

$$\therefore 4 \times 10^n \quad n \quad 10$$

$$10$$

$$a \times 10^{-n} \quad 1 \leq |a| < 10^{-n} \quad 0$$

$$13 \cdot 4 \quad AB \quad i \cdot 1 \cdot 4 \quad AC \cdot 2 \quad BC \quad \underline{8}$$



T9

$$\therefore i \quad AC \cdot BC \cdot 2 \cdot BC \cdot 1 \cdot 4$$

$$\therefore BC \cdot 8$$

$$8$$

$$14 \cdot 4 \quad y \cdot kx+b \quad k \neq 0 \quad x \cdot y$$

x	...	2	1	0	1	2	...
y	...	8	5	2	1	4	...

$$x \quad kx+b \geq 1 \quad \underline{x \leq 1}$$

FD

$$y \quad 1 \quad x$$

$$x \quad 1 \quad y \quad 1$$

$$y \quad x$$

$$\therefore kx+b \geq 1 \quad x \leq 1$$

$$x \leq 1$$

$$15 \quad 4 \quad G \quad \triangle ABC \quad \overrightarrow{AB} = \vec{a} \quad \overrightarrow{AC} = \vec{b} \quad \overrightarrow{BG} = \frac{1}{3}\vec{a} + \frac{2}{3}\vec{b}$$

LM *

$$\overrightarrow{AB} = \vec{a} \quad \overrightarrow{AC} = \vec{b} \quad \overrightarrow{BD} = \frac{1}{2}\vec{b} + \frac{1}{2}\vec{a} \quad G \quad \triangle ABC$$

$$\overrightarrow{BG}$$

$$\overrightarrow{BD} \quad \triangle ABC$$

$$\because \overrightarrow{AC} = \vec{b}$$

$$\therefore \overrightarrow{AD} = \frac{1}{2}\vec{b}$$


$$\because \overrightarrow{AB} = \vec{a}$$

$$\therefore \overrightarrow{BD} = \overrightarrow{AD} + \overrightarrow{AB} = \frac{1}{2}\vec{b} + \vec{a}$$

$$\because G \quad \triangle ABC$$

$$\therefore \overrightarrow{BG} = \frac{2}{3}\overrightarrow{BD} = \frac{2}{3} \times \left(\frac{1}{2}\vec{b} + \vec{a} \right) = \frac{1}{3}\vec{b} + \frac{2}{3}\vec{a}$$

$$\frac{1}{3}\vec{b} + \frac{2}{3}\vec{a}$$



$$16 \quad 4$$

$$6000$$

$$600$$

	40 50	50 60	60 70	70 80	80 90	90 100
	12	18	180			
					0.16	0.04

70 80 2700

V5

V7

40 70

70 80

70 80

40 70 $12+18+180 \div 600 \quad 0.35$


70 80 $1 \quad 0.35 \quad 0.16 \quad 0.04 \quad 0.45$

70 80 $6000 \times 0.45 \quad 2700$

2700

17 4 $ABCD \quad AB=2 \quad BC=4 \quad A \quad B \quad y \quad x \quad C \quad \angle OAB$

30° $C \quad \frac{1+2\sqrt{3}}{2}$



D5

LB

17

30° $OB \quad C \quad CE \perp x \quad E \quad \angle CBE$

30° $Rt\triangle BCE \quad CE=BE \quad OE$

$\therefore \angle ABC = \angle OAB = 30^\circ$

$\therefore OB = \frac{1}{2}AB = 1$

$ABCD \quad \angle ABC = 90^\circ$

$\therefore \angle OAB + \angle ABO = 90^\circ \quad \angle ABO + \angle CBE = 90^\circ$

$\therefore \angle CBE = \angle OAB = 30^\circ$


$C \quad CE \perp x \quad E$

$$\text{Rt}\triangle BCE \quad CE = \frac{1}{2}BC = \frac{1}{2} \times 4 = 2 \quad BE = \sqrt{BC^2 - CE^2} = \sqrt{4^2 - 2^2} = 2\sqrt{3}$$

$$\therefore OE = OB + BE = 1 + 2\sqrt{3}$$

$$\therefore C = \frac{1 + 2\sqrt{3}}{2}$$


$$\frac{1 + 2\sqrt{3}}{2}$$



$$30^\circ$$


$$18 \quad 4 \quad ABCD \quad AB = 3 \quad \angle A = 60^\circ \quad E \quad CB \quad BE = 1 \quad AE \quad DB \quad O$$

$$DO = \frac{9}{4} - \frac{9}{2}$$



L8

$$\textcircled{1} \quad \triangle BOE \sim \triangle DOA \quad DO \quad \textcircled{2} \quad \triangle BEO \sim \triangle DAO$$




$$\because AB \parallel AD \quad \angle A = 60^\circ$$

$$\therefore \triangle ABD \quad BD = AB = 3$$

$$\triangle BOE \sim \triangle DOA$$

$$\therefore \frac{BO}{OD} = \frac{BE}{AD} = \frac{1}{3}$$

$$DO = \frac{3}{4}BD = \frac{9}{4}$$



$$BO \times$$

$$\because \triangle BOE \sim \triangle DOA$$

$$\therefore \frac{BO}{OD} = \frac{BE}{AD} = \frac{1}{3}$$

$$BO \times \frac{x}{x+3} = \frac{1}{3}$$

$$x = \frac{3}{2}$$

$$OD = OB + BD = \frac{3}{2} + 3 = \frac{9}{2}$$

$$DO = \frac{9}{4} = \frac{9}{2}$$

□□□□□□□□□□ 7 □□□□ 78 □□

$$19 - 10 = \frac{m^2 - m - 6}{m^2 - m - 2} \div \frac{m + 2}{m + 1} - \frac{m}{m - 2}$$

6C

11

$$\frac{(m-3)(m+2)}{(m-2)(m+1)} \times \frac{m+1}{m+2} = \frac{m}{m-2}$$


$$\frac{m-3}{m-2} = \frac{m}{m-2}$$

$$\frac{3}{m-2}$$

20 10 $\triangle AOB$ A 1 0 B y OB 2OA

1 B

2 $\triangle AOB$ O 90° B x B' y ax^2+bx+2 A B'



H8

R7

1

1 A OA OB

2 B'

$1 \div A$ 1 0

$\therefore OA$ 1

$\therefore OB$ $2OA$

$\therefore OB$ 2

$\therefore B$ 0 2


2 B' 2 0

$$\begin{cases} a-b+2=0 \\ 4a+2b+2=0 \end{cases}$$

$$\begin{cases} a=-1 \\ b=1 \end{cases}$$

$$y = x^2+x+2$$

$$x = \frac{b}{2a} = \frac{1}{2 \times (-1)} = -\frac{1}{2}$$




B'

$$21 \quad 10 \quad AC \quad BD \quad O \quad \angle D \quad \angle B \quad AB \quad 2CD$$

$$1 \quad \triangle COD \quad 9 \quad \triangle AOB$$

$$2 \quad AD \quad \triangle AOB \quad 16 \quad \triangle ACD$$



S9

$$1 \quad \triangle COD \sim \triangle AOB \quad \triangle AOB$$

$$2 \quad 1 \quad \frac{S_{\triangle COD}}{S_{\triangle AOB}} = \left(\frac{CD}{AB}\right)^2 = \frac{1}{4} \quad S_{\triangle COD} = 4 \quad \triangle ADC \quad AC \quad h \quad \triangle ADO \quad \triangle DOC$$

$$AO \quad CO \quad h \quad S_{\triangle AOD} = 8 \quad \triangle ACD$$

$$1 \because \angle D \quad \angle B \quad \angle DOC \quad \angle BOA$$

$$\therefore \triangle COD \sim \triangle AOB$$

$$\therefore \frac{C_{\triangle COD}}{C_{\triangle AOB}} = \frac{CD}{AB} = \frac{CD}{2CD} = \frac{1}{2}$$

$$\therefore C_{\triangle COD} = 9$$

$$\therefore C_{\triangle AOB} = 18$$

$$2 \because \triangle COD \sim \triangle AOB$$

$$\therefore \frac{AO}{CO} = \frac{AB}{CD} = 2 \quad \frac{S_{\triangle COD}}{S_{\triangle AOB}} = \left(\frac{CD}{AB}\right)^2 = \frac{1}{4}$$

$$\therefore S_{\triangle AOB} = 16$$

$$\therefore S_{\triangle COD} = 4$$

$$\triangle ADC \quad AC \quad h$$

$$\therefore \frac{S_{\triangle ADO}}{S_{\triangle COD}} = \frac{\frac{1}{2}AO \cdot h}{\frac{1}{2}CO \cdot h} = \frac{AO}{CO} = 2$$

$$\therefore S_{\triangle AOD} = 8$$

$$\therefore S_{\triangle ADC} = S_{\triangle COD} + S_{\triangle AOD} = 12$$

$$22 - 10 = \text{“ ”} \qquad \qquad \qquad \text{“ ”} \qquad \qquad \qquad 240$$

$$\qquad \qquad \qquad 10 \qquad \qquad \qquad 2$$

$$B7$$

$$126$$

$$\qquad \qquad \qquad 240 \qquad \qquad \qquad 240 \qquad \qquad \qquad 2$$

$$\qquad \qquad \qquad x \qquad \qquad \qquad x - 10$$

$$\frac{240}{x-10} - \frac{240}{x} = 2$$

$$x^2 - 10x - 1200 = 0$$

$$x - 40 \quad x + 30 = 0$$

$$x_1 = 40 \quad x_2 = -30$$

$$\qquad \qquad \qquad x_1 = 40 \quad x_2 = -30 \qquad \qquad \qquad x_2 = -30$$


$$\qquad \qquad \qquad 40$$

$$\qquad \qquad \qquad 240 \qquad \qquad \qquad 240$$

$$23 - 12 \qquad \qquad \qquad ABCD \quad AD \parallel CD \parallel AC \quad \angle DAB \quad AC \perp BC \quad \angle B = 60^\circ$$

$$1 \qquad \qquad \qquad ABCD$$

$$2 \quad AB \quad E \quad DE \qquad \qquad \qquad DEBC$$



$$L9 \qquad \qquad \qquad LK$$

$$14$$

$$1 \qquad \qquad \qquad \angle DCA = \angle CAB$$

$$CD \parallel AB \qquad \qquad \qquad AD \parallel BC$$

2

DEBC

DEBC

1 $CD \parallel BC$

1 $\therefore AD \parallel CD$

$\therefore \angle DCA = \angle DAC$

$\because AC \perp \angle DAB$

$\therefore \angle DAC = \angle CAB$

$\therefore \angle DCA = \angle CAB$

$\therefore DC \parallel AB$

$\text{Rt}\triangle ACB \quad \angle ACB = 90^\circ \quad \angle B = 60^\circ$

$\therefore \angle CAB = 30^\circ$

$\therefore \angle DAC = 30^\circ$

$\therefore \angle DAB = 30^\circ + 30^\circ = 60^\circ = \angle B$

$\therefore AD \parallel BC$

$\because \angle B + \angle DAB = 60^\circ + 60^\circ = 120^\circ \neq 180^\circ$

$\therefore AD \not\parallel BC \quad \dots 1$

$\therefore ABCD \quad \dots 1$

2 $1 \quad AD \parallel CD \parallel BC \parallel AD$

$\therefore BC \parallel CD$

$\text{Rt}\triangle ACB \quad \angle ACB = 90^\circ \quad \angle CAB = 30^\circ$

$\because BC = \frac{1}{2}AB = BE \quad 30^\circ$


$\therefore CD \parallel BE$

$\because DC \parallel AB$

$\therefore DEBC$

$\because BC \parallel CD$

$\therefore DEBC$



24 12 $y=\frac{k}{x}$ $y=-\frac{k}{x}$ $k \neq 0$ y $y=\frac{k}{x}$ $y=-\frac{k}{x}$ $k \neq 0$ “ ”


$y=f(x)$ $y=h(x)$ y $y=f(x)$ $y=h(x)$ “ ”

1 $y=3x+4$ “ ” $y=3x+4$

2 $y=x^2+2x+3$ “ ” $y=x^2+2x+3$

3 “ ” $y=\frac{2}{x}$ $x > 0$ $y=-\frac{2}{x}$ $x > 0$ $A B C$ $CB AB$ 1 2

C $y=\frac{2}{x}$ $x > 0$ “ ” $\frac{1}{2}$ B



GB

1 y k

2 $y=x^2+2x+3$ y x y $y=x^2+2x+3$ x^2+2x+3

3 $CC' BB' AA'$ x $B(m, \frac{2}{m})$ $A(n, \frac{2}{n})$ $A'B' n m B'C' m+\frac{1}{2}$

m

1 y

$y=3x+4$ “ ” $y=3x+4$

$y=3x+4$

2 $y=x^2+2x+3$ y x y

$y=x^2+2x+3$ x^2+2x+3

$y=x^2+2x+3$

3 $C CC'$ x C' $B BB'$ x B' $A AA'$ x A'

$$B(m, \frac{2}{m}) \quad A(n, \frac{2}{n}) \quad m > 0 \quad n > 0$$

$$C(-\frac{1}{2}, 4)$$

$$\therefore CC' = 4 \quad BB' = \frac{2}{m} \quad AA' = \frac{2}{n}$$

$$A'B' = n - m \quad B'C' = m + \frac{1}{2}$$

$$CC' \parallel BB' \parallel AA'$$

$$CB = AB = 1$$


$$\begin{cases} n - m = 2(m + \frac{1}{2}) \\ \frac{2}{m} - \frac{2}{n} = \frac{2}{3}(4 - \frac{2}{n}) \end{cases}$$

$$\begin{cases} n - 3m = 1 \\ \frac{1}{m} - \frac{1}{3n} = \frac{4}{3} \end{cases}$$

$$m = \frac{1 \pm \sqrt{10}}{6}$$

$$\therefore \frac{2}{m} = \frac{4\sqrt{10} - 4}{3}$$

$$\therefore B(\frac{1 + \sqrt{10}}{6}, \frac{4\sqrt{10} - 4}{3})$$



$$25 \quad 14 \quad \text{Rt}\triangle ABC \quad \angle C = 90^\circ \quad AC = 6 \quad \sin B = \frac{3}{5} \quad \odot B \quad 1 \quad \odot B \quad CB \quad P \quad O$$

$$AB$$

$$1 \quad 1 \quad \odot B \quad P \quad 180^\circ \quad \odot M \quad \odot M \quad AB$$

$$2 \quad 2 \quad 1 \quad \triangle OMP \quad OA$$

3 3 N BC NB ⊙N OA ⊙O NB y OA x y x




图 1




图 2




图 3

MR

15 16

1 M MD⊥AB D MB 2 sin∠B MD M

⊙M AB

2 1 MD MP OM MP △OMP ① OP MP ② OM OP

OA

3 NF BF OF ⊙N ⊙O ON x+y Rt△NFO

y x

1 ⊙M AB

Rt△ABC ∠ACB 90°

$$\because \sin B = \frac{AC}{AB} = \frac{3}{5} \quad AC = 6$$

$$\therefore AB = 10 \quad BC = \sqrt{AB^2 - AC^2} = \sqrt{10^2 - 6^2} = 8$$

M MD⊥AB D

$$\text{Rt} \triangle MDB \quad \angle MDB = 90^\circ \quad \sin B = \frac{MD}{MB} = \frac{3}{5}$$

$$\therefore MB = 2$$

$$\therefore MD = \frac{3}{5} \times 2 = \frac{6}{5} \quad 1$$

⊙M AB

$$2 \therefore MD = \frac{6}{5} \quad 1 \quad MP$$

$$\therefore OM \parallel MP$$

$$1^{\circ} \quad OP \perp MP \quad OP \perp MP \perp PB$$

$$\angle MOB = 90^{\circ}$$

$$\therefore \cos B = \frac{OB}{BM} = \frac{BC}{AB} = \frac{8}{10}$$

$$\therefore OB = \frac{8}{5}$$

$$\therefore OA = \frac{42}{5}$$

$$2^{\circ} \quad OM \perp OP \quad O \quad OE \perp BC \quad E$$

$$EB = EP + PB = \frac{1}{2} + 1 = \frac{3}{2}$$

$$\cos B = \frac{EB}{OB} = \frac{BC}{AB} = \frac{8}{10}$$

$$\therefore OB = \frac{15}{8}$$

$$\therefore OA = \frac{65}{8}$$

$$\triangle OMP \quad OA = \frac{42}{5} \quad \frac{65}{8}$$

$$3 \quad ON \quad N \quad NF \perp AB \quad F$$

$$\text{Rt} \triangle NFB \quad \angle NFB = 90^{\circ} \quad \sin B = \frac{3}{5}$$

$$NB = y \quad NF = \frac{3}{5}y \quad BF = \frac{4}{5}y$$

$$OF = 10 - x - \frac{4}{5}y$$

$$\therefore \odot N \quad \odot O$$

$$\therefore ON = x + y$$

$$\text{Rt} \triangle NFO \quad \angle NFO = 90^{\circ} \quad ON^2 = OF^2 + NF^2$$

$$(x+y)^2 = (10-x-\frac{4}{5}y)^2 + (\frac{3}{5}y)^2$$

$$y = \frac{250-50x}{x+40} \quad 0 < x < 5$$




图 3






图 1