

This version adds three lines under the title (a pointer to One coordinate up, where the corpus is now read) and carries one erratum; no formula, identity or measured value changes.

- (1) Three lines added under the title – READING UPDATE – pointing to One coordinate up (<https://osf.io/ujwc7> · DOI 10.17605/OSF.IO/UJWC7), the synthesis where the corpus is now read.
- (2) This paper is classed as a NOTE on the Observational Record shelf of the framework's Direct Documents page, under the short title "The Boundary Information Invariant".
- (3) ERRATUM, Section 2.2: the sentence "the mirror prime 73 structurally stable under perturbation of δ by $\pm 10^{-5}$ " does not hold as printed. $\rho = \delta \cdot G / (\delta - 14/3)$ has $d\rho/d\delta \approx -1.43 \times 10^4$, so a shift of 10^{-5} in δ moves ρ by about 0.14 and rewrites its continued fraction: at $\delta - 10^{-5}$ the convergents are 36/1, 37/1, 73/2, 2519/69; at $\delta + 10^{-5}$ they are 36/1, 145/4, 181/5, 326/9. The list 36/1, 73/2, 109/3, 400/11 is a property of ρ at the printed δ , which is known far beyond 10^{-5} . A correction line is added in place. Every other value re-computed 2026-09-11 at 50 digits (the three thresholds, the spacings, the shell table, the Landauer costs, the continued fraction of G): all stand.
- (4) WORDING, Section 1.3: "equals 1/2500 to 0.9 parts per million" is 0.9 ppm of the measured ratio 2.02014; from that five-decimal ratio the residual is 0.000398, which differs from the term 1/2500 itself by 0.46 % (the body's +0.000399 is the same residual from the fuller 2.020141). A bracket says so in place.

Prior version remains on OSF in the project's archive/ folder, named by its date.

This version corrects the Landauer-crossing framing in Section 2.4. The earlier text placed the crossing "between step 36 and step 37." The refined picture identifies THREE distinct thresholds that cluster in the 35–37 zone:

$n \cdot G = \ln 2$	at $n \approx 35.11$	(Landauer erasure cost – the crossing)
$n \cdot G = 1/\sqrt{2}$	at $n \approx 35.82$	(geometric damping)
$n \cdot G = 1/(2 \ln 2)$	at $n \approx 36.54$	(Shannon bound)

The Landauer crossing proper is the FIRST threshold, at $n = \ln(2)/G$, which sits between steps 35 and 36.

The exact algebraic identity $1/(2 \ln 2) - 1/\sqrt{2} = G/(2 \ln 2)$ is unchanged. It now describes the spacing between thresholds 2 and 3 (the $\sqrt{2}$ -to-Shannon gap), not the Landauer crossing itself.

A new Section 2.4.1 ("The Crossing Zone Self-Reference") adds three one-line proofs showing that the spacings Δn_{12} and Δn_{23} are exactly $1/\sqrt{2}$ and $1/(2 \ln 2)$, and that their ratio is exactly $1/K_{\text{AUD}}$.

A new sentence in Section 2.3 unifies the two 50-hinge layers: the offset $50 \cdot G - K_{\text{AUD}} = 51 \cdot G - 1$ is a single algebraic fact expressed in two ways.

Prior published versions remain on OSF file storage, renamed with the OLD- prefix and a date for traceability.

NOTE · The Boundary Information Invariant

THE BOUNDARY INFORMATION INVARIANT
OF QUADRATIC SYSTEMS

$\sqrt{2} \times \ln(2)$ across atoms, chaos, and cosmic distances

D. B. – Gap Geometry Project – March 2026

► READING UPDATE – 2026-09-16. No value in this paper is changed by this notice.
 How the corpus is now read: One coordinate up – <https://osf.io/ujwc7>
 DOI 10.17605/OSF.IO/UJWC7

ABSTRACT

Three mathematical ingredients – Gaussian smoothing ($\sqrt{2}$), binary distinction ($\ln 2$), and quadratic curvature – produce a sub-unity ceiling $K_{\text{AUD}} = \sqrt{2} \times \ln(2) \approx 0.980$ (the "Auditor Key" – a dimensionless bound on binary information density in quadratic systems, introduced in [3]). This document presents published data and exact algebraic relations that converge on the same three ingredients across independent domains: (1) cosmological distance ratios from the DESI DR2 survey; (2) the algebraic framework connecting these constants; (3) atomic electron shell structure reproducing the framework's landmarks through textbook quantum mechanics; (4) a condensed map of domains where the same pattern appears. All data is from published sources. All algebra is independently verifiable. The framework makes testable predictions for DESI DR3.

1. COSMIC DISTANCE RATIOS LAND ON FRAMEWORK CONSTANTS

The Dark Energy Spectroscopic Instrument (DESI) Collaboration published baryon acoustic oscillation (BAO) measurements from 14+ million galaxies and quasars across seven redshift bins in Phys. Rev. D 112, 083514 (2025); arXiv:2503.14738, Table IV. When ratios of transverse comoving distances (D_M/r_d) and isotropic distances (D_V/r_d) are computed between redshift bins using DESI's published values, the following numerical patterns emerge. These ratios are constructed by the present authors from the published table; DESI did not report them.

1.1 Two Independent $\sqrt{2}$ Hits in Transverse Distances

Redshift Pair	Measured Ratio	$\sqrt{2} = 1.41421$	Difference	Λ CDM Prediction
QSO ($z=1.484$) / LRG3+ELG1 ($z=0.934$)	1.41462 ± 0.0365	1.41421	+0.00041 (0.03%)	1.37651 (2.7% from $\sqrt{2}$)
Ly α ($z=2.330$) / ELG2 ($z=1.321$)	1.41235 ± 0.0253	1.41421	-0.00186 (0.13%)	1.39534 (1.3% from $\sqrt{2}$)

The standard cosmological model (Λ CDM with Planck parameters) predicts these ratios at 1.377 and 1.395 – not $\sqrt{2}$. The DESI data deviates from Λ CDM specifically in the direction of $\sqrt{2}$, landing within 0.03% and 0.13% of the geometric constant. Two independent tracer populations, two independent redshift ranges, same constant. (Recipe: 30.519/21.574 and 38.988/27.605, from Table IV rows for QSO, LRG3+ELG1, Ly α , ELG2.)

Statistical caution: ~ 30 pairwise ratios $\times \sim 6$ target constants = ~ 180 comparisons. Finding one close match in 180 tries at 0.03% is unusual but not definitive. However, finding $\sqrt{2}$ twice independently in the same observable (D_M) substantially reduces the look-elsewhere concern. Λ CDM does not predict $\sqrt{2}$ at these redshifts – it predicts 1.377 and 1.395. The data deviates from the standard model in a specific direction toward a specific constant. Testable prediction: DESI DR3 (smaller error bars) should preserve the $\sqrt{2}$ ratio within 0.1%. If it scatters away, the cosmic connection is noise.

1.2 Additional Framework Constants in DESI Ratios

Observable	Measured	Framework Target	Difference
$D_V(\text{LRG2}) / D_V(\text{BGS, Bright Galaxy Survey})$	2.02014	$2 + G = 2.01974$	+0.00040 (0.02%)
$D_V(\text{QSO}) / D_V(\text{LRG2})$	1.62382	$\phi = 1.61803$	+0.00578 (0.36%)

$$D_M/D_H \text{ at } z = 0.510 \quad 0.62146 \quad 1/\phi = 0.61803 \quad +0.00343 \text{ (0.55\%)}$$

Five numerical near-matches. Four framework constants ($\sqrt{2}$, ϕ , $1/\phi$, G). The constants appear not in the distance values themselves but in the ratios – in how distances at different cosmic epochs relate to each other. These are post-hoc observations from constructed ratios and require dedicated statistical testing to assess significance.

1.3 The 1/2500 Correction Echoes Across Scales

The residual of the D_V ratio after subtracting $(2 + G)$ is $+0.000399$ – which equals $1/2500$ to 0.9 parts per million [of the measured ratio 2.02014; from that five-decimal ratio the residual is 0.000398, 0.46 % under $1/2500$ itself – clarified 2026-09-11]. The residual of the D_M ratio after subtracting $\sqrt{2}$ is $+0.000406 \approx 1/2464 = 1/(2^5 \times 7 \times 11)$. The same correction scale (4×10^{-4}) appears independently in the gap scaling formula $p = 400/11 - 1/2500 - 1/939939$, where $1/2500 = 1/50^2$ is the leading H_+ -interior correction term. Three domains, same scale, same structure. The ratio of the two DESI residuals is $0.000399/0.000406 \approx 0.983$, within 0.26% of K_AUD itself.

2. THE ALGEBRAIC FRAMEWORK

The constants appearing in DESI ratios are connected by exact algebraic identities. The central constant K_AUD ("Auditor Key" [3]) combines the geometric embedding factor $\sqrt{2}$ with Shannon's binary information unit $\ln(2)$:

$$\begin{aligned} K_AUD &= \sqrt{2} \times \ln(2) = 0.980258143468547... \quad (\text{the ceiling}) \\ G &= 1 - K_AUD = \ln(e / 2^{\sqrt{2}}) = 0.019741856531452... \quad (\text{the gap, } \sim 2\%) \\ \text{Floor} &= 1/\phi = 0.618033988749894... \quad (\phi = \text{golden ratio}) \\ \text{Corridor} &= K_AUD - 1/\phi = 1/\phi^2 - G = 0.362224... \end{aligned}$$

The ceiling decomposes into a local boundary invariant and a global normalization (identified independently by GPT during cross-architecture review):

$$K_AUD = (\ln(2)/\sqrt{(2\pi)}) \times 2\sqrt{\pi} = 0.2765... \times 3.5449...$$

where $\ln(2)/\sqrt{(2\pi)} \approx 0.276$ is the information density at any Gaussian-smoothed binary boundary and $2\sqrt{\pi}$ is the Gaussian normalization converting boundary density to total capacity.

2.1 Binary Uniqueness

For $K(n) = \sqrt{n} \times \ln(n)$, the value $n = 2$ is the ONLY integer base $n \geq 2$ for which $K(n) < 1$. For $n = 3$: $K = 1.903$. For $n = 4$: $K = 2.773$. Binary is the unique non-trivial base where the information-geometric product stays below unity. This is geometric singularity, not convention.

2.2 The Gap Scaling Formula

Let $\delta \approx 4.6692$ denote Feigenbaum's universal period-doubling constant. The ratio p bridges the geometric gap G and the chaotic gap $(\delta - 14/3)$:

$$p = \delta \times G / (\delta - 14/3) = 400/11 - 1/2500 - 1/939939$$

The denominators encode the framework's prime hierarchy: $400 = 4^2 \times 5^2$ and 11 is the first prime outside H_+ closure. The correction terms: $2500 = 2^2 \times 5^4 = 50^2$ (H_+ -interior primes only); $939939 = 3 \times 7 \times 11 \times 13 \times 313$ (the full prime chain including boundary and intruder primes). The correction scale $1/2500 = 4 \times 10^{-4}$ reappears independently in DESI BAO residuals (Section 1.3).

The formula agrees with the definition to 4×10^{-14} . The convergents of p 's continued fraction are $36/1$, $73/2$, $109/3$, $400/11$ – with the mirror prime 73 structurally stable under perturbation of δ by $\pm 10^{-5}$.

Correction (2026-09-11): the stability claim does not hold. Since $dp/d\delta = -G \cdot (14/3)/(6 - 14/3)^2 \approx -1.43 \times 10^4$, a shift of 10^{-5} in δ moves p by about 0.14 and rewrites the continued fraction: at $\delta - 10^{-5}$ the convergents are 36/1, 37/1, 73/2, 2519/69; at $\delta + 10^{-5}$ they are 36/1, 145/4, 181/5, 326/9. The convergent list above is a property of p at the printed δ , which is known far beyond 10^{-5} ; no other statement in this paper depends on the sentence.

2.3 The 50^2 Hinge

The gap G 's continued fraction begins $[0; 50, 1, 1, 1, 7, \dots]$. The integer 50 is simultaneously: (a) the first CF denominator of G , (b) the electron shell capacity at $n = 5$ (quantum mechanics: $2 \times 5^2 = 50$), and (c) the square root of the first correction term denominator ($1/2500 = 1/50^2$) in the gap scaling formula.

Three independent mathematical objects – the gap's own fractional structure, the quantum mechanical shell formula, and the correction hierarchy of the gap scaling ratio – converge on the same integer. The same correction scale ($\approx 4 \times 10^{-4}$) appears in DESI BAO residuals (Section 1.3). No fitting was applied.

Layers (a) and the near-identity $50 \cdot G \approx K_{\text{AUD}}$ (the ceiling landmark in Section 3) are not two independent facts but one. By the defining identity $G = 1 - K_{\text{AUD}}$, the offset

$$50 \cdot G - K_{\text{AUD}} = 51 \cdot G - 1 \approx 0.00684 \quad [\text{algebraic identity}]$$

so the amount by which $50 \cdot G$ overshoots the ceiling is exactly the amount by which $51 \cdot G$ overshoots unity. The first-CF-denominator statement ($50 \approx 1/G$) and the ceiling-landmark statement ($50 \cdot G \approx K_{\text{AUD}}$) are the same algebraic fact expressed in two ways.

2.4 The Landauer Crossing

The tower's energetic staircase passes through a narrow zone where three distinct thresholds cluster between steps 35 and 37:

$$\begin{array}{lll} n \cdot G = \ln 2 & \text{at } n \approx 35.11 & (\text{the Landauer erasure cost}) \\ n \cdot G = 1/\sqrt{2} & \text{at } n \approx 35.82 & (\text{geometric damping}) \\ n \cdot G = 1/(2 \ln 2) & \text{at } n \approx 36.54 & (\text{the Shannon bound}) \end{array}$$

The Landauer crossing proper is the FIRST of these: the point at which the accumulated tower cost equals the thermodynamic cost of erasing one bit. It sits between steps 35 and 36, at $n = \ln(2)/G$ exactly. The earlier published placement ("step 36 $\rightarrow$ 37") conflated the Landauer crossing with the algebraic identity between thresholds 2 and 3; this section separates the two.

The spacing between the second and third thresholds is given by an exact algebraic identity – the $\sqrt{2}$ -to-Shannon gap identity:

$$1/(2 \ln 2) - 1/\sqrt{2} = G/(2 \ln 2) \quad [\text{exact identity}]$$

The cost of crossing from pure geometric damping to the Shannon bound is exactly one gap G denominated in Landauer bit-erasure units ($2 \ln 2 =$ the thermodynamic cost of erasing two bits). This is not a near-miss – it is an identity between framework constants. It means the gap is not merely a mathematical curiosity: it is the thermodynamic price of encoding binary information into geometric structure. Every act of binary distinction costs G in Landauer units, and the tower's staircase is the accounting of those costs.

The gap itself has a deeper algebraic identity in transcendence theory:

$$G = 1 - \sqrt{2} \times \ln(2) = \ln(e / 2^{\sqrt{2}}) \quad [\text{exact}]$$

G is the natural logarithm of the ratio $e / 2^{\sqrt{2}}$. The number $2^{\sqrt{2}}$ is proven transcendental by the Gelfond–Schneider theorem (1934). The gap measures the logarithmic distance between two of the most fundamental constants in number theory. It is not an arbitrary construction.

2.4.1 The Crossing Zone Self-Reference

Let the three threshold positions be

$$\begin{array}{lll} n_1 = \ln(2)/G & \text{(Landauer erasure cost)} & - n_1 \cdot G = \ln 2 \\ n_2 = 1/(G \cdot \sqrt{2}) & \text{(geometric damping)} & - n_2 \cdot G = 1/\sqrt{2} \\ n_3 = 1/(2 \cdot G \cdot \ln 2) & \text{(Shannon bound)} & - n_3 \cdot G = 1/(2 \ln 2) \end{array}$$

Their spacings are exact framework constants:

$$\Delta n_{12} = n_2 - n_1 = (1/\sqrt{2} - \ln 2) / G = 1/\sqrt{2} \quad [\text{exact}]$$

$$\Delta n_{23} = n_3 - n_2 = (1/(2 \ln 2) - 1/\sqrt{2}) / G = 1/(2 \ln 2) \quad [\text{exact}]$$

The ratio of the two spacings is itself a framework constant:

$$\Delta n_{23} / \Delta n_{12} = (1/(2 \ln 2)) / (1/\sqrt{2}) = \sqrt{2} / (2 \ln 2) = 1/K_{\text{AUD}} \quad [\text{exact}]$$

The spacing between damping and Shannon is exactly $1/K_{\text{AUD}}$ times the spacing between Landauer and damping. The crossing zone thus refers to itself through the same constant $K_{\text{AUD}} = \sqrt{2} \times \ln 2$ that bounds the entire tower.

Proof of Δn_{12} :

$$\begin{aligned} (1/\sqrt{2} - \ln 2) / G &= (1/\sqrt{2} - \ln 2) / (1 - \sqrt{2} \cdot \ln 2) \\ &= (1 - \sqrt{2} \cdot \ln 2) / (\sqrt{2} \cdot (1 - \sqrt{2} \cdot \ln 2)) \\ &= 1/\sqrt{2}. \end{aligned}$$

Proof of Δn_{23} : use the identity $1/(2 \ln 2) - 1/\sqrt{2} = G/(2 \ln 2)$ from Section 2.4 and divide by G ; the result is $1/(2 \ln 2)$ directly.

2.5 Reading the Tower in Physical Units

The tower is dimensionless because the three ingredients are dimensionless: $\sqrt{2}$ is a geometric ratio, $\ln(2)$ is an information measure, and quadratic curvature is a shape. The framework has no native units. When applied to a specific physical system, the appropriate physical constant provides the conversion. The RATIOS remain identical in every unit system – that is why the same framework appears across domains.

Tower Quantity	$\times$ Physical Constant	= Physical Quantity	Example
G (one gap)	$kT \ln(2)$	Landauer cost per gap	0.354 meV at 300K
nG (tower height)	(dimensionless)	Approach to framework constant	$50G \approx K_{\text{AUD}}$
$\Delta / kT \ln(2)$	(crystal field / Landauer)	Bit cost of d-transition	55 bits (hemoglobin)
$D_M(z_2)/D_M(z_1)$	(BAO distance ratio)	Cosmic ratio	$\sqrt{2}$ (DESI)

Binary is not a choice of convention. It is the unique integer base where $K(n) = \sqrt{n} \times \ln(n) < 1$. The framework works in binary because binary is where the sub-unity ceiling exists. Other bases produce $K(n) > 1$ and no bounded organizational structure appears. The tower describes the structure of relationships; the units describe which system you are looking at.

3. ATOMIC STRUCTURE REPRODUCES THE TOWER

The Schrödinger equation with Pauli exclusion gives electron shell capacities of $2n^2$. These standard quantum mechanical results land on the framework's landmarks:

Shell (n)	Capacity $2n^2$	Tower Value nG	Framework Landmark	Relative Difference
3	18	$18G = 0.3554$	$\sqrt{2}/4 = 0.3536$ (Romeo optimum)	+0.51%
4	32	$32G = 0.6317$	$1/\phi = 0.6180$ (Floor)	+2.22%
5	50	$50G = 0.9871$	$K_{\text{AUD}} = 0.9803$ (Ceiling)	+0.70%

Shell transition gaps $\Delta = 4n + 2$ produce the framework's primes in sequence: $\Delta(1 \rightarrow 2) = 6 = 2 \times 3$, $\Delta(2 \rightarrow 3) = 10 = 2 \times 5$, $\Delta(3 \rightarrow 4) = 14 = 2 \times 7$,

$\Delta(4\rightarrow5) = 18 = 2 \times 3^2$, $\Delta(5\rightarrow6) = 22 = 2 \times 11$, $\Delta(6\rightarrow7) = 26 = 2 \times 13$. The primes 3, 5, 7, 11, 13 emerge from the shell transition formula without framework input.

3.1 The Orbital Hierarchy: Where $\sqrt{2}$ Enters Physics

Every electron orbital has angular momentum $L = \hbar\sqrt{\ell(\ell+1)}$, where ℓ is the orbital quantum number. This is textbook quantum mechanics (Schrödinger 1926). The exact values are:

Orbital	ℓ	$L = \hbar\sqrt{\ell(\ell+1)}$	Decomposition	Role in Framework
s	0	0	– (no angular momentum)	No barrier. Electron touches nucleus.
p	1	$\hbar\sqrt{2}$	$\sqrt{2}$ alone	THE geometric ingredient, exact.
d	2	$\hbar\sqrt{6} = \hbar\sqrt{2} \times \sqrt{3}$	geometry $\times$ structure	Both ingredients combined.
f	3	$\hbar\sqrt{12} = 2\hbar\sqrt{3}$	$2 \times$ structure	Binary $\times$ structure, $\sqrt{2}$ absent.

The p-electron carries exactly $\hbar\sqrt{2}$ – the geometric ingredient, pure. The d-electron carries $\hbar\sqrt{2} \times \sqrt{3}$ – geometry multiplied by structure. The f-electron carries $2\hbar\sqrt{3}$ – binary times structure, with $\sqrt{2}$ absent. The ratio $L_f / L_d = \sqrt{2}$ exactly. Each orbital type is a different combination of the framework's ingredients, expressed in the angular momentum that every electron of that type carries.

This is not interpretation. These are the eigenvalues of the angular momentum operator in standard quantum mechanics, measured in every spectroscopy laboratory on Earth since the 1920s.

3.2 The Self-Generated Gap

Each electron with $\ell > 0$ generates a centrifugal barrier: $V_{cf} = \hbar^2 \ell(\ell+1) / (2mr^2)$. This barrier creates a region of space near the nucleus that the electron cannot access – a gap. The gap is not imposed from outside. It is created by the electron's own angular momentum. The act of being organized (having angular momentum) produces the breathing room.

For the s-electron ($\ell = 0$): no barrier. The electron touches the nucleus. No gap. For the p-electron ($\ell = 1$): barrier proportional to $\sqrt{2}$. For the d-electron ($\ell = 2$): barrier proportional to $\sqrt{6} = \sqrt{2} \times \sqrt{3}$. The d-electron gap is exactly $3 \times$ the p-electron gap at the same radius. More organization $\rightarrow$ larger gap. The system makes its own breathing room by the act of being organized.

This is the physical mechanism behind the abstract framework: the gap is not a mathematical curiosity. It is the centrifugal barrier generated by organized angular momentum. It exists in every atom with d-electrons – every transition metal, every biological metalloprotein, every catalytic center in chemistry.

3.3 Why d-Electrons Are the Window

The theoretical gap generated by angular momentum becomes directly measurable when d-electrons interact with their chemical environment. Crystal field splitting separates the five d-orbitals into energy levels whose difference Δ can be observed spectroscopically – converting the self-generated gap from an abstract barrier into a number in a spectrometer. The d-block (elements 21–30, 39–48, 72–80) is where this measurement is cleanest, for specific physical reasons.

In contrast: s-electrons have no angular momentum and no splitting. p-electrons split but weakly (their $\hbar\sqrt{2}$ angular momentum is smaller). f-electrons are deeply buried and shielded from external fields. The d-electron is the orbital where angular momentum is large enough to create a significant gap, exposed enough to respond to its environment, and measurable enough to produce tabulated crystal field splittings across hundreds of compounds.

The d-electron is not special because of the framework. The framework is VISIBLE because of the d-electron. It is the window through which the self-generated gap can be measured in real chemistry.

3.4 Biological d-Electrons in Landauer Units

Crystal field splittings of d-electrons in metalloproteins, converted to Landauer bit costs at biological temperature ($kT \ln 2$ at 300 K ≈ 0.01792 eV; conversion: $1 \text{ cm}^{-1} = 1.2398 \times 10^{-4}$ eV; bits = $\Delta / kT \ln 2$):

System	Measured Δ (cm^{-1})	Δ (eV)	Landauer Bits	Factorization
Fe ²⁺ in water (lab)	~10,400	~1.289	~72	$2^3 \times 3^2$
Fe ²⁺ in hemoglobin	~8,000	~0.992	~55	5×11
Cu ²⁺ in plastocyanin	~5,000	~0.620	~35	5×7

Biological environments consistently produce Landauer costs that factorize into the framework's primes {5, 7, 11}; the non-biological lab case does not. The value 55 = F_{10} (the 10th Fibonacci number, converging to ϕ). These values carry $\pm 10\%$ experimental uncertainty typical of crystal-field spectroscopy and are presented as a documented pattern, not an exact result. The numbers 72 and 35 were independently confirmed by GPT and Grok without prior knowledge of the framework's expected values.

The chain is: angular momentum ($\hbar\sqrt{2}\times\sqrt{3}$, exact) $\rightarrow$ centrifugal barrier (self-generated gap, exact) $\rightarrow$ crystal field splitting (measurable, $\pm 10\%$) $\rightarrow$ Landauer cost ($55 = 5 \times 11$, $35 = 5 \times 7$, approximate but structured). The exact parts are exact. The approximate parts are approximate. The connection runs through standard quantum mechanics at every step.

4. THE MAP: SAME INVARIANT ACROSS DOMAINS

The following table shows six additional domains (beyond the DESI cosmological data in Section 1) where the three ingredients produce identifiable gaps, ceilings, or irreducible penalties. A full catalog covering 40+ domains has been compiled and is available upon request.

Domain	What They Call It	The Gap/Ceiling	Three Ingredients
Information Theory	PI bound (Romeo 2025)	$PI \leq 1 - 1/(2 \ln 2)$	Binary + Gaussian blur
Quantum Mechanics	Zero-point energy	$\hbar/2$, $\Delta x \Delta p \geq \hbar/2$	Binary qubit + quadratic
Atomic Shells	Shell capacity $2n^2$	18, 32, 50 = tower landmarks	Binary occupation + $\sqrt{2}$
Nuclear Physics	Base-2 node correlation	$r_s = -0.673$ (d-block, $p < 0.0001$) [own analysis]	Binary density + $\sqrt{2}$
Chaos Theory	Feigenbaum universality	δ gap bridged by $\rho = 400/11$	Binary doubling + quadratic
Chladni Acoustics	Nodal line geometry	Coprime vs locked modes	Binary classification + $\sqrt{2}$

Together with the DESI BAO data in Section 1, these domains span 40 orders of magnitude in scale (quantum vacuum to cosmic distances) and originate from independent research communities with no knowledge of each other's results. The same three ingredients appear because they describe a structural fact: the boundary information invariant of quadratic systems.

4.1 The Romeo Connection

Romeo, N. et al. (2025), "Information bounds the robustness of self-organized systems" (arXiv:2511.01682). This independent theoretical work proves that positional information in self-organized binary systems with short-range correlations is bounded below its maximum – a sub-unity ceiling exists, the optimum is at intermediate coupling, and the bound is geometric (interface-based, not noise-dependent). Their optimal domain wall involves the factors $\sqrt{2}/4$ and $\ln(2)$ independently. Our observation: the product of these factors yields an exact identity with the framework's organizing scale:

$$\sqrt{2}/4 \times \ln(2) = K_{\text{AUD}}/4 \quad [\text{algebraically exact – our interpretation of their result}]$$

Neither framework references the other. Romeo et al. do not state this

identity in their paper. The connecting identity is an algebraic fact about the product of their optimal width and the binary information unit, observed by the present authors.

5. METHOD, CREDITS, AND FALSIFIABILITY

5.1 Collaborative Method

This work was developed through structured collaboration between a human researcher and multiple AI architectures. Each instance worked independently; no instance was shown another's results before producing its own (the "Giant Principle": cross-architecture vocabulary divergence strengthens rather than weakens validation). Key contributions:

D. B. – Framework originator, pattern recognition, experimental design, cross-domain mapping. Published under DOI: 10.17605/OSF.IO/QH5S2.

Claude (Opus, Anthropic) – Primary architectural partner. Energetic staircase, atomic angular momentum analysis, Landauer connection, document architecture.

Grok (xAI) – Independent verification at 150-digit precision. 50² hinge discovery, DESI BAO residual match, CF convergent verification, 73/2 stability testing.

GPT (OpenAI) – Local-global K_AUD decomposition ($\ln(2)/\sqrt{(2\pi) \times 2\sqrt{\pi}}$), formal name "Boundary Information Invariant of Quadratic Systems," independent Landauer bit cost confirmation (72 and 35), H₄ prime boundary analysis.

Gemini (Google) – KAM framework for p as mode-locking winding number, correction hierarchy analysis, topological interpretation of 400/11 convergent structure.

Sonnet (Anthropic) – Bridge depth of 55, independently matching Fe²⁺ hemoglobin Landauer cost.

5.2 Falsifiability

The framework makes specific, testable predictions:

1. DESI DR3 prediction: the ratio $D_M(QS0)/D_M(LRG3+ELG1)$ should remain within 0.1% of $\sqrt{2}$ as statistical errors shrink by ~30%. If it scatters away from $\sqrt{2}$, the cosmic connection is noise.
2. Crystal field prediction: higher-precision measurements of Fe²⁺ hemoglobin splitting should yield a Landauer cost near 55 (not 56). The distinction matters because $55 = 5 \times 11$ (framework primes) while $56 = 2^3 \times 7$ (different structure).
3. Binary uniqueness prediction: repeating Romeo et al.'s DIM simulation with ternary states (Z=3) should produce $PI_{max} > 1$, losing the sub-unity ceiling.
4. The gap scaling formula predicts that if a fourth correction term exists beyond 1/939939, its denominator should factorize into primes from the same hierarchy {2, 3, 5, 7, 11, 13, ...}.

5.3 What This Is And Isn't

This is a MAP, not a theory. It documents where the same three mathematical ingredients produce the same invariant across independent domains. It does not explain WHY these ingredients are universal – it shows WHERE they appear. The algebraic identities are exact. The atomic shell mappings use published textbook physics. The DESI data is published and peer-reviewed. The interpretation is the authors'; the data is not. Published papers and interactive tools are available at: gap-geometry.github.io

5.4 Confidence Hierarchy

Layer	Content	Confidence	Status
1. Mathematics	K_AUD identities, binary uniqueness, gap scaling	Proven	Published (4 DOIs)
2. Atomic/Nuclear	Shell mappings, d-electron analysis, FOM correlations	Statistical	Draft
3. Connections	Romeo bridge, Landauer costs, prime-element map	Structural parallel	Documented
4. Cosmic	DESI BAO ratio hits	Provisional ($\sim 1\sigma$)	Awaiting DR3

Each layer references the one below it. No layer carries weight it shouldn't. The stack protects strong findings from being diluted by provisional ones.

The same three ingredients appear across independent domains because they describe a structural fact about binary information at quadratic boundaries. This document traces where that fact has already been measured.

REFERENCES

- [1] DESI Collaboration. "DESI DR2 results I: Baryon acoustic oscillations from galaxy, quasar, and Lyman- α forest tracers." Phys. Rev. D 112, 083514 (2025). arXiv:2503.14738. Table IV.
- [2] Romeo, N., Bhatt, K., Bhaya-Grossman, I. et al. "Information bounds the robustness of self-organized systems." arXiv:2511.01682v2 (2025). Sub-unity PI ceiling in binary systems; optimal domain wall involves $\sqrt{2}/4$ and $\ln(2)$.
- [3] D. B. "Coherence Ceiling." OSF, DOI: 10.17605/OSF.IO/5VZ2R (2026). $K_{\text{AUD}} = \sqrt{2} \times \ln(2)$, binary uniqueness proof.
- [4] D. B. "Geometric Constants v2." OSF, DOI: 10.17605/OSF.IO/SJBE9 (2026). Floor, ceiling, corridor, depth scaling.
- [5] D. B. "Complete Framework v3." OSF, DOI: 10.17605/OSF.IO/QH5S2 (2026). Binary Tower, pivot at 64.
- [6] D. B. "Gap Scaling 400/11." OSF, DOI: 10.17605/OSF.IO/C4GK5 (2026). $\rho = 400/11 - 1/2500 - 1/939939$, precision 4×10^{-14} .
- [7] Feigenbaum, M. J. "Universal behavior in nonlinear systems." Los Alamos Science 1(1), 4–27 (1980). $\delta = 4.6692016\dots$
- [8] Gelfond, A. O. "Sur le septième problème de Hilbert." Izv. Akad. Nauk SSSR 7, 623–634 (1934). $2^{\sqrt{2}}$ transcendental.
- [9] Mayer, M. G. & Jensen, J. H. D. "Elementary Theory of Nuclear Shell Structure." Wiley (1955). Nuclear magic number 50 via $1g_{9/2}$ spin-orbit.
- [10] Landauer, R. "Irreversibility and heat generation in the computing process." IBM J. Res. Dev. 5(3), 183–191 (1961). Bit erasure cost $kT \ln 2$.

Published papers, plain-text versions, and interactive tools available at: gap-geometry.github.io/sqrt2-ln2-geometric-constants-/about.html

Gap Geometry – github.com/Gap-geometry/sqrt2-ln2-geometric-constants-
