

## Declaration of Conformity on Food Contact Materials

The manufacturer or his authorized representative established in the European Union:

**Name:** Paardekooper BV (part of the Koninklijke Paardekooper Group BV)  
**Address:** Willem Beukelszstraat 16  
 3261 LV Oud-Beijerland  
 The Netherlands

Declares that the product described below

Article nr.	Description article	Material
454403	Reusable wijnglas 650ml PETG	PETG (Tritan)

### Material specifications:

<input type="checkbox"/>	Printed	<input checked="" type="checkbox"/>	Unprinted
<input type="checkbox"/>	Multi layer	<input checked="" type="checkbox"/>	Single layer

Is suitable for direct contact with food as listed and complies with:

- Regulation **EC 1935/2004** on materials and items intended to come in contact with food
- Regulation **EC 2023/2006** on Good Manufacturing Practice for materials and articles intended for contact with food
- Regulation **EC 10/2011** on plastic materials and articles intended to come in contact with food with all later amendments
- Directive **94/62/EC** on packaging and packaging waste and heavy metals,
- Regulation **1907/2006** (REACH)

Suitable for single or repeated use: item is for **repeated use**

### Overall Migration

Food simulant	Tested Triple	Test conditions (duration & temperature)	Passed
3% acetic acid (B)	<input checked="" type="checkbox"/>	10 days @ 40°C	<input checked="" type="checkbox"/>
50% ethanol (D1)	<input checked="" type="checkbox"/>	10 days @ 40°C	<input checked="" type="checkbox"/>

### Specific Migration

The following substances has been used for the production of the article, for which a specific migration limit (SML) applies that are on the list of EU Regulation EU 10/2011.

Test Item(s)	Limit	Unit(s)	RL	Result
<b>3% Acetic acid (W/V)</b>				
Migration times				Three
Arsenic(As)	ND	mg/kg	0.01	ND
Cadmium(Cd)	ND	mg/kg	0.002	ND
Chromium(Cr)	ND	mg/kg	0.01	ND
Mercury(Hg)	ND	mg/kg	0.01	ND
Lead(Pb)	ND	mg/kg	0.01	ND
Aluminium(Al)	1	mg/kg	0.1	ND
Barium(Ba)	1	mg/kg	0.25	ND
Cobalt(Co)	0.05	mg/kg	0.01	ND
Copper(Cu)	5	mg/kg	0.25	ND
Iron(Fe)	48	mg/kg	5	ND

Lithium(Li)	0.6	mg/kg	0.1	ND
Manganese(Mn)	0.6	mg/kg	0.1	ND
Zinc(Zn)	5	mg/kg	0.5	ND
Nickel (Ni)	0.02	mg/kg	0.01	ND
Antimony(Sb)	0.04	mg/kg	0.01	ND
Europium(Eu)	-	mg/kg	0.025	ND
Gadolinium(Gd)	-	mg/kg	0.025	ND
Lanthanum(La)	-	mg/kg	0.025	ND
Terbium(Tb)	-	mg/kg	0.025	ND
Europium (Eu)+ Gadolinium(Gd)+ Lanthanum(La)+ Terbium(Tb)	0.05	mg/kg	-	ND

**Comment**

**Pass**

N.FCM	CAS N.	NAME	LMS
881	3010-96-6	2,2,4,4-tetramethylcyclobutane-1,3-diol	5 mg/kg

### **Primary Aromatic Amines:**

The limits as stated in the 10/2011 are respected, substances are not detectable or way below the limits.

### **Dual Use additives**

The product **doesn't contain** substances regulated by the EU Reg. 1333/2008 and 1334/2008 (additives Dual-Use)

### **Sensorial tests (Taste and Smell) (ISO 13302:2003/ DIN 10955:2004)**

Attribute	Tested?	Passed
Taste	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Smell	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

In the finished product, if a NIAS (NIAS – Non-Intentionally Added Substances) is present, a risk assessment has been carried out by Article 19 of EU Reg. 10/2011 and Art. 3 of the reg. EC 1935/2004.

### **Intended use / Condition of Use**

The materials or articles intended to come into contact with food are intended for use under the following conditions:

#### **The item is suitable for the following class of foodstuffs:**

-all aqueous and alcoholic foods and milk products with a pH < 4,5

#### **Duration and temperature of treatment and storage in contact with the foodstuffs:**

- item for repeated use
- this item should not be used, with foodstuffs, in the conventional oven, and the microwave oven;
- any contact with the food product in freezing and refrigeration conditions.
- any prolonged storage at room temperature or below, including when packaged under the hot filling and/or heating conditions up to a temperature T,  
where  $70^{\circ}\text{C} \leq T \leq 100^{\circ}\text{C}$  for  $t = 120/2^{\wedge} [(T-70) / 10]$  minutes at most.

#### **Ratio of food contact surface area to volume used to establish the compliance of the material or**

*article: 0,75 dm<sup>2</sup>/dl*

**Reusable: This item has been tested 3x**

*for overall migration, heavy metals and the dishwasher test (500 cycles) is for technical use according to Reg EU 10/2011, Reg. 1245/2020, Reg EU 2015/174.*

**Disclaimer:**

This confirmation is not valid for unintended use of the product that can lead to changes of the composition or organoleptic properties of the product. The specific interaction between the food stuff and the product should be investigated by the user.

This declaration is valid as long as there are no changes in the composition of the above mentioned product and / or no revision of the relevant regulations have taken place, in which case it will be renewed.

We recommend our customers to verify the regulatory status periodically.

**Date;** 20-01-2025

**Issued by;**

S. Jansen

Quality Coordinator,  
Paardekooper BV.

**Paardekooper**  
Packnowledgy.

Questions?

[kwalityteit@paardekooper.com](mailto:kwalityteit@paardekooper.com)

Certificates:

[Paardekooper Certificates](#)