250 results for “(survey OR review) AND (wildfire OR “wild fire” OR “wildland fire” OR “wild land fire” OR “forest fire” OR bushfire) AND (propagation OR spread OR behavior OR dynamics OR trajectory) AND (prediction OR forecast OR simulation OR model OR management)”

Fields of Study | Date Range | Has PDF | More Filters | Filters | Sort by Relevance

Behavior Assessment Model for Trace Organics in Soil: I. Model Description

W. Jury | W. Spencer | W. J. Farmer | Environmental Science ·

1 October 1983

A mathematical **model** is introduced for describing transport and loss of soil-applied organic chemicals. The **model** assumes linear, equilibrium partitioning between vapor, liquid, and adsorbed chemical… Expand

670 | PDF | Publisher | Save | Cite

Modelling the introduction and spread of non-native species: international trade and climate change drive ragweed invasion

Daniel S. Chapman | L. Makra | +6 authors | J. Bullock

Environmental Science, Biology · Global Change Biology · 1 September 2016

TLDR A **simulation model** is developed to understand **and** describe plant invasion at a continental scale, integrating repeated transport through trade pathways, unintentional release events **and** the population **dynamics and** local anthropogenic dispersal that drive subsequent **spread**. Expand

112 | PDF | Wiley | Save | Cite

Decadal prediction skill in a multi-model ensemble

G. J. Oldenborgh | F. Doblas-Reyes | B. Wouters | W. Hazeleger

Environmental Science, Physics · Climate Dynamics · 25 February 2012

Decadal climate **predictions** may have skill due to predictable components in boundary conditions (mainly greenhouse gas concentrations but also tropospheric and stratospheric aerosol distributions)… Expand

219 | PDF | Springer Nature | Save | Cite

Simulating the Effects of Irrigation over the United States in a Land Surface Model Based on Satellite-Derived Agricultural Data

M. Ozdogan | M. Rodell | H. Beaudoing | D. Toll

Agricultural and Food Sciences, Environmental Science · 1 February 2010

A novel method is introduced for integrating satellite-derived irrigation data and high-resolution crop-type information into a **land** surface **model** (LSM). The objective is to improve the **simulation** of… Expand

274 | PDF | Publisher | Save | Cite

Quantifying Streamflow Forecast Skill Elasticity to Initial Condition and Climate Prediction Skill

A. Wood | T. Hopson | A. Newman | L. Brekke | J. Arnold | M. Clark

Environmental Science · 3 February 2016

AbstractWater resources **management** decisions commonly depend on monthly to seasonal streamflow **forecasts**, among other kinds of information. The skill of such **predictions** derives from the ability to… Expand

91 | PDF | Publisher | Save | Cite

Epidemic Forecasting is Messier Than Weather Forecasting: The Role of Human Behavior and Internet Data Streams in Epidemic Forecast.

Kelly R. Moran | Geoffrey Fairchild | +5 authors | S. D. Del Valle

Computer Science, Medicine · Journal of Infectious Diseases · 1 December 2016

TLDR It is concluded that some of the fundamental differences between these 2 fields, such as human **behavior**, make disease **forecast**ing more challenging than weather **forecast**ing. Expand

107 | PDF | PubMed | Save | Cite

Land use change modeling through an integrated Multi-Layer Perceptron Neural Network and Markov Chain analysis (case study: Arasbaran region, Iran)

V. Nasiri | A. Darvishsefat | Reza Rafiee | A. Shirvany | M. A. Hemat

Environmental Science, Computer Science · Journal of **Forest** Research · 1 June 2019

TLDR The results demonstrated that 992 **and** 1592 ha of high **and** low-density **forest**s were degraded during 1990–2014, respectively, while

422 ha were added to the extent of residential areas with a growth rate of 17.58 ha per year. Expand

63 Springer Nature Save Cite

An End to End Process Development for UAV-SfM Based Forest Monitoring: Individual Tree Detection, Species Classification and Carbon Dynamics Simulation

Ayana Fujimoto Chihiro Haga +4 authors Hiroaki Takagi

Environmental Science, Engineering · Forests · 11 August 2019

TLDR An end-to-end process was developed detecting individual trees from Unmanned Aerial Vehicle derived digital images, estimating the **stand** structure from crown images, **and** visualizing future carbon **dynamics** using a **forest** ecosystem process **model**, which is expected to contribute to activities concerned with carbon **management**. Expand

53 [PDF] PDF Save Cite

BIM-Integrated Construction Operation Simulation for Just-In-Time Production Management

W. Jeong Soowon Chang Jeongwook Son J. Yi Engineering · 29 October 2016

Traditional construction planning, which depends on historical data and heuristic modification, prevents the integration of managerial details such as productivity **dynamics**. Specifically, the… Expand

85 [PDF] PDF Save Cite

Recent advances and applications of WRF–SFIRE

J. Mandel S. Amram +6 authors M. Vejmelka

Environmental Science · 31 October 2014

Abstract. Coupled atmosphere–**fire models** can now generate **forecasts** in real time, owing to recent advances in computational capabilities. WRF–SFIRE consists of the Weather Research and **Forecasting**… Expand

107 PDF PDF Save Cite

Stay Connected With Semantic Scholar

Your E-mail Address

Sign Up

What Is Semantic Scholar?

Semantic Scholar is a free, AI-powered research tool for scientific literature, based at Ai2.

Learn More

About

About Us
Publishers
Blog
Ai2 Careers

Product

Product Overview
Semantic Reader
Scholar's Hub
Beta Program
Release Notes

API

API Overview
API Tutorials
API Documentation
API Gallery

Research

Publications
Research Careers
Resources

Help

FAQ
Librarians
Tutorials
Contact

Proudly built by Ai2

Collaborators & Attributions • Terms of Service • Privacy Policy • API License Agreement

Ai2