250 results for “(survey OR review) AND (wildfire OR “wild fire” OR “wildland fire” OR “wild land fire” OR “forest fire” OR bushfire) AND (propagation OR spread OR behavior OR dynamics OR trajectory) AND (prediction OR forecast OR simulation OR model OR management)”

Fields of Study | Date Range | Has PDF | More Filters | Filters | Sort by Relevance

Indian summer monsoon prediction and simulation in CFSv2 coupled model

Gibies George | D. N. Rao | C. T. Sabeerali | Ankur Srivastava | S. Rao

Environmental Science • 1 January 2016

Using carefully designed coupled **model** experiments, we have demonstrated that the **prediction** skill of the all India summer monsoon rainfall (AISMR) in Climate **Forecast** System version 2 (CFSv2) **model**… Expand

50 | PDF | Wiley | Save | Cite

ESTIMATING POPULATION SPREAD: WHAT CAN WE FORECAST AND HOW WELL?

J. Clark | M. Lewis | J. McLachlan | J. HilleRisLambers

Environmental Science, Biology • 1 August 2003

TLDR This work combines a new stochastic **model** with a flexible framework that permits assimilation of evidence that might be derived from a range of sources **and** predicts **spread** rates that are much slower than those from traditional (deterministic) fat-tailed **models** **and** from **simulation models** of **spread**, but **for** different reasons. Expand

261 | PDF | Publisher | Save | Cite

GEO-INFORMATION FOR DISASTER MANAGEMENT

P. V. Oosterom | S. Zlatanova | E. Fendel

Environmental Science, Geography • 2008

Plenary Contributions.- Orchestra: Developing a Unified Open Architecture for Risk **Management** Applications.- Laser Scanning Applications on Disaster **Management**.- Big Brother or Eye in the Sky? Legal… Expand

183 | Publisher | Save | Cite

Author ' s personal copy A modeling and spatio-temporal analysis framework for monitoring environmental change using NPP as an ecosystem indicator

R. Crabtree C. Potter +5 authors C. Jean Environmental Science · 2009

In most cases authors are permitted to post their version of the article (e.g. in Word or Tex form) to their personal website or institutional repository. Authors requiring further information… Expand

128 Save Cite

Predicting ecosystem dynamics at regional scales: an evaluation of a terrestrial biosphere model for the forests of northeastern North America

D. Medvigy P. Moorcroft Environmental Science · Philosophical Transactions of the Royal Society B… · 19 January 2012

TLDR Evaluating the Ecosystem Demography version 2 (ED2)-structured terrestrial biosphere **model**, evaluating the **model**'s **predictions** against **forest** inventory measurements for the northeast USA **and** Quebec from 1985 to 1995, implies that data-constrained parametrizations of structured biosphere **models** such as ED2 can be successfully used for regional-scale ecosystem **prediction and forecasting**. Expand

86 PDF Royal Society Save Cite

Seasonal weather forecasts for crop yield modelling in Europe

P. Cantelaube J. Terres

Agricultural and Food Sciences, Environmental Science · 1 January 2005

Within the European DEMETER project, ensembles of global coupled climate **models** have shown some skill for seasonal climate **prediction**. Meteorological outputs of the seasonal **prediction** system were… Expand

213 PDF Taylor & Francis Save Cite

Evaluating Parameterizations in General Circulation Models: Climate Simulation Meets Weather Prediction

T. Phillips G. Potter +7 authors J. Yio

Environmental Science, Physics · 1 December 2004

To significantly improve the **simulation** of climate by general circulation **models** (GCMs), systematic errors in representations of

relevant processes must first be identified, and then reduced. This…
Expand

225 PDF Publisher Save Cite

Multi-scale enhancement of climate prediction over land by increasing the model sensitivity to vegetation variability in EC-Earth

A. Alessandri F. Catalano +5 authors P. Miller

Environmental Science · Climate Dynamics · 1 April 2016

The EC-Earth earth system **model** has been recently developed to include the **dynamics** of vegetation. In its original formulation, vegetation variability is simply operated by the Leaf Area Index (LAI),…
Expand

39 PDF Springer Nature Save Cite

Density Forecasting of Intraday Call Center Arrivals Using Models Based on Exponential Smoothing

James W. Taylor Business, Mathematics · Management Sciences · 1 March 2012

TLDR A Poisson count **model**, with gamma distributed arrival rate, is developed, which captures the essential features of this exponential smoothing method **and** is confirmed by the results of a call center **simulation model**, which demonstrates the use of arrival rate density **forecast**ing to support staffing decisions. Expand

76 PDF Publisher Save Cite

Decision Methods for Forest Resource Management

J. Buongiorno J. Gilless Environmental Science, Engineering · 20 February 2003

Preface Introduction Principles of Linear Programming: Formulations Principles of Linear Programming: Solutions: Even-Aged **Management**: A First **Model** Area - and Volume-Control **Management** with Linear…
Expand

191 Save Cite

Stay Connected With Semantic Scholar

Your E-mail Address

Sign Up

What Is Semantic Scholar?

Semantic Scholar is a free, AI-powered research tool for scientific literature, based at Ai2.

Learn More

About

About Us
Publishers
Blog
Ai2 Careers

Product

Product Overview
Semantic Reader
Scholar's Hub
Beta Program
Release Notes

API

API Overview
API Tutorials
API Documentation
API Gallery

Research

Publications
Research Careers
Resources

Help

FAQ
Librarians
Tutorials
Contact

Proudly built by Ai2

Collaborators & Attributions • Terms of Service • Privacy Policy • API License Agreement

Ai2