


Moneda Garcia

1. Data



2. Tablas

Crear Tabla Garcia (

`id_garcia` Moneda Primary Key,
`director` Voucher (100) Not null Unique

);

Crear Tabla Director (

`id_director` Moneda Primary Key,
`acta` Voucher (100) Not null,
`participacion` Voucher (100)

);

Crear Tabla Acta (

`id_acta` Moneda Primary Key,
`director` Voucher (100) Not null,
`participacion` Acta

);

Crear Tabla Participacion (

`id_participacion` Moneda Primary Key,
`id_acta` Voucher (100) Not null,
`acta` Moneda (Check (consecutivo)),

`id_garcia` Moneda

`id_director` Moneda

Constraint PK `id_acta` `id_garcia` Foreign Key (`id_garcia`)

Constraint `id_acta` `id_garcia` Foreign Key (`id_garcia`)

Constraint `id_acta` `id_garcia` Foreign Key (`id_garcia`)

Constraint `id_acta` `id_garcia` Foreign Key (`id_garcia`)

Constraint `id_acta` `id_garcia` Foreign Key (`id_garcia`)

Constraint `id_acta` `id_garcia` Foreign Key (`id_garcia`)

45

3. Insects

[illegible]

Community

4. ORA-01234

Teori into Petrus (Gergelien, kide, one, id, gaw, u, dawa)
Volka 199, "Bawu kawa" 1999, 50, 101;

5. UPDATE Signed

Update Ack
Set number = 'Disrupt (Premium)'
Where 0-ack = 100;

6. Andere Deute an regional politizial

Relate Form Design Where $W_{\text{design}} = 10'$
Select Form Relatively

2. Consulter con Luke e In

Select * From Actor
Where name like '200'
And id actor in (100, 101, 102);

8. Consulta con Behavien y AVG

Select AUG (Anio) As Promoted Anio
From Pelicula
Where anio Between 1900 And 2020

9. Consulta con Join

Select D.nombre, D.p_nombre AS Director, G.nombre AS Gerente
from D.nombre D, G.nombre G
Join Director D on D.p_nombre = D.p_nombre
Join G on G.p_nombre = D.p_nombre;

10. Alteración

Es la propiedad de todo o parte de una base de datos que se crea, modifica o elimina, manteniendo la integridad de datos.

11. Delete con Where

Borra todos los registros de una tabla de forma masiva. Es una operación peligrosa ya elimina la información por mantener la estructura de la tabla.

12. SQL Delete Cascade

Regla de integridad que elimina automáticamente los registros de las tablas hijas cuando se borra el registro relacionado en la tabla padre.