Broccoli number of variants per read



Broccoli proportion of variants per read



GFP number of variants per read



GFP proportion of variants per read



Presort distributions



Pre. & post sort distributions



Total: Broccoli



High



Median−High



Low−Median



Low



Presort



Total: Broccoli



High

Median−High

Low−Median

Low

Total: GFP



High



Median−High



Low−Median



Low



Presort



Total: GFP



High



Median−High



Low−Median



Low



Read counts for broccoli: expected (from gates) vs observed



Read counts for GFP: expected (from gates) vs observed



Candidate GoF variants



Broccoli



Broccoli



GFP



GFP



Broccoli: log ratios of counts with presort



GFP: log ratios of counts with presort




Low
Low−Med.
Med.−High
High
Total
Density
log(tpm/tpm.presort)
0.0
0.5
1.0
1.5
2.0
−4
−2
0
2
4

Low
Low−Med.
Med.−High
High
Total
Density
log(tpm/tpm.presort)
0.0
0.2
0.4
0.5
0.6
0.8
1.0
1.2
1.4
1.5
1.0
1.5
2.0
−4
−2
0
2
4

Broccoli



GFP




0
0.1
0.2
Value
0.3
0.4
0.5
Fraction reads


presort
low
low.med
med.high
high
Broccoli


Broccoli
total
log10(Tot. Reads)
Value
4
3.5
3
2.5
2
1.5
1

Rho
Broccoli


Rho
value
1
0.5
0
-0.5
-1


0
0.1
0.2
Value
0.3
0.4
0.5
Fraction reads


presort
low
low.med
med.high
high
GFP


GFP
total
log10(Tot. Reads)
4
3.5
3
2.5
2
1.5
1
Value


GFP
Rho


Rho
Value
1
0.5
0
-0.5
-1





Brocolli mutation co-occurrence matrix





GFP mutation co-occurrence matrix