

Домашнее задание Гареевой Фарида

Контроль доступа

Цель:

освоить базовые операции управления пользователями и ролями;

Описание/Пошаговая инструкция выполнения домашнего задания:

1. Создайте пользователя jhon с паролем «qwerty»
2. Создайте роль devs
3. Выдайте роли devs права на SELECT на любую таблицу
4. Выдайте роль devs пользователю jhon
5. Предоставьте результаты SELECT из system-таблиц, соответствующих созданным сущностям

Создайте пользователя jhon с паролем «qwerty»

```
CREATE USER or replace jhon IDENTIFIED WITH plaintext_password BY 'qwerty' on cluster my_cluster
DEFAULT DATABASE hw10;
```

Не получалось создать нового пользователя, вылезала ошибка

Code: 497. DB::Exception: Received from localhost:9000. DB::Exception: default: Not enough privileges. To execute this query, it's necessary to have the grant CREATE USER ON jhon. (ACCESS DENIED).

Хотя в конфигурационных настройках `users.xml` установлено

<access management>1</access management>.

Добавление grant в /etc/clickhouse-server/users.d/users.xml и в /etc/clickhouse-server/users.xml не помогало (ничего из перечисленного):

```
<grants>
<query>GRANT ALL ON *.*</query>
<grant>ALL</grant>
<grant>CREATE USER</grant>
<grant>CREATE USER WITH GRANT OPTION</grant>
</grants>
```

В итоге проблема решилась добавлением в `docker-compose.yml` переменной окружения и теперь блок `enviroment` выглядит так:

```
environment:
```

```
CLICKHOUSE_USER: default
CLICKHOUSE_PASSWORD: "click1"
CLICKHOUSE_DEFAULT_ACCESS_MANAGEMENT: 1
```

	host	port	status	error	num_hosts_remaining	num_hosts_active
1.	click-shard2-rep1	9000	0		3	0
2.	click-shard1-rep2	9000	0		2	0
3.	click-shard2-rep2	9000	0		1	0
4.	click-shard1-rep1	9000	0		0	0

```
SELECT
    name,
    storage,
    auth_type,
```


	user_name	role_name	granted_role_name	granted_role_id	
	granted_role_is_default	with_admin_option			
1.	jhon	NULL	devs	384db5c4-9799-f478-2eb3-713e1ebc319d	1
0					