


Name – Garima (CSIT – B)

INPUT



The screenshot shows a web browser window with four tabs: 'web d 1.html', 'web d 3 .html', 'web d 4.html', and 'web d 5.html'. The active tab is 'web d 1.html'. The browser's address bar is empty. The main content area displays the following HTML code:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>La Aroma Restaurant</title>
<style>
  body { margin: 0; font-family: Arial, sans-serif; background: #fafafa; }

  /* Header */
  header {
    background: url('https://images.unsplash.com/photo-1414235077428-338989a2e8c0') center/cover no-repeat;
    height: 70vh;
    display: flex;
    align-items: center;
    justify-content: center;
    color: white;
    text-shadow: 2px 2px 4px black;
    font-size: 3rem;
    font-weight: bold;
  }

  nav {
    background: #333;
    padding: 10px;
    display: flex;
    justify-content: center;
  }

  nav a {
    color: white;
    margin: 0 15px;
    text-decoration: none;
    font-size: 18px;
  }

  nav a:hover {
    color: #ffd700;
  }
</style>
</html>
```

The status bar at the bottom of the browser window shows 'Ln 180, Col 16', '4,840 characters', 'Plain text', '100%', 'Windows (CRLF)', and 'UTF-8'. The Windows taskbar is visible at the bottom of the screen, showing the Start button, a search bar, and several application icons including File Explorer, Microsoft Edge, and various utility apps. The system clock in the bottom right corner displays '09:28' and '03-12-2025'.

```
web d 1.html X web d 3.html web d 4.html web d 5.html + - [ ] X
File Edit View
<p>Creamy pasta with grilled chicken.</p>
<strong>₹450</strong>
</div>
<div class="dish">
  <h3>Margherita Pizza</h3>
  <p>Classic pizza with tomatoes, basil, and mozzarella.</p>
  <strong>₹350</strong>
</div>
<div class="dish">
  <h3>Veggie Burger</h3>
  <p>Delicious patty with fresh lettuce and cheese.</p>
  <strong>₹220</strong>
</div>
<div class="dish">
  <h3>Chocolate Lava Cake</h3>
  <p>Warm gooey chocolate with ice cream.</p>
  <strong>₹180</strong>
</div>
</div>
</section>

<!-- Reservation Section -->
<section id="reservation">
  <h2>Online Reservation</h2>
  <form id="reservationForm">
    <label>Name:</label>
    <input type="text" required>

    <label>Email:</label>
    <input type="email" required>

    <label>Date:</label>
    <input type="date" required>

    <label>Time:</label>
    <input type="time" required>

    <label>Number of Guests:</label>
    <select required>
      <option value="">Select</option>
      <option>1</option><option>2</option><option>3</option>
      <option>4</option><option>5</option><option>6</option>
    </select>
  </form>
</section>
</body>
</html>
```

Ln 180, Col 16 4,840 characters Plain text 100% Windows (CRLF) UTF-8

```
web d 1.html X web d 3.html web d 4.html web d 5.html + - [ ] X
File Edit View
</div>
<button type="submit">Reserve Now</button>
</form>

<p id="confirmation" style="text-align:center; margin-top:20px; color:green; font-size:20px;"></p>
</section>

<!-- Reviews Section -->
<section id="reviews">
  <h2>Customer Reviews</h2>

  <div class="review">
    ★★★★★
    <p><strong>Ayushi :</strong> Amazing food and great ambiance! Loved the pasta.</p>
  </div>

  <div class="review">
    ★★★★★★
    <p><strong>Anshika :</strong> Pizza was fantastic. Service could be faster.</p>
  </div>

  <div class="review">
    ★★★★★
    <p><strong>Bunny :</strong> Best dessert in town! Will visit again.</p>
  </div>

</section>

<script>
  document.getElementById("reservationForm").addEventListener("submit", function(event){
    event.preventDefault();
    document.getElementById("confirmation").innerText =
      "🎉 Your table has been reserved! We look forward to serving you.";
    this.reset();
  });
</script>

</body>
</html>
```

Ln 180, Col 16 4,840 characters Plain text 100% Windows (CRLF) UTF-8

OUTPUT

