

# Index

## A

- Absolute deadline, 316
- Acceptor, 398
- Access Control List (ACL), 151, 227, 423
- Access layer, 200
- Access transparency, 73
- Account, 261
- Action, 106, 151
- Active space, 421
- Activities, 416
- Actual virtual time, 311
- Actuators, 334
- Advanced Microcontroller Bus Architecture (AMBA), 65
- Advanced Research Projects Agency (ARPA), 93
- Advanced RISC Machine (ARM), 159
- Advisory locks, 234
- Aggregate layer, 200
- Aggregation, 136
- Aggregation function, 458
- Algorithm
  - allocation, 322
  - edge, 126
  - generic contraction, 556
  - generic TLC, 554
  - network resource management, 204
  - Paxos, 236, 237
  - rate monotonic, 298
- Algorithmic communication, 354
- Allocate thread, 385
- Allocation algorithms, 322
- Allocation manager, 230
- Amazon, 15, 18, 23, 24
- Amazon Machine Image (AMI), 19, 22, 137, 278, 430
- Amazon Web Services (AWS), 1, 19
- Amazon Web Services Licensing Agreement (AWSLA), 24
- Amdahl's Law, 68
- Amplitude amplifications, 511
- Analytics, 298
- Andrew File System (AFS), 216, 227
- Ansible, 18
- Anti-entropy, 250
- Anticipated exceptions, 415
- Apache
  - capacity scheduler, 306
  - Hadoop, 105, 320, 428, 431, 432
- Aperiodic tasks, 316
- Application
  - arbitrarily divisible, 329
  - coarse-grained data-parallel, 104
  - controllers, 335
  - data, 2, 6
  - data-parallel, 99
  - dynamic data-driven, 463
  - embarrassingly parallel, 68
  - layer, 16, 80
  - modularly divisible, 329
  - request-parallel, 99
  - trusted, 272
  - VM, 138
- Application Binary Interface (ABI), 82
- Application Program Interface (API), 82, 425
- Application Specific Integrated Circuit (ASIC), 63
- Application/logic tier, 4
- Arbitrarily divisible application, 329
- Arbitrarily divisible load sharing model, 412
- Architecture, 42, 48
  - ARM, 55, 57
  - CISC, 43, 48
  - computer, 42, 140
    - taxonomy, 46
  - control flow, 43
  - data flow, 43, 92
  - hourglass, 178
  - Itanium, 142, 161, 173
  - load-store, 43
  - network, 154, 176
  - ONF, 188
  - scalable data center communication, 200
  - SIMD, 58–60
  - software, 4
  - vector, 59
  - von Neumann, 91
- Arithmetic intensity (ArI), 60
- ARM, 450
  - architecture, 55, 57
  - processors, 159, 160
- ARM Trust Zone (ATZ), 160
- Array, 98
  - switch, 98
- Artificial Intelligence (AI), 3, 11, 25, 501, 503
- Assured rate (AR), 207
- Asymmetric confusion, 364

Asymmetric core processor, 70  
 Atlimit, 207  
 Atomic transaction, 111  
 Atomicity, 394  
 Atomicity log, 236  
 Audit, 15  
 Auditor, 14  
 Auto Scaling, 22  
 Automatic speech recognition (ASR), 507  
 Autonomic performance managers, 336  
 Autoscaling, 329  
 Availability, 74, 247, 271, 524  
     cloud services, 9, 260  
 Availability zone (AZ), 23  
 Average memory access time (AMAT), 51  
 AWS, 19, 24  
     networking, 23  
     security, 258, 289, 290

**B**

Back-end bound, 103  
 Back-propagation, 504  
 Bad speculation, 103  
 Balloon driver, 150  
 Balloon process, 104  
 Balls-and-bins model, 400  
 Bandwidth, 42, 88, 204, 293  
     full bisection, 189  
     memory, 48, 60  
 Bare metal hypervisor, 139  
 Barrier synchronization, 352, 354, 355  
 Base images, 129  
 Basic Core Equivalent (BCE), 70  
 Basic Paxos, 398  
 Benchmarks, 47  
 Best-effort delivery, 178  
 Biased strategy, 53  
 Bid, 205  
 Bigquery, 26  
 BigTable, 243, 255, 456  
 Binary translation, 140  
 Bipartite graph, 363  
 Bisection width, 189  
 Bit-by-bit Round-robin (BR), 204  
 Bit-level parallelism, 45  
 Black Widow topology, 193, 212  
 Bloch sphere, 510  
 Block, 61  
     cache, 50, 228  
     data, 50  
 Blockchain, 89  
 Bootstrap method, 492  
 Bootstrap Performance Diagnostic (BPD), 493

Bootstrap substitution principle, 492  
 Border Gateway Protocol (BGP), 26  
 Borg, 107  
 Borglets, 108  
 BorgMaster, 108–110  
 Borrowed virtual time (BVT), 150, 311, 347  
 Borrowing, 207  
 Bound  
     back-end, 103  
     front-end, 103  
 Branch condition speculation, 53  
 Branch prediction, 53  
 Branch target speculation, 53  
 Breath first search (BFS), 449  
 Bridge, 154  
 Broker, 14  
 Brownny cores, 99  
 Bucket, 21, 437, 460, 582  
 Buffer space, 204  
 Bulk synchronous parallel model, 360  
 Bundles, 322  
 Bundling, 278  
 Business intelligence, 456  
 Byte-range tokens, 230  
 Byzantine attack, 530

## C

Cache, 49  
     banks, 51  
     block, 50, 228  
     capacity, 49, 50  
     data, 251  
     direct map, 50  
     file, 227, 228, 440  
     fully associative, 50  
     hits, 50, 51  
     implementation, 50  
     isolation, 141  
     L1D, 49  
     line, 50, 55  
     miss, 50, 136  
     miss rate, 51  
     n-way set associative, 50  
     on-chip L2, 49  
     row, 50  
     set-associative, 50  
 Cache Allocation Technology (CAT), 118  
 Cache Array Routing Protocol (CARP), 209  
 Cache Monitoring Technology (CMT), 118  
 Calculus-based trust, 267  
 Callback, 106  
 Callstack, 100  
 CAP theorem, 88

- Carrier, 14
- Causal message delivery, 378
- Cause–effect relationships, 375
- CDN, 209
  - providers, 209
- Ceil rate (CR), 207
- Cell, 98, 108
  - storage, 220, 395, 396
- Central Limit Theorem (CLT), 495
- Central processing unit (CPU), 358
- Centralized control, 293
- Certificate Authority (CA), 32
- Chain, 404, 576
- Chaining, 59
- Chameleon, 38
- Checkpoint file, 110
- Checkpoint–restart procedures, 350
- Child images, 129
- Chroot, 97, 128, 164
- Chubby files, 236, 243
- Chubby locks, 236
- Chunk, 231
  - column, 439
  - handle, 231
  - servers, 232, 233
- Circular wait, 394
- CISC architecture, 43, 48
- Class of service (COS), 119
- Class-Based Queuing (CBQ), 206
- Classification engine, 115
- Classifier, 206
- Cleanup phase, 430
- Client
  - library, 461
  - thin, 11
- Client–server paradigm, 41, 75–77, 225, 413
- Clock
  - condition, 380
  - processor, 44
- Clos networks, 193
- Cloud
  - application development, 412
  - Bigtable, 26
  - CDN, 26
  - community, 4, 344
  - computer, 4
  - computing
    - delivery models, 14
    - infrastructure, 13, 63, 95, 246, 357, 412, 503
  - controller, 167, 335
  - controls matrix, 263
  - data encryption, 268
  - database, 222
  - DBaaS, 16
  - DNS, 26
  - elasticity, 22, 293, 325, 347, 411, 503
  - functionality, 502
  - Google, 25
  - hardware, 98
    - infrastructure, 455
  - hybrid, 4
  - IBM, 30
  - Identity and Access Management (IAM), 27
  - interconnection networks, 191, 503
  - interoperability, 13, 31, 32, 294, 344
  - KMS, 27
  - Machine Learning, 27, 506
  - Natural Language API, 27
  - oracle, 15
  - private, 4, 5, 167, 168
  - public, 4
  - scheduling subject, 294, 315
  - SDK, 27
  - security, 15, 30, 36, 258, 259, 263, 286, 289–291, 452
    - risks, 259
    - scanner, 27
  - service availability, 9, 260
  - source repositories, 27
  - speech API, 27
  - SQL, 26
  - storage, 26, 216, 255, 257, 289
    - diversity, 30
  - virtual, 316
  - vision API, 27
- Cloud Functions (CF), 26
- Cloud Load Balancing, 26
- Cloud Security Alliance (CSA), 261, 290
- Cloud Service Providers (CSP), 1, 32, 96, 135
- Cloud Virtual Network (CVN), 26
- CloudHSM, 290
- CloudLab, 38
- Cloudlets, 480
- CloudStore, 233, 431
- CloudTrail, 129, 289
- CloudWatch, 21, 22
- Cluster
  - controllers, 167
  - management, 107
    - software, 101
  - system, 110
  - scalable, 133
- Co-scheduling, 354
- Coarse control, 335
- Coarse-grained
  - data-parallel applications, 104
  - locks, 234

- parallelism, 354
- transformations, 121
- Cognitive Radio Networks (CRN), 529
- Cognito, 290
- Colored Petri Nets (CPN), 369
- Colossus File System (CFS), 461
- Column chunk, 439
- Column-family databases, 240
- Combinatorial auctions, 322
- Commission failure, 398
- Commit point, 395
- Committer, 459
- Common data bus (CDB), 52
- Common Object Request Broker Architecture (CORBA), 414
- Communicating sequential processes (CSP), 359, 408
- Communication, 353
  - algorithmic, 354
  - bandwidth, 118, 200, 362
  - channel, 369, 388
  - complexity, 354
  - events, 370, 371, 376, 377, 382
  - infrastructure, 175, 197, 200, 209
  - latency, 24, 87, 99, 353
  - location transparent, 191
  - protocols, 80, 84, 101, 117, 118, 349, 354, 374, 388, 525
  - quantum, 509
- Community cloud, 4
- Complex Instruction Set Computer (CISC), 45
- Compliance Level Agreements (CLA), 34
- Compliant Cloud Computing (C3), 34
- Composability bounds, 86
- Composite services, 450
- Composite task, 415
- Computational models, 358
- Compute Engine (CE), 26
- Computer
  - architecture, 42, 140
  - architecture taxonomy, 46
- Computing
  - grid, 85
  - network-centric, 10
  - utility, 1
  - volunteer, 449
- Concurrency, 349, 350, 353, 358, 361, 387, 388, 392
  - control, 228, 392, 460, 461
  - transparency, 73
- Concurrent events, 376
- Concurrent instructions, 46
- Confidentiality, 271
- Conflict fraction, 112
- Conflicting requirements, 502
- Confusion, 364
  - asymmetric, 364
  - symmetric, 364
- Congestion avoidance (CA), 184
- Congestion control, 180, 183, 185, 211, 344, 375
- Conjugate gradient (CG), 444
- Connection-oriented protocol, 183
- Connectionless protocols, 183
- Consensus service, 397
- Consistency
  - external time, 222
- Consistent cut, 382
- Consistent message delivery, 379
- Consumer service, 14
- Container, 129
- Container Engine (CntE), 26
- Container Registry, 26
- Containers, 95, 97, 128, 130, 434
  - Docker, 26, 128, 129
- Content, 10
  - network-centric, 10
- Content Delivery Network (CDN), 28, 207, 208
- Content service network (CSN), 211
- Content Store, 186
- Content-centric distribution, 211
- Content-Centric Networks (CCNs), 185, 210
- Context switch allowance, 311
- Control
  - coarse, 335
  - concurrency, 228, 392, 460, 461
  - congestion, 375
  - data, 30, 142
  - error, 374
  - fine, 335
  - flow, 43, 356, 374
  - granularity, 335
  - hazard, 46
  - hypervisor, 104
  - integral, 335
  - optimal, 330, 332
  - planes, 10, 161
  - system, 333, 334, 463
  - task, 331
  - theory, 296, 328–330, 333, 335, 346
  - third-party, 261
- Control Data Corporation (CDC), 72
- Control Unit (CU), 44
- Controller, 329, 333, 347, 458
  - application, 335
  - cloud, 167, 335
  - cluster, 167
  - fabric, 29
  - replication, 131
- Convolutional Neural Networks (CNN), 506
- Cooperative spectrum-sensing strategy, 530

- Coordinator, 421
- Core
  - browny, 99
  - layer, 200
  - network, 176, 209
  - wimpy, 99
- Correlating predictors, 54
- Cost
  - memory, 48
  - network, 194
- Costate equation, 331
- CPU
  - optimization, 51
  - registers, 49
  - virtualization, 163
- Critical section, 392, 396, 405, 407
- Critical vulnerabilities, 24
- Cron, 107
- Crunch pipeline, 407
- CSPs, 1, 15, 32, 96, 135, 335, 344, 345
- Cumulative distribution function (CDF), 484
- Current Privilege Level (CPL), 163
- Current Program Status Register (CPSR), 56, 57
- Customer, 181
- Cut, 381
  - consistent, 382
  - frontier, 381
- Cyberwarfare, 257
- Cycle per Instruction (CPI), 44

## D

- D-Wave, 518
- Daemon, 105, 129
- Data
  - application, 2, 6
  - block, 50
  - cache, 251
  - control, 30, 142
  - flow, 44, 180, 204, 233, 356, 357, 369, 409
    - architecture, 43, 92
  - generality, 75
  - hazards, 46
  - leakage, 261
  - link layer, 177
  - loss, 261
  - mashups, 450
  - memory flow, 52
  - networks, 210
  - sharing abstraction, 121
  - storage layer, 16, 498
  - streaming, 466, 469, 470
    - applications, 454, 466
    - pipeline, 483

- services, 483
  - streams, 46
  - tier, 4
  - training, 504
  - warehouse, 456
- Data Access Units (DAU), 464
- Data center networks (DCN), 200
- Data Description Language (DDL), 438
- Data Manipulation Language (DML), 438
- Data Mining (DM), 501
- Data Oriented Network Architecture (DONA), 185
- Data-aware scheduling, 303
- Data-level parallelism, 67
- Data-parallel applications, 99
- Data-shipping, 230
- Database, 438
  - cloud, 222
  - column-family, 240
  - document, 240
  - graph, 241
  - layer, 16
  - NoSQL, 222, 239–241, 243, 245, 247, 255, 269, 454
  - provenance, 216, 252
  - schema, 454
  - systems, 247, 269
    - management, 222
  - transactions, 255, 422
- Database as a Service (DBaaS), 16
- Datagram, 176
- Datalog conjunctive query, 253
- Dataspaces, 28, 499
- De-perimeterization, 9
- Deadline
  - absolute, 316
  - relative, 315
- Deadlocks, 350, 367, 392
- Decentralized consensus, 90
- Decision models, 33
- Decoherence, 513
- Deep neural networks, 63
- Deep Neural Networks (DNN), 506
- Defense Information Systems Agency (DISA), 86
- Deferred evaluation, 406
- Degree, 189
- Delay scheduling, 298, 300
- Delay slots, 52
- Delayer, 206
- Delivery
  - best-effort, 178
  - consistent message, 379
  - First-In-First-Out (FIFO), 378
  - rule, 378
- Denali hypervisor, 138

- Denial-of-service (DOS), 282, 575
  - Deutsch–Jozsa problem, 515
  - Device, 61
  - DHCP server, 179
  - Direct map cache, 50
  - Directed acyclic graph (DAG), 125
  - Disk locality, 251
  - Disk maps, 230
  - Disruptive computing paradigm, 2
  - Disruptive technology, 39
  - Distributed computing fallacies, 88
  - Distributed Data Interface (DDI), 443
  - Distributed sort, 426
  - Distributed system, 73
  - Distribution
    - content-centric, 211
    - heavy-tail, 484
    - network, 185
  - DNS
    - cloud, 26
    - name, 19
  - DNS-based routing, 210
  - Docker containers, 26, 128, 129
  - Dockerfile, 129
  - Domain, 149
    - driver, 154
    - guest, 154
  - Domain Specific Architectures (DSA), 62, 507
  - DomU, 282
  - Double data rate (DDR), 195
  - DRAM, 49, 65, 216
    - bandwidth, 117, 118, 120
    - latency, 99
  - Driver, 438
    - domain, 154
    - split, 151
  - Dynamic
    - application scaling, 328
    - binary translation, 82
    - data-driven applications, 463
    - frequency scaling, 117
    - thresholds, 334
    - trust, 267
    - voltage scaling, 117
    - workflows, 421
  - Dynamic Host Configuration Protocol (DHCP), 179, 212
  - Dynamic Random Access Memory (DRAM), 216
  - Dynamic voltage and frequency scaling (DVFS), 117
  - DynamoDB, 22, 247
- E**
- Earliest Deadline First (EDF), 298
  - Earliest Virtual Time (EVT), 311
  - Ecological impact, 7
  - ECS, 129
  - Edge
    - algorithm, 126
    - network, 176
  - Effective Machine Utilization (EMU), 133
  - Effective virtual time, 311
  - Elastic Beanstalk, 22
  - Elastic Block Store (EBS), 21
  - Elastic Compute Cloud (EC2), 19
  - Elastic Container Service (ECS), 147
  - Elastic Fabric Adapter (EFA), 61
  - Elastic IP address, 19, 20
  - Elastic Kubernetes Service (EKS), 147
  - Elastic Load Balancer (ELB), 10, 22
  - Elastic load balancing, 20
  - Elastic MapReduce (EMR), 22
  - ElastiCache, 22
  - Elasticity, 325
  - Embarrassingly parallel application, 68, 353
  - Embarrassingly parallel problems, 67
  - Emergence, 342
  - Emulation, 136
    - processor, 137
    - system, 145
    - user-mode, 145
  - Enactment engine, 416
  - Enactment model, 416
  - Energy efficiency, 325, 326
  - Energy saving, 327
  - Energy use, 7
  - Energy-proportional systems, 326
  - Enforced modularity, 75
  - Enhanced data rate (EDR), 195
  - Enterprise flash drive (EFD), 218
  - Enterprise Mobile Management (EMM), 287
  - Entity groups, 245, 246
  - Equal Partitioning Rule (EPR), 319
  - Error, 122
    - control, 374
    - sampling, 495
  - Estimator, 206
  - Eucalyptus, 167
  - Event, 369, 376, 470
    - time, 471
  - Eventual consistency, 249
  - Exception bitmap, 144
  - Exception Handler (EH), 388
  - Excess vector, 323
  - Execute instruction, 52
  - Executer functions, 106
  - Execution time
    - parallel, 68

- sequential, 68
- Executor, 106, 428
- Extended Nets, 367
- Extensibility, 414
- Extensible hashing techniques, 229
- External Interface, 438

## F

- Fabric controller, 29
- Facts, 253
- Failure transparency, 73
- Fair Queuing (FQ), 204
- Fair share timeout, 302
- Fair-share scheduler, 127
- Fast Fourier Transform (FFT), 511
- Fast retransmit (FR), 184
- Fat-tree, 192, 193
- Fate sharing, 77
- FauxMaster, 110
- Feasibility, 109
- Feasible state, 332
- Federal Information Processing Standard (FIPS), 261
- Federal Information Security Management Act (FISMA), 261
- Fiber-to-the-home (FTTH), 182
- Fibre Channel (FC), 197
- Field Programmable Gate Arrays (FPGA), 67
- File
  - cache, 227, 228, 440
  - checkpoint, 110
  - Chubby, 236, 243
  - local, 225
  - lock, 236
  - remote, 225, 227
- Filter, 122
- Fine control, 335
- Fine-grained cluster resource sharing, 106
- Fine-grained locks, 234
- Fine-grained parallelism, 66, 354, 355
- Finite state machine (FSM), 53
- Firing sequence, 367
- First-In-First-Out (FIFO) delivery, 378
- Fixed parallel time per process, 69
- Fixed problem size, 69
- Flash crowd, 209
- Flash memory, 217
- Flattened butterfly network, 193
- Floating-point performance models, 60
- Flow
  - control, 183, 184, 189, 197, 296, 356, 374
  - data, 44, 180, 204, 233, 356, 357, 369, 409
  - memory, 52
  - register, 52
  - instruction, 52

- relations, 366
- Flow-control mechanism, 179
- Flowchart, 416
- FlumeJava, 406, 407, 428
  - library, 406
- Fork routing task, 416
- Forwarding Information Base, 187
- Forwarding plane, 178
- Front-end bound, 103
- Frontier of the cut, 381
- Full bisection bandwidth, 189
- Full virtualization, 135, 140
- Fully associative cache, 50
- Fully Homomorphic Encryption (FHE), 268
- Function
  - aggregation, 458
  - objective, 322
  - utility, 338
  - watch, 151

## G

- Gather operation, 59
- General Parallel File System (GPFS), 229, 255
- Generalized Processor Sharing (GPS), 339
- Generic contraction algorithm, 556
- Generic TLC algorithm, 554
- Geo-replication, 457
- Geometric engine, 67
- GFS files, 231
- Global predicate evaluation problem (GPE), 374
- Global real-time clock, 379
- Gmail, 27
- Google
  - Base, 28
  - Calendar, 26, 27, 34, 37
  - Cloud, 25
    - infrastructure, 25, 98
  - Co-op, 28
  - Docs, 27
  - Drive, 26, 28, 39
  - Groups, 28
  - Maps, 28, 37
- Google App Engine, 26
- Google Container Engine (GKE), 129
- Google file system (GFS), 216, 256
- Gradient, 304
  - descent, 504
- Grand architectural complications, 48
- Graph
  - bipartite, 363
  - databases, 241
  - marked, 365, 368
- Graphics Processing Unit (GPU), 2, 60, 67

GrepTheWeb application, 428, 451

Ground truth, 493

Guest

domain, 154

hypervisor, 142, 156, 158, 159

state, 142, 143

## H

Hadoop, 115, 431, 435

Apache, 105, 320, 428, 431, 432

master, 298

scheduler, 298, 302

system, 431

tasks, 299, 320

workloads, 115

Hadoop Distributed File System (HDFS), 105

Hadoop fair scheduler (HFS), 302

Hard disk, 49

Hard disk drive (HDD), 216, 217

Hardware

cloud, 98

costs, 137, 171, 223

parallel, 68

parallelism, 42

support, 136, 141

virtual, 97, 137, 169

virtualization, 146, 171

Hardware description language (HDL), 67

Hashing

perfect random, 404

Hazard

control, 46

data, 46

pipeline, 46

structural, 46

HDFS, 105, 431

Head node, 316

Heavy-tail distributions, 484

Heracles, 119

Hidden states, 143

Hiding the latency, 42, 43, 461

Hierarchical coordination scheme, 421

Hierarchical Token Buckets (HTB), 207

Hierarchy, 79

of networks, 98

High Performance Computing (HPC), 432

History-based prediction, 53

Hit time, 51

Hive, 437

Homomorphic encryption, 269

Horizontal scaling, 242, 329

Host, 176

hypervisor, 156

state, 142, 143

Hosted, 139

independent hypervisors, 171

specialized hypervisors, 171

Hosting

KVM, 145

Xen, 145

Hostname, 19

Hourglass architecture, 178

HTTP redirection, 210

HTTP server, 77

HTTP-tunneling, 79

Hub, 129

Hybrid, 139

cloud, 4

Hyper-threading, 47, 67

Hypercalls, 150

Hypervisor

bare metal, 139

Denali, 138

guest, 142, 156, 158, 159

host, 156

hosted independent, 171

hosted specialized, 171

native, 170

rogue, 169

Xen, 19, 138, 155, 164, 172, 281

## I

IBM clouds, 30

Image, 129

base, 129

child, 129

official, 129

user, 129

Impala, 438

In-memory cluster computing, 120

Incidence Matrix, 367

Incommensurate scaling, 343

Independence, 414

Index vector, 59

InfiniBand, 194, 195

Information, 10

hiding, 74

Information Management System (IMS), 254

Information Processing Technology Office (IPTO), 93

Infrastructure

cloud computing, 13, 63, 95, 246, 357, 412, 503

communication, 175, 197, 200, 209

Google Cloud, 25, 98

network, 82, 181

networking, 94, 191

virtualization, 136, 145



- Infrastructure as a Service (IaaS), 16
- Infrastructure as Code (IaC), 18
- Inhibitor arc, 367
- Initial events, 359
- Insecure APIs, 261
- Inspector (IS), 289
- Instance, 547
- Instruction
  - concurrent, 46
  - flow, 52
  - issue, 52
  - privileged, 81, 162
  - privileged-sensitive, 163
  - sensitive, 81, 173
- Instruction Access Units (IAU), 464
- Instruction Level Parallelism (ILP), 101
- Instruction Register (IR), 43, 163
- Instruction Set Architecture (ISA), 43, 82
- Instruction-level parallelism (ILP), 45
- Instructions per Clock Cycle (IPC), 44
- Integral control, 335
- Integrated circuits (IC), 92
- Intercloud, 32, 33, 345
  - exchange, 32
  - root, 32
    - nodes, 32
  - security, 291
- Interconnection network, 47, 70, 85, 176, 189, 192, 194, 222, 404, 432, 464, 482
  - for computer clouds, 189
- Interdependence, 267
- Interface, 81
  - external, 438
  - network, 24, 178, 179, 189, 478, 480
- Interface Definition Language (IDL), 414
- Interface Message Processors (IMP), 93
- Internal clock, 375
- International Data Corporation (IDC), 7
- Internet, 93, 175–178
  - transport protocols, 179
- Internet Assigned Numbers Authority (IANA), 182
- Internet Cache Protocol (ICP), 209
- Internet exchange point (IXP), 181
- Internet protocol (IP), 8
- Internet Research Task Force (IRTF), 186
- Internet Service Providers (ISP), 181
- Interrupt virtualization, 143
- Interval timer, 375
- Intrusion detection, 268
  - systems, 575
- Invariant behavior, 74
- IP address, 178
  - elastic, 19, 20
  - private, 19
  - public, 19

- IP anycasting, 210
- IPsec, 183
- Iso-latency policy, 116
- Isolation
  - cache, 141
  - modules, 106
  - performance, 137
  - security, 37, 135, 137, 412
  - software fault, 450
- Itanium
  - architecture, 142, 161, 173
  - paravirtualization, 136
  - processor, 162, 163
- Iterator method, 121
- IVA register, 163

## J

- Java, 405
  - threads, 405
- JAVA Message Service (JMS), 450
- Java Virtual Machine (JVM), 273, 405
- Job Manager (JM), 105
  - instance, 447
- Job registry, 447
- Job tracker, 298, 431, 432
- Join, 121, 122
  - point, 465
  - routing task, 416
- Journal storage, 220, 395
- Just-in-time infrastructure, 411

## K

- Kernel-based Virtual Machine (KVM), 145
- Key Management Interoperability Protocol (KMIP), 33
- Key Management Service (KMS), 268, 290
- Key-based routing (KBR), 84
- Key-value, 240, 241
- Killer application, 37
- Kimberlay, 481
- Knowledge base (KB), 267
- Kubernetes, 130–132
- KVM hosting, 145
- KVM virtualization, 148

## L

- L1D cache, 49
- Labels, 131
- Lagrange multiplier method, 330
- Lambda service, 23
- Language INtegrated Query (LINQ), 105
- Large Hadron Collider (LHC), 85

Large-scale systems, 84  
 Last level cache (LLC), 118  
 Late binding, 303  
 Latency, 42, 293, 479, 484
 

- communication, 24, 87, 99, 353
- constraints, 474
- DRAM, 99
- hiding, 42, 43, 461
- memory, 48, 67, 101, 103, 294, 443

 Latency Critical (LC), 116  
 Latency-critical workloads, 116, 117  
 Layer, 81
 

- access, 200
- aggregate, 200
- application, 16, 80
- core, 200
- data link, 177
- data storage, 16, 498
- database, 16
- lineage, 127
- network, 80, 176, 177
- persistence, 127
- processor abstraction, 163
- transport, 80, 176
- user interface, 16

 Layering, 79, 176  
 Leader, 398, 423
 

- participant, 460

 Learner, 398  
 Learning rate, 114  
 Least Recently Used (LRU), 228  
 LHC Computing Grid (LCG), 85  
 Lineage, 121
 

- layer, 127

 Links, 122  
 Live media, 209  
 Live migration, 104, 146  
 Livelock condition, 394  
 Livelock freedom, 407  
 Liveness, 367, 416  
 Load balancing, 13  
 Load-store architecture, 43  
 Local
 

- file, 225
- memory, 251, 303, 462
- relevance, 211
- snapshot, 236

 Locality, 48, 299, 455
 

- disk, 251
- rack, 299
- servers, 299
- spatial, 49, 356
- temporal, 49, 356

Location transparency, 73, 227  
 Location transparent communication, 191  
 Lock, 392, 396
 

- advisory, 234
- Chubby, 236
- coarse-grained, 234
- file, 236
- fine-grained, 234
- granularity, 230
- mandatory, 234
- table, 460
- tokens, 230

 Locking, 234  
 Log data centers, 483  
 Logical clock (LC), 376  
 Logical organization, 223, 224  
 Logical Plan (LP), 498  
 Long Range Computer Study Group (LRCSG), 92  
 Long Short-Term Memory (LSTM), 506  
 Loopback file system (LOFS), 278

## M

Machine Intelligence (MI), 501  
 Machine Learning (ML), 11, 25, 63, 296, 501, 503, 506  
 Machine Perception (MP), 501  
 Machine-based automation, 90  
 Main memory, 49  
 Main Stack Pointer (MSP), 56  
 Malicious insiders, 261  
 Malicious software, 169  
 Malware, 169  
 Management
 

- QoS-aware cluster, 113
- resource, 127
- shared state cluster, 111

 Mandatory
 

- locks, 234
- security, 272

 Map, 121, 122  
 Mapping a computation, 329  
 MapReduce, 105, 425, 426, 436, 449, 451
 

- application, 113, 123, 133, 320, 433, 435, 452
- scheduling, 320
- framework, 433

 Marked graph, 365, 368  
 Marking, 363  
 Markov decision processes, 488  
 Master, 232, 235, 236, 240, 425
 

- Hadoop, 298
- lease, 235

 Master-slave replication, 240  
 Max-min fairness criterion, 297  
 Mechanism, 294

- flow-control, 179
  - parallel recovery, 467
- Media Access Control (MAC), 80
- Megastore, 245, 255, 438
- Meltdown vulnerability, 54
- Memcaching, 242
- Memory
  - access, 54, 61, 138, 360, 361, 455
  - bandwidth, 48, 60
  - banks, 59
  - cost, 48
  - latency, 48, 67, 101, 103, 294, 443
  - local, 251, 303, 462
  - virtual, 51, 136, 155, 156, 171, 228, 250, 388, 409
  - virtualization, 104, 164, 172
- Memory Management Unit (MMU), 57, 104, 161
- Mesa, 106, 457, 458
- Message, 356, 425
- Message delivery
  - causal, 378
  - rules, 377
- Message Passing Interface (MPI), 388
- Metanode, 230
- Metaphysical addressing, 164
- Method
  - bootstrap, 492
  - iterator, 121
  - Lagrange multiplier, 330
- Microservices, 18
- Microsoft Azur Container Service, 130
- Microsoft Windows Azure, 28
- Middleware, 73, 85
- Migration transparency, 74
- MIMD, 47
- Minimal witness basis, 253
- Minimum charging units, 311
- Minimum share timeout, 302
- Minions, 130, 131
- Miss penalty, 51
- Mitigating cloud vulnerabilities, 287
- Mobile Application Management (MAM), 287
- Mobile Device Management (MDM), 287
- Mode
  - overlay, 530
  - sensitive, 140
- Model
  - arbitrarily divisible load sharing, 412
  - assumptions, 534
  - balls-and-bins, 400
  - bulk synchronous parallel, 360
  - computational, 358
  - decision, 33
  - enactment, 416

- floating-point performance, 60
  - for multicore computing, 361
  - navigational, 254
  - NoSQL distribution, 240
  - roofline, 60
  - storage, 220
  - three-tier, 4
  - weak coordination, 421
- Modularity, 74
- Modularization, 176
- Modularly divisible application, 329
- Monitor, 334
- Monitoring phase, 430
- Multi-Layer Perceptrons (MLP), 506
- Multicasting, 183
- Multicloud, 39
- Multicore processor speedup, 70
- Multilevel nested virtualization, 156
- Multiplexing, 136
- Multistage interconnection networks, 193
- Multitenancy, 259
- Multithreaded SIMD processors, 61, 65
- Mutual exclusion, 407
- Myrinet, 194, 196

## N

- N-way set associative cache, 50
- Name node, 431, 432
- Name Server (NS), 105
- Named Data Networks (NDN), 186
- National Science Foundation (NSF), 38
- Native hypervisors, 170
- Natural language processing (NLP), 507
- Natural language understanding (NLU), 507
- Navigational model, 254
- Negotiation
  - object, 33
  - protocols, 33
- Nested virtualization, 136, 142, 156, 158, 159, 172
  - multilevel, 156
  - single-level, 156
- Network
  - adapter, 154
  - architecture, 154, 176
  - Clos, 193
  - congestion, 183, 204
  - content service, 211
  - content-centric, 185, 210
  - convolutional neural, 506
  - core, 176, 209
  - cost, 194
  - deep neural, 506
  - diameter, 189

- distribution, 185
- edge, 176
- fat-tree, 193
- flattened butterfly, 193
- infrastructure, 82, 181
- interconnection, 47, 70, 85, 176, 189
- Interconnection, 189
- interconnection, 189, 192, 194, 222, 404, 432, 464, 482
  - cloud, 191, 503
- interface, 24, 178, 179, 189, 478, 480
- layer, 80, 176, 177
- model, 238, 344
- multistage interconnection, 193
- overlay, 84, 188, 211
- packet-switched, 176
- resource management algorithms, 204
- software-defined, 187
- storage area, 197
- tensor, 553
- Tier 1, 181
- Tier 2, 181
- Tier 3, 181
- topology, 189, 231
- vehicular ad hoc, 211
- virtual, 84, 212, 480, 481
- virtualization, 154, 156
- Network Address Translation (NAT), 19, 182
- Network Element Control Protocol (NECP), 209
- Network File System (NFS), 76, 88, 216, 221, 223
- Network Interface Card (NIC), 153
- Network-centric computing, 10
- Network-centric content, 10
- Networking
  - AWS, 23
  - infrastructure, 94, 191
- Networks-on-a-chip (NoC), 65
- Neural networks (NN), 504
- Neutrality, 414
- Next Generation Enterprise Network (NGEN), 86
- Node, 189, 320
  - head, 316
  - name, 431, 432
  - worker, 316
- Non Secure World (NSW), 160
- Nonpreemption, 394
- Nonrepudiation, 32
- NoSQL databases, 222, 239–241, 243, 245, 247, 255, 269, 454
- NoSQL distribution models, 240

## O

- Oak Ridge National Laboratory (ORNL), 72
- Object code, 82
- Object of negotiation, 33

- Object Request Broker (ORB), 414
- Object-relational impedance mismatch, 239
- Objective function, 322
- Official images, 129
- Omission failure, 398
- On-chip L1I, 49
- On-chip L2 cache, 49
- ONF architecture, 188
- Ontology, 32
- Opcode, 59
- Open Container Initiative (OCI), 130
- Open Network Foundation (ONF), 188
- Open Shortest Path First (OSPF), 187
- Open-Nebula, 168
- OpenStack, 168
- Operating system (OS), 57, 96, 135
  - security, 272
- Operation
  - gather, 59
  - scatter, 59
- Optimal control, 330, 332, 346, 490
- Optimal Partitioning Rule (OPR), 316
- Optimal resource management, 329
- Oracle, 515
- Order Preserving Encryption (OPE), 270
- Organization
  - kubernetes, 130
  - logical, 223, 224
  - physical, 223
  - scale-free, 344
- Over-provisioning, 325
- Overclocking, 118
- Overlay, 209
  - links, 84
  - networks, 84, 188, 211
- Overlimit, 207
- Overprovisioning, 6
- Oversubscription, 98, 191

## P

- P2P replication, 240
- PaaS, 15, 16, 26, 34, 450
- Packet filtering, 575
- Packet-switched networks, 176
- Packets, 176, 425
- Pages, 51
- Paradigm
  - client–server, 41, 75–77, 225, 413
  - disruptive computing, 2
- Parallel
  - collection, 406
  - execution time, 68
  - file systems, 216, 222, 228

- hardware, 68
- recovery mechanism, 467
- slackness, 360
- Parallel File Systems (PFS), 221
- Parallel random-access machine (PRAM), 358
- Parallelism, 45
  - bit-level, 45
  - coarse-grained, 354
  - data-level, 67
  - fine-grained, 66, 354, 355
  - instruction-level, 45
  - task-level, 67
  - Thread-level, 67
- Paramount complication, 48
- Paravirtualization, 135, 140, 141, 148, 161, 164, 171, 274
  - Itanium, 136
  - strategy, 153
  - Xen, 149
- Partial Differential Equations (PDE), 66, 369
- Participant leader, 460
- Pass-through operators, 498
- Passphrase, 280
- Path, 224
  - trusted, 272
- Pattern, 151
  - workflow, 419
- Paxos, 397
  - algorithm, 236, 237
  - basic, 398
  - group, 460
- Peer-to-peer systems, 82
- Peering, 181
- Pending Interest Table (PIT), 187
- Perceptron, 504
  - rule, 505
- Perfect random hashing, 404
- Performance
  - metrics, 47, 113, 210, 338
  - transparency, 74
  - unpredictability, 137
  - VM, 153
  - WSC, 100
- Periodic task, 315
- Persistence layer, 127
- Persistent backlog, 207
- Persistent trust, 267
- Petri nets (PN), 363
- Phase
  - cleanup, 430
  - monitoring, 430
  - shutdown, 430
  - transition, 343
- Photon, 474
- Physical organization, 223
- Physical Plan (PP), 498
- Picasa, 27
- Pig, 436
- Pinhole, 575
- Pipeline
  - hazards, 46
  - scheduling, 46
  - stall, 46
- Pipelining, 45
- Plane
  - forwarding, 178
  - routing, 179
- Planning, 416
- Platform as a Service (PaaS), 15
- Pod, 201
- Point-of-presence (POP), 181
- Policy, 268, 294
- Port, 179, 180
- Precision, 375
- Precursors, 223
- Predecessor task, 415
- Prediction
  - branch, 53
  - history-based, 53
- Presentation tier, 4
- Preserve exception behavior, 48
- Preserve instruction flow, 48
- Preserve security, 48
- Pricing, 322
- Primitive processes, 359
- Primitive task, 415
- Priority bands, 109
- Priority inheritance, 127
- Priority inversion, 394
- Priority-based scheduling, 127
- Privacy
  - impact, 291
  - risks, 266, 278, 280
- Privacy Impact Assessment (PIA), 264, 266
- Private
  - cloud, 4, 5, 167, 168
  - IP address, 19
- Privilege leaking, 162
- Privilege rings, 162
- Privileged instructions, 81, 162
- Privileged-sensitive instructions, 163
- Probability density function (PDF), 484
- Problem
  - Deutsch–Jozsa, 515
  - embarrassingly parallel, 67
- Process, 82, 359, 369
  - balloon, 104

- description, 416
- Markov decision, 488
- primitive, 359
- VM, 138
- Process Stack Pointer (PSP), 56
- Processor
  - abstraction layer, 163
  - asymmetric core, 70
  - bandwidth, 43, 307, 356
  - clock, 44
  - emulation, 137
  - Itanium, 162, 163
  - management, 81
  - multithreaded SIMD, 61, 65
  - resources, 117
  - sharing, 96
  - superscalar, 45, 47
  - symmetric core, 70
  - utilization, 96, 132, 336, 353, 361
  - virtualization, 80, 96, 135, 137, 140, 172, 388, 409
- Producer–consumer synchronization, 407
- Program counter (PC), 43
- Proportional thresholding, 335
- Proposal, 398, 425
- Proposer, 398
- Protocol, 176, 209, 371
  - connection-oriented, 183
  - connectionless, 183
  - negotiation, 33
- Provider
  - CDN, 209
  - service, 14
- Public cloud, 4
- Public IP address, 19

## Q

- QEMU, 144
- QoS, 113
  - crosstalk, 137
- QoS-aware cluster management, 113
- Quad Data Rate (QDR), 195, 445
- Quantum communication, 509
- Quantum Computing (QC), 501, 509
  - Playground, 516
- Quantum Information Processing (QIP), 509
- Quantum Inspire, 518
- Quantum parallelism, 510
- Quasar, 114
- Qubit, 509
  - control, 511
- Quorum, 398
- Quota system, 109

## R

- Rack, 98
  - locality, 299
- Random-access machine (RAM), 358
- Rank, 121, 122
- Rate Monotonic Algorithms (RMA), 298
- Reachability, 367
- Read after Write (RAW), 46
- Real-time bandwidth, 118
- Recurrent Neural Networks (RNN), 506
- Recursive construction, 75
- Red Hat Virtualization (RHV), 170
- Regions, 23
- Register
  - CPU, 49
  - data flow, 52
  - stack engine, 163
  - vector length, 59
  - vector mask, 59
- Register File (RF), 44
- Registration Authority (RA), 32
- Regularization factor, 114
- Relational algebra, 238
- Relational Database Service (RDS), 10
- Relational trust, 267
- Relative deadline, 315
- Remote File System (RFS), 223, 255
- Remote Procedure Call (RPC), 73, 76, 225
- Replanning, 415
- Replay log, 236
- Replication
  - controllers, 131
  - master–slave, 240
  - P2P, 240
  - transparency, 73
- Representational State Transfer (REST), 414
- Reputation, 268
- Request for quotation (RFQ), 93
- Request-parallel applications, 99
- Reservation stations (RS), 52
- Resilient Distributed Dataset (RDD), 121, 466
- Resource
  - allocation, 113
  - assignment, 113
  - isolation, 116
  - management, 127, 328
  - multiplexing, 2
  - processor, 117
  - scale out, 115
  - scale up, 115
  - virtualization, 136
- Resource Description Framework (RDF), 85
- Response time, 77, 78, 165

- Ring, 151
  - aliasing, 143
  - compression, 143, 162
  - deprivileging, 142
  - privilege, 162
- Risk, 267
  - privacy, 266, 278, 280
  - profile, 261
  - security, 259, 271, 279–281, 287, 291
- Rogue hypervisor, 169
- Roofline model, 60
- Root, 97, 576
- Rootkit, 169
- Routing
  - DNS-based, 210
  - plane, 179
  - task, 415
- Row
  - cache, 50
  - groups, 439
- Rule, 253, 576
- Run, 381
- S**
- Safety, 416
- Same Program Multiple Data (SPMD), 67, 425
- Sample estimate result, 495
- Sampling, 121
- Sampling error, 495
  - distribution, 495
- Scalability, 86, 239, 240
- Scalable data center communication architectures, 200
- Scale-free organization, 344
- Scaled speedup, 69
- Scaling
  - horizontal, 242, 329
  - incommensurate, 343
  - transparency, 74
  - vertical, 328
- Scan consolidation, 498
- Scatter operation, 59
- Scheduler
  - Apache capacity, 306
  - fair-share, 127
  - Hadoop, 298, 302
  - Spark, 121, 122, 306
  - thread, 63, 311
  - workload, 111
- Scheduler virtual time (SVT), 311
- Scheduling, 316
  - data-aware, 303
  - delay, 298
- Schema, 454
- Schema-on-write, 454
- Scoring, 109
- Search time, 217
- Searchable symmetric encryption (SSE), 270
- Secondary spectrum-data falsification (SSDF), 530
- Secure arguments, 75
- Secure Sockets Layer (SSL), 183, 262
- Secure Virtual Machine (SVM), 142
- Security, 258
  - assessment, 264
  - audit, 15
  - AWS, 258, 289, 290
  - cloud, 15, 30, 36, 258, 259, 263, 286, 289–291, 452
  - Intercloud, 291
  - isolation, 37, 135, 137, 412
  - mandatory, 272
  - of database services, 270
  - operating system, 272
  - risks, 259, 271, 278–281, 287, 291
  - virtual machine, 273
  - virtualization, 257, 275
  - VM, 257, 273
- Security as a service (SecaaS), 264
- Security Extensions (SE), 161
- Seek time, 217
- Segments, 179
- Selector, 206
- Self-organization, 342, 344
- Semantic integration, 28
- Semantic Web, 85
- Sensitive instructions, 81, 173
- Sensitive machine instructions, 140
- Sensors, 329, 333, 334
- Sequencer, 234
- Sequential execution time, 68
- Serialization, 392
- Server
  - chunk, 232, 233
  - HTTP, 77
  - locality, 299
  - stateless, 413
  - thrift, 438
  - utilization, 127, 210, 227, 259, 304, 325
  - virtual, 18, 19, 488
  - WSC, 99
- Service, 131
  - composite, 450
  - consensus, 397
  - consumer, 14
  - hijacking, 261
  - Lambda, 23
  - provider, 14
- Service Level Agreement (SLA), 6, 13, 33, 36, 260

- Service Level Objectives (SLO), 116
- Servless computer service, 23
- Sessions, 470
- Set-associative cache, 50
- Sharding, 240
- Shared cluster state, 111
- Shared memory system (SMS), 464
- Shared security responsibility (SSR), 17, 289
- Shared state cluster management, 111
- Shared technology, 261
- Shared write lock, 230
- Shutdown phase, 430
- Sigmoid neuron (SN), 505
- SIMD, 47
  - architectures, 58–60
- Simple DB, 21
- Simple Object Access Protocol (SOAP), 414
- Simple Queue Service (SQS), 21
- Simple Storage System (S3), 20
- Simple Workflow Service (SWS), 22
- Simultaneous multithreading (SMT), 103
- Single data rate (SDR), 195
- Single-level nested virtualization, 156
- Singular Value Decomposition (SVD), 113
- SISD processors, 46
- Slack, 27, 119, 329
- Slave threads, 465
- Sliding, 470
- Slots, 106, 320
  - sticky, 299
- Socket, 88, 179
- Soft modularity, 75
- Soft-state, 241
- Software, 87
  - architecture, 4
  - malicious, 169
  - virtualization, 136, 170
  - vulnerability, 278
- Software as a Service (SaaS), 15
- Software fault isolation (SFI), 450
- Software-defined Network (SDN), 187
- Software-Defined Wide Area Network (SD-WAN), 188
- Solid-state disks, 217
- Space
  - active, 421
  - tuple, 421
- Space–time diagram, 377, 381
- Spanner, 459, 460
- Spark, 121, 122
  - dependencies, 122
  - driver programs, 122
  - scheduler, 121, 122, 306
  - streaming, 466, 467, 470, 498
- Spatial locality, 49, 356
- Spectre, 54
- Speculation
  - branch condition, 53
  - branch target, 53
- Speedup, 68, 353
- Spintronics, 216
- Split, 427
  - drivers, 151
- Sprite File System (SFS), 216, 227, 255
- SRAM, 49
- Stack pointer, 387
- Start-time fair queuing (SFQ), 307, 347
- State, 369
  - feasible, 332
- State Machine, 368
- State of a case, 416
- Stateless address auto-configuration (SLAAC), 183
- Stateless servers, 413
- Static content, 209
- Sticky slots, 299
- Stochastic Fairness Queuing (SFQ), 206
- Stochastic Gradient Descent (SGD), 114
- Stochastic Petri Nets (SPN), 369
- Storage
  - cell, 220, 395, 396
  - cloud, 26, 216, 255, 257, 289
  - journal, 220, 395
- Storage area network (SAN), 197, 221, 255
- Storage manager, 396
- Storage models, 220
- Straggler, 303
- Strategy
  - biased, 53
  - cooperative spectrum-sensing, 530
- Streaming SIMD extensions (SSE), 59
- Stride, 59
- Strong clock condition, 380
- Structural hazards, 46
- Structured Query Language (SQL), 238
- Stubs, 414
- Successor task, 415
- Supernodes, 84
- Superscalar processor, 45, 47
- Supersteps, 360
- Symmetric confusion, 364
- Symmetric core processor, 70
- Synchronization, 350
  - barrier, 352, 354, 355
  - producer–consumer, 407
- System
  - distributed, 73
  - emulation, 145



- energy-proportional, 326
  - intrusion detection, 575
  - large-scale, 84
  - management
    - cluster, 110
    - resource, 75
  - model, 316
  - peer-to-peer, 82
  - quota, 109
  - VM, 138
- T**
- Table schema, 458
  - Tablet, 459
  - Tachyon, 124, 127
  - Tachyon Master (TM), 125
  - Tag, 50
  - Target qubit, 511
  - Task, 360, 415, 416
    - aperiodic, 316
    - composite, 415
    - periodic, 315
    - predecessor, 415
    - primitive, 415
    - routing, 415
      - fork, 416
      - join, 416
    - successor, 415
    - tracker, 298, 431, 432
  - Task-level parallelism, 67
  - Task-priority register (TPR), 143
  - TCP congestion control, 183
  - Temporal locality, 49, 356
  - Tensor, 62
    - contraction, 552, 553
    - network, 553
  - Tensor Processing Units (TPU), 2, 506, 507
  - Terraform, 18
  - Tez, 434
  - Thin clients, 11, 41
  - Third Party Auditors (TPA), 271
  - Third-party control, 261
  - Thread, 67
    - allocate, 385
    - blocks scheduler, 61
    - groups, 354, 369
    - pool, 405
    - scheduler, 63, 311
      - block, 63
    - slave, 465
  - Thread-level parallelism, 67
  - Three-tier model, 4
  - Three-way handshake, 77
  - Thresholds, 335
  - Thrift Server, 438
  - Thunk, 145
  - Tier
    - application/logic, 4
    - data, 4
    - presentation, 4
  - Tier 1 network, 181
  - Tier 2 network, 181
  - Tier 3 network, 181
  - Time
    - intervals, 375
    - response, 77, 78, 165
    - search, 217
    - seek, 217
    - skew, 470
    - stamp, 375, 379, 468
  - Time-slice, 298
  - Timers, 468
  - Timing, 204
  - Token manager, 230
  - Tokens, 366
    - byte-range, 230
    - lock, 230
  - Total surplus, 322
  - TPUs, 2, 42, 63, 506, 507
  - Tracker
    - job, 298, 431, 432
    - task, 298, 431, 432
  - Traditional threats, 260
  - Training data, 504
  - Transaction manager, 460
  - Transit, 181
    - centers, 23
  - Transition, 363
    - phase, 343
  - Transparency
    - access, 73
    - concurrency, 73
    - failure, 73
    - location, 73, 227
    - migration, 74
    - performance, 74
    - replication, 73
    - scaling, 74
  - Transport layer, 80, 176
  - Transport Layer Security (TLS), 183, 282, 287
  - Tread scheduler, 61
  - Triggers, 22, 471
  - Trust, 267, 530
    - calculus-based, 267
    - dynamic, 267
    - indexes, 32

- persistent, 267
  - relational, 267
- Trust Zone Secure World (TZSW), 161
- Trusted applications, 272
- Trusted Computer Base (TCB), 38, 281
- Trusted Execution Environment (TEE), 160
- Trusted paths, 272
- Tunneling, 200
- Tuple calculus, 255
- Tuple space, 421
- Two-level resource allocation strategy, 333

## U

- Undelete files, 278
- Underlimit, 207
- Union, 121
- Universal gates, 505
- Universal Serial Bus (USB), 153
- UNIX File System (UFS), 223, 236
- User
  - challenges, 34
  - images, 129
- User-mode emulation, 145
- Utility computing, 1
- Utility function, 338
- Utility-based, 296

## V

- Validation Authority (VA), 32
- Values, 457
- Variability, 502
- Vast amounts, 476
- Vector
  - architectures, 59
  - clocks, 249
  - length registers, 59
  - mask registers, 59
- Vehicular
  - clouds, 518, 519
  - networks, 519
- Vehicular ad hoc network (VANET), 211
- Vehicular Virtual Machine Migration (VVMM), 522
- Vendor lock-in, 9, 30
- Vertical scaling, 242, 328
- Very Long Instruction Word (VLIW), 161
- Virtual
  - address, 51
  - cloud, 316
  - hardware, 97, 137, 169
  - memory, 51, 136, 155, 156, 171, 228, 250, 388, 409
  - network, 84, 212, 480, 481
  - server, 19

- servers, 18, 488
  - time, 311
- Virtual Block Device (VBD), 151
- Virtual circuits (VC), 199
- Virtual Machine Control Structure (VMCS), 142
- Virtual machine (VM), 18, 20, 95, 135, 138, 164, 213
- Virtual Memory Manager (VMM), 388
- Virtual Network Computing (VNC), 481
- Virtual Network Interfaces (VNI), 151
- Virtual Private Cloud (VPC), 22
- Virtual Private Network (VPN), 22, 26
- Virtual-Machine Based Rootkit (VMBR), 169, 170

## Virtualization

- by aggregation, 95
- by multiplexing, 95
- CPU, 163
- full, 135, 140
- hardware, 146, 171
  - support, 141
- interrupt, 143
- KVM, 148
- memory, 104, 164, 172
- nested, 136, 142, 156, 158, 159, 172
  - multilevel, 156
  - single-level, 156
- network, 154, 156
- processor, 80, 96, 135, 137, 140, 172, 388, 409
- resource, 136
- security, 257, 275
- software, 136, 170

## VM

- application, 138
- import, 20, 547
- performance, 153
- process, 138
- security, 257, 273
- system, 138
- Volunteer computing, 449
- von Neumann architecture, 91
- Vulnerability
  - critical, 54
  - software, 278

## W

- Wait time, 302
- Warehouse Scale Computers (WSC), 95, 96, 98
- Watch function, 151
- Wave-particle duality principle, 508
- Weak coordination models, 421
- Web Application Firewall (WAF), 290
- Web browser, 77
- Web Cache Coordination Protocol (WCCP), 209
- Web page, 77

- Web Services Description Language (WSDL), 414
- Wide Area Networks (WAN), 73
- Wimpy cores, 99
- Windowing, 470
- Windows Azure, 28
- Wireless local area networks (WLAN), 478
- Witness tree, 404
- Worker node, 316
- Worker role, 29
- Workflow, 415
  - dynamic, 421
  - pattern, 419
- Working set, 49, 120, 455
- Workload
  - derivative, 316
  - latency-critical, 117
  - scheduler, 111
- Write after Read (WAR), 46
- Write after Write (WAW), 46
- Write-ahead, 229

- Write-write conflict, 240
- WSC
  - performance, 100
  - servers, 99

## **X**

- XDP, 77
- Xen, 148
  - hosting, 145
  - hypervisor, 19, 138, 155, 164, 172, 281
  - paravirtualization, 149
- XenStore, 151, 282, 284, 285, 291
- Xoar, 283

## **Y**

- Yarn, 433

## **Z**

- Znode stores, 425
- Zonemaster, 459