




Mean cropland connectivity risk index from sensitivity analysis: resolution = 24




Mean cropland connectivity risk index from sensitivity analysis: avocado




Mean cropland connectivity risk index from sensitivity analysis: avocado




in Cropland Connectivity for range: 0.0177085833429416 to 0.051465381982




Variance in cropland connectivity risk index from sensitivity analysis: avocado




Difference in rank of cropland harvested area fraction and CCRI: avocado





Difference in rank of cropland harvested area fraction and CCRI:





Difference in rank of cropland harvested area fraction and CCRI:














Mean cropland connectivity risk index from sensitivity analysis: resolution = 24




Mean cropland connectivity risk index from sensitivity analysis: avocado




Mean cropland connectivity risk index from sensitivity analysis: avocado




in Cropland Connectivity for range: 0.0797785598289009 to 0.085519744034




Variance in cropland connectivity risk index from sensitivity analysis: avocado




Difference in rank of cropland harvested area fraction and CCRI: avocado





Difference in rank of cropland harvested area fraction and CCRI:





Difference in rank of cropland harvested area fraction and CCRI:














Mean cropland connectivity risk index from sensitivity analysis: resolution = 24




Mean cropland connectivity risk index from sensitivity analysis: avocado




Mean cropland connectivity risk index from sensitivity analysis: avocado




in Cropland Connectivity for range: 0.0797785598289009 to 0.085519744034




Variance in cropland connectivity risk index from sensitivity analysis: avocado




Difference in rank of cropland harvested area fraction and CCRI: avocado





Difference in rank of cropland harvested area fraction and CCRI:





Difference in rank of cropland harvested area fraction and CCRI:














Mean cropland connectivity risk index from sensitivity analysis: resolution = 24




Mean cropland connectivity risk index from sensitivity analysis: avocado




Mean cropland connectivity risk index from sensitivity analysis: avocado




in Cropland Connectivity for range: 0.0140474828424082 to 0.053643056166




Variance in cropland connectivity risk index from sensitivity analysis: avocado




Difference in rank of cropland harvested area fraction and CCRI: avocado





Difference in rank of cropland harvested area fraction and CCRI:





Difference in rank of cropland harvested area fraction and CCRI:














Mean cropland connectivity risk index from sensitivity analysis: resolution = 24




Mean cropland connectivity risk index from sensitivity analysis: avocado




Mean cropland connectivity risk index from sensitivity analysis: avocado




in Cropland Connectivity for range: 0.065409184614787 to 0.078107408592




Variance in cropland connectivity risk index from sensitivity analysis: avocado




Difference in rank of cropland harvested area fraction and CCRI: avocado





Difference in rank of cropland harvested area fraction and CCRI:





Difference in rank of cropland harvested area fraction and CCRI:














Mean cropland connectivity risk index from sensitivity analysis: resolution = 24




Mean cropland connectivity risk index from sensitivity analysis: avocado




Mean cropland connectivity risk index from sensitivity analysis: avocado




in Cropland Connectivity for range: 0.065409184614787 to 0.078107408592




Variance in cropland connectivity risk index from sensitivity analysis: avocado




Difference in rank of cropland harvested area fraction and CCRI: avocado





Difference in rank of cropland harvested area fraction and CCRI:





Difference in rank of cropland harvested area fraction and CCRI:














Mean cropland connectivity risk index from sensitivity analysis: resolution = 24




Mean cropland connectivity risk index from sensitivity analysis: avocado




Mean cropland connectivity risk index from sensitivity analysis: avocado




Cropland Connectivity for range: 0.00740740740740741 to 0.007407407407




Variance in cropland connectivity risk index from sensitivity analysis: avocado




Difference in rank of cropland harvested area fraction and CCRI: avocado





Difference in rank of cropland harvested area fraction and CCRI:





Difference in rank of cropland harvested area fraction and CCRI:














Mean cropland connectivity risk index from sensitivity analysis: resolution = 24




Mean cropland connectivity risk index from sensitivity analysis: avocado




Mean cropland connectivity risk index from sensitivity analysis: avocado




Cropland Connectivity for range: 0.00740740740740741 to 0.00740740740740741




Variance in cropland connectivity risk index from sensitivity analysis: avocado




Difference in rank of cropland harvested area fraction and CCRI: avocado





Difference in rank of cropland harvested area fraction and CCRI:





Difference in rank of cropland harvested area fraction and CCRI:














Mean cropland connectivity risk index from sensitivity analysis: resolution = 24




Mean cropland connectivity risk index from sensitivity analysis: avocado




Mean cropland connectivity risk index from sensitivity analysis: avocado




Cropland Connectivity for range: 0.00740740740740741 to 0.007407407407




Variance in cropland connectivity risk index from sensitivity analysis: avocado



Difference in rank of cropland harvested area fraction and CCRI: avocado



Difference in rank of cropland harvested area fraction and CCRI:



Difference in rank of cropland harvested area fraction and CCRI:

