START OF QUIZ Student ID: 93941052,MacCabe,Jata

Topic: Lecture 8 Source: Lecture 8

Do you think we could use word embeddings for coreference resolution? What kind of assumptions would we be making, and why do you think it might still be a very difficult task? (2)

Topic: Lecture 5 Source: Lecture 5

Which is likely to have the highest PMI? A rare word and a frequent word that appear together frequently, or two frequent words that appear together frequently? (1)

Topic: Lecture 8 Source: Lecture 8

What is the purpose of an antecedent in an aphoric resolution? (1)

Topic: Lecture 6 Source: Lecture 6

Think back to week 1 of this block when we were doing word sense disambiguation. Do you think there would be disadvantages to disambiguating all words before running word2vec? Explain. (2)

Topic: Lecture 7 Source: Lecture 7

Explain salience with respect to entities in a sentence (ie, when identifying Cf). (1)

Topic: Lecture 7 Source: Lecture 7

Why are we interested in backward-facing centers (Cb). Why not just consider the entities in the current sentence? (1)

Topic: Lecture 5 Source: Lecture 5

In class, we talked about how a "typical" dimensionality for embeddings is in the range of 100-500. What might be some consequences if we estimated too low or too high? (2)

Topic: Lecture 6 Source: Lecture 6

We took a look at how vectors can be added / subtracted in vector space. Why does this work? (hint: think back to the general properties of word embeddings that we've wanted from the very start) (1)

Topic: Coding Source: Coding

Write a short function that tries to find a good value for k in truncated SVD. You'll essentially be writing your own version of the evaluate word analogies function. For each of our the analogies, you'll need to do the vector math we were doing in the capital city determination, and return the 1-closest vector - if it's what we're looking for, it's correct. If not, it's wrong. (3)

END OF QUIZ