START OF QUIZ Student ID: 21778279,Li,Siyu

Topic: Lecture 7 Source: Lecture 7

What is the benefit (in terms of efficiency) of placing the most discriminative search terms first in a boolean search? (1)

Topic: Lecture 5 Source: Lecture 5

Why can we represent a rank-m matrix as the sum of m rank-1 matrices *or* the product of an n x m matrix and an m x n matrix (ie, what is matrix multiplication doing that we can take advantage of?)? Explain. (2)

Topic: Lecture 6 Source: Lecture 6

Why can't we just run an HMM over documents to discover the latent states like we do for POS-tagging? (1)

Topic: Lecture 5 Source: Lecture 5

Explain the logic behind the IDF part of TF-IDF (ie, why does it give higher weights to more "interesting" words?). (1)

Topic: Lecture 8 Source: Lecture 8

P(d|q) is not what we are solving with the language model. Why is this not generally a problem? (1)

Topic: Lecture 7 Source: Lecture 7

What is the benefit of evaluating boolean queries using set operations instead of loops? (1)

Topic: Lecture 6 Source: Lecture 6

In some ways, we could consider Beta distributions themselves to be an embedding of a document. Explain, and explain how we might be able to leverage that. (2)

Topic: Lecture 8 Source: Lecture 8

What are some assumptions that we make when we are interpolating between a document and a corpus? When should we trust the corpus more, and when should we trust the document more? (2)

Topic: Coding Source: Coding

Write a function that returns the most likely n documents given a term-document matrix, a smoothing parameter, and a query. (3)

END OF QUIZ