START OF QUIZ Student ID: 34157719,Philip,Reshmi

Topic: Lecture 1 Source: Lecture 1

Briefly describe the difference between micro- and macro-F1, which one is more appropriate for NER tagging, and why. (1)

Topic: Lecture 2 Source: Lecture 2

If we're building a CRF for relation extraction, what other NLP tools might be useful for generating feature vectors? (At least 3) (1)

Topic: Lecture 4 Source: Lecture 4

Along with the features described in class for non-neural SRL, suggest 2 other features that we could use. (1)

Topic: Lecture 1 Source: Lecture 1

Explain one way that NER tagging is similar to POS tagging, and two ways it's different. (1)

Topic: Lecture 2 Source: Lecture 2

Consider the following sentences: "James married Joyce in 2010. Their son Ulysses was born in 2013. In 2015, James and Joyce divorced." Extract all of the RDF triples you can from the sequence. (2)

Topic: Lecture 3 Source: Lecture 3

How might theta roles help in the task of an aphora resolution? (1)

Topic: Lecture 3 Source: Lecture 3

How can semantic roles be used to identify relations in relation extraction? How can they help us identify false positives from our system? (2)

Topic: Lecture 4 Source: Lecture 4

We talked about a few other contraints for the ILP solver, such as making sure that "ARG0 must occur before ARG1". How would you implement this as an ILP constraint? (You don't need to write the pulp code - just explain how you would force the constraint.) (2)

Topic: Coding Source: Lecture 3

Identify all of the theta-roles in the following sentences: It all began with the forging of the Great Rings. Three were given to the Elves; immortal, wisest and fairest of all beings. Seven were handed to the Dwarf Lords, great miners and craftsmen of the mountain halls. And nine, nine rings were gifted to the race of Men, who above all else desire power. For within them was bound the strength and will to govern each race. But they were all of them deceived... for another ring was made. (3)

END OF QUIZ