START OF QUIZ Student ID: 86330909,Xia,Liangchen

Topic: Lecture 6 Source: Lecture 6

Neural Q/A (even before ChatGPT) was significantly better than previous models. Beyond just the traditional benefits of deep learning that we know of, (such as longer dependencies, etc.), why is this the case? (2)

Topic: Lecture 7 Source: Lecture 7

We discussed slot error rate in class, but it's fully-supervised. Can you think of a distantly-supervised way to calculate essentially the same thing? (1)

Topic: Lecture 5 Source: Lecture 5

How does Bert deal with the potentially infinite vocabulary required to answer questions? (1)

Topic: Lecture 7 Source: Lecture 7

Many times when speaking to an ASR dialogue agent (like Alexa), I will try to correct her while she is speaking, and she will completely ignore me. Provide a reasonable explanation of why you think that is. (1)

Topic: Lecture 8 Source: Lecture 8

Imagine that we have a dialogue system trained with reinforcement learning. What part of a dialogue might result in a negative reward (ie, a penalty) to the system's policy algorithm? (2)

Topic: Lecture 6 Source: Lecture 6

What is the focus of the following question: "Do you know when Jaws was released"? (1)

Topic: Lecture 8 Source: Lecture 8

How is it that Eliza can use words / phrases that she doesn't have in her templates? (1)

Topic: Lecture 5 Source: Lecture 5

ChatGPT differs significantly from even other neural Q/A systems. Provide at least 2 significant differences, and briefly describe them. (2)

Topic: Coding Source: Lecture 8

Imagine that I'm working with a client who wants a dialogue system that provides advice for his company. It has to fit on a phone, but might end up in regions with very limited cell service, so it has to be locally installed. We have limited memory (let's say 1Gb). How would we go about building such a tool? What are some questions we should ask the client? How would we provide the required functionality? Is it even possible? (3)

END OF QUIZ