# START OF QUIZ Student ID: 67446104,Nguyen,Minh

Topic: Lecture 6 Source: Lecture 6

Why do we need a "human in the loop" for topic modeling? (1)

Topic: Lecture 7 Source: Lecture 7

What is the benefit of evaluating boolean queries using set operations instead of loops? (1)

Topic: Lecture 8 Source: Lecture 8

In class, I mentioned that high k value for BM25 TF weighting rewards documents with many, many instances of a term in them. Explain why that's the case. (2)

Topic: Lecture 5 Source: Lecture 5

Why can we represent a rank-m matrix as the sum of m rank-1 matrices \*or\* the product of an n x m matrix and an m x n matrix (ie, what is matrix multiplication doing that we can take advantage of?)? Explain. (2)

Topic: Lecture 8 Source: Lecture 8

What do we mean by interpolation? (1)

Topic: Lecture 5 Source: Lecture 5

Why can we be confident that a low-rank approximation of a matrix contains the most important information in a document? (1)

Topic: Lecture 7 Source: Lecture 7

Explain why boolean filtering is usually insufficient for retrieval, and why we normally need some way of scoring the documents. (2)

Topic: Lecture 6 Source: Lecture 6

Why don't we just use k-means to cluster document-vectors (sparse or dense)? (1)

Topic: Long

Source: Lecture 6

Imagine that we have a Beta distribution for each document, and a Theta distribution for each document. We are at the Maximization state of EM write a short function that calculates the probability of a document, given these distributions. Pay special attention to edge cases and special considerations... (3)

# END OF QUIZ