

**START OF QUIZ**

**Student ID:**

**88068333, Wang, Junrui**

## Question 1

Topic: Lecture 3

Source: Lecture 3

Imagine that we came across the word “extrambulate” in the following sentence: “Realizing that she was going to be late for the bus, Jane extrambulated to the stop.” What verb class does this verb belong to? What are 2 features that distinguish it from the prototype of the class? (1)

## Question 2

Topic: Lecture 1

Source: Lecture 1

Explain one way that NER tagging is similar to POS tagging, and two ways it's different. (1)

### Question 3

Topic: Lecture 1  
Source: Lecture 1

Imagine that we were using the Viterbi algorithm to ensure that our sequence of NER tags is valid. What might the scores in the transition matrix look like? (2)

## Question 4

Topic: Lecture 2

Source: Lecture 2

Consider the following sentences: “James married Joyce in 2010. Their son Ulysses was born in 2013. In 2015, James and Joyce divorced.” Extract all of the RDF triples you can from the sequence. (2)

## Question 5

Topic: Lecture 2

Source: Lecture 2

What are the steps necessary for normalizing temporal events? (1)

## Question 6

Topic: Lecture 3

Source: Lecture 3

Give an example of a sentence where the subject is also the theme of the sentence (hint: it might have a special sentence structure). (1)

## Question 7

Topic: Lecture 4

Source: Lecture 4

Can you think of a way to combine the two neural SRL models we looked at in class? (1)



## Question 8

Topic: Lecture 4

Source: Lecture 4

If we were to attempt joint NER and SRL, how would we set up the model? Describe the input, the architecture, and the output. (2)

## Question 9

Topic: Coding

Source: Lecture 4

Assume that our fancy SR labeler has been run on the following sentence: "Do androids dream of electric sheep?" Imagine that we ran the sentence with 2 different predicates: "dream" and "do", and obtained the following scores. NP1 = (NP(NNs androids)) NP2 = (NP(JJ electric NNS sheep)) NP3 = (PP(of (NP2)) do: NP1: 0.5, 0.3 NP2: 0.3, 0.5 NP3: 0.2, 0.4 dream: NP1: 0.4, 0.6 NP2: 0.2, 0.3 NP3: 0.4, 0.7 Assuming the standard constraints we talked about in class, what is the most likely parse? Show your work! (3)

**END OF QUIZ**