

**START OF QUIZ**

**Student ID:**

**12692356, Shen, Yu Tian**

## Question 1

Topic: Lecture 1

Source: Lecture 1

Briefly explain the role of a gazetteer, and one way of creating one. (1)

## Question 2

Topic: Lecture 4

Source: Lecture 4

We talked about a few other constraints for the ILP solver, such as making sure that "ARG0 must occur before ARG1". How would you implement this as an ILP constraint? (You don't need to write the pulp code - just explain how you would force the constraint.) (2)

### Question 3

Topic: Lecture 2

Source: Lecture 2

If we're building a CRF for relation extraction, what other NLP tools might be useful for generating feature vectors? (At least 3) (1)

## Question 4

Topic: Lecture 3

Source: Lecture 3

How might theta roles help in the task of anaphora resolution? (1)

## Question 5

Topic: Lecture 4

Source: Lecture 4

If we were to attempt joint NER and SRL, how would we set up the model? Describe the input, the architecture, and the output. (2)

## Question 6

Topic: Lecture 2

Source: Lecture 2

What are the steps necessary for normalizing temporal events? (1)

## Question 7

Topic: Lecture 3

Source: Lecture 3

Imagine that we came across the word “extrambulate” in the following sentence: “Realizing that she was going to be late for the bus, Jane extrambulated to the stop.” What verb class does this verb belong to? What are 2 features that distinguish it from the prototype of the class? (1)



## Question 8

Topic: Lecture 1

Source: Lecture 1

Imagine that we were using the Viterbi algorithm to ensure that our sequence of NER tags is valid. What might the scores in the transition matrix look like? (2)

## Question 9

Topic: Coding

Source: Lecture 1

In class, we briefly mentioned that F1 score may be too harsh for NER (If our model finds part of an entity, it should get partial credit). Write code that calculates this more generous measure. If the system discovers the first word in the entity (ie, "Charles" for "Charles M. Burns"), it should get 0.5 points, instead of the full 1 point it would get for the whole name. (We'll stick to the first word, only - if we consider any part, it gets tricky: what if our system identifies "Charles" and "M. Burns" as two separate entities?) (3)

**END OF QUIZ**