# START OF QUIZ Student ID: 77026334,Qiassi,Behrooz

Topic: Topic3 Source: Lecture 3

Describe the noisy channel model, and how it can be used to represent Machine Translation.

Topic: Topic1 Source: Lecture 1

Explain what modifications would need to be made to our dynamic edit distance algorithm to incorporate weighted edit distance.

Topic: Topic3 Source: Lecture 3

Explain the purpose of Laplace smoothing, and how it accomplishes its goal.

Topic: Topic2 Source: Lecture 2

Are both K-means and agglomerative clustering iterative? Explain, and for each that is, explain when the algorithm ends.

Topic: Topic1 Source: Lecture 1

Discuss why one might do unsupervised learning instead of supervised learning.

Topic: Topic4 Source: Lecture 4

What is the main difference between the Viterbi algorithm and the Forward algorithm, and why does it allow us to find the optimal path through a sequence?

Topic: Topic4 Source: Lecture 4

Briefly describe why soft EM might provide more accurate tagging results than hard EM.

Topic: Topic2 Source: Lecture 2

Why is the Forgy initialization sub-optimal?

Topic: Coding Source: Lecture 2

Imagine we have three clusters [[X, Y], [M, N, P], [A, B, C, D]], and a point [R]. Write a function that determines which cluster to add R to, given the min linkage criterion.

# END OF QUIZ