

USER MANUAL: AI CREATION TERMINAL

Welcome to the Creation Terminal, the absolute core of generation and artificial intelligence. This manual is designed to take you from the most basic concepts to full mastery of all advanced tools, video workflows, audio, and neural editing.

MODULE I: FUNDAMENTALS AND NAVIGATION

The Creation Terminal is not a simple image generator; it is a hybrid workspace that combines Large Language Models (LLM), computer vision, and graphic engines (GPU) into a single fluid interface.

1.1 Architecture Modes

The main interface selector defines the "brain" and engine that will work for you. Depending on what you choose, the interface will mutate to offer you the appropriate tools.

Category	Description and Main Use
Natural Image	Next-Gen Engines (FLUX, SD3.5, etc.). Ideal for extreme photorealism, perfect anatomy, and precise text comprehension within the image.
SDXL / SD1.5	Highly versatile classic architectures. Perfect for use with hundreds of LoRAs, artistic styles, and structural control tools (ControlNet).
Video	Temporal generation engines (Wan, LTX). Allow creating animated sequences from scratch (Text-to-Video) or animating existing images (Image-to-Video).
Chat / Assistant	Classic conversational environment with custom roles. Allows quick commands and task execution without leaving the conversation thread.
Vision	Exhaustive image analysis. Upload a photo and the AI will describe exactly what is in it, ideal for reverse-engineering prompts.
Generator (LLM)	Direct use of the language model to write, translate, summarize, or create hyper-detailed prompts without actually rendering the image.

1.2 Idea Mode vs. Direct Mode

The system allows you to choose how much control you yield to Artificial Intelligence when structuring your requests via an interface toggle.

- Idea Mode (Default):** You write a simple concept (e.g., "A dog on the moon") and the AI Architect translates it into "machine language", writing a hyper-detailed positive prompt and an optimal negative prompt before sending it to the graphics card.
- Direct Mode:** By activating the "Direct Prompts" toggle, the AI Architect shuts down. Two separate text boxes appear (Positive and Negative). Whatever you write here goes directly "raw" to the GPU. This is the mandatory mode for purist users who prefer absolute control or to use the "Pure Modes" for editing.

1.3 Free vs. PRO Accounts

The Terminal adapts its power to your subscription type, locking or unlocking modules automatically.

Functionality	Free User	PRO User
Graphic Models	Basic SD1.5 and SDXL Full access (FLUX, Wan, LTX, Qwen, SD3.5)	
Editing Tools	Disabled	Inpainting and Outpainting (Interactive Canvas)
Style Transfer	Disabled	IP-Adapter and FLUX Redux
Post-Processing	Disabled	Upscaler (AuraSR), Rembg, DDColor
Face Manipulation	Disabled	ReActor (Face Swap) and ADetailer
Lighting	Disabled	IC-Light (Neural Relighting)

MODULE II: THE AI BRAIN (PROMPTING ASSISTANTS)

You do not need to be a prompt engineer to get spectacular results. The Terminal integrates assistants that do the heavy lifting for you.

2.1 The Auto-Architect (Smart Routing)

When you don't know which model to use for your idea, the Auto-Architect decides for you.

- **How it works:** When you type your idea and click the "gear" button, the system scans for ultra-fast keywords in your text.
- **Total Automation:** If you type "realistic photographic portrait", the Auto-Architect will automatically change the category to Natural Image, select the FLUX model, adjust the aspect ratio to vertical (9:16), and start generating without you having to touch anything else. If you type "clothing design", it will even automatically activate the FLUX Redux tool for you.

2.2 Magic Wand (Prompt Amplifier)

Next to the initial idea box, you will find a button with a magic wand. It is designed to combat "blank page syndrome".

- **Usage:** Write an extremely basic concept (e.g., "red car") and press the wand.
- **Result:** A fast language model will intercept your text, expand it with photographic, lighting, and compositional terminology (e.g., "Cherry red sports car shining under the neon lights of a cyberpunk city, reflections on wet asphalt, 8k, Unreal Engine 5"), and leave it ready in the box to render.

2.3 The Dice (Surprise Generator)

If you just want to experiment or test the GPU's capabilities, the Dice button (located next to the render button) injects a completely random and professional idea into your text box. Every click is a radically different concept.

2.4 Vision Extractor (Reverse Engineering)

Have you seen an incredible image and want to generate something similar, but don't know what prompt to use? The Vision Extractor is your solution.

1. **Step 1:** Go to the "Vision" category and upload the reference image.
2. **Step 2:** Press the "Extract Prompt" button.
3. **Step 3:** The Visionary AI (VLM) will analyze the image, describe every technical and aesthetic detail, and automatically send that description to the graphic engine you had selected previously, returning a new image based on the essence of the original.

MODULE III: CORE GRAPHIC GENERATION

Once you master the prompting assistants, the next step is to control how the GPU interprets and renders your ideas. The advanced configuration panel gives you the keys to the engine.

3.1 Engine Settings (Advanced Settings)

Although the Auto-Architect pre-configures the optimal values for each model, you can take manual control by unfolding the advanced options:

- **Steps:** Defines how many noise-cleaning iterations the AI will perform. More steps usually translate to more detail (up to a certain limit) but increase generation time. (General recommended value: 20-30).
- **Guidance / CFG Scale:** Controls the AI's "obedience". A high value forces the model to strictly adhere to your text (potentially burning the image if excessive). A low value gives it more creative freedom. (Note: Models like FLUX use very low values, around 1.0 - 3.5).
- **Sampler and Scheduler:** These are the mathematical algorithms that draw the image. Combinations like Euler + Simple are ideal for modern engines (FLUX), while DPM++ 2M + Karras shine in classic models (SDXL).

3.2 Resolutions, Aspect Ratios, and Batch Size

- **Predefined Proportions:** The dropdown menu will adjust the optimal pixels according to the selected model (16:9, 1:1, 9:16).
- **Manual Resolution:** If you need a specific format, you can enter the exact Width and Height pixels.
- **Batch Size:** Allows generating 1, 2, or 4 images at once so you have more options to choose from.

3.3 Seed Control, Benchmark Mode, and Infinite Loop

The "Seed" is the starting number for the base noise.

- **Random Seed (-1):** Every generation will be unique.
- **Fixed Seed:** If you enter a specific number and keep the same prompt, you will get exactly the same image. Ideal for making small text adjustments and seeing how the same composition evolves.

- **Benchmark Mode (all):** By selecting "All Models" in the amount, the Terminal will freeze a seed and send your prompt to **all models** installed in that category consecutively. It is the ultimate tool to compare which model performs best for a specific idea.
- **Infinite Loop (inf):** When activated, the GPU will not stop generating variations of your idea with random seeds until you press the red "Stop Loop" button. Perfect for "warming up engines" and brainstorming without pauses.

3.4 Style Modifiers (Presets and Wildcards)

To avoid typing dozens of technical adjectives every time, the system integrates quick modifiers:

- **Styles and Presets:** A dropdown menu that injects aesthetic modifiers "in the shadows". For example, choosing "Analog Photography" will automatically add the lens type, lighting, and film stock to your prompt without cluttering your text box.
- **Wildcards:** A dynamic variable engine. You can create lists of clothes or scenarios and type `__clothing__` in your prompt. The AI will choose a different garment at random for each generation.

3.5 LoRA Integration

LoRAs are small, specifically trained models that attach to the main model to inject specific characters, art styles (e.g., Anime, Watercolor), or concepts (e.g., pixel art).

- **Usage:** You can activate multiple LoRAs simultaneously from their dedicated panel.
- **Strength:** Adjusts the weight from 0.1 to 1.0. A very high weight can oversaturate the image; the ideal is usually between 0.6 and 0.8. The system automatically manages its internal routing for complex models like Wan Video (Low/High noise).

MODULE IV: THE ADVANCED EDITING CANVAS

When you upload an image from your computer or send a previously generated one to the main viewer, the Interactive Canvas is unlocked. This is where millimeter-precise editing happens (exclusive for PRO users).

4.1 Inpainting (Painting Inside)

Allows altering specific parts of an image without modifying the rest of the composition.

- **Mask Tool:** Use the red brush to mark the area you want to change (e.g., a character's face, or a mug on a table). You have an eraser and brush size adjustment available.
- **New Parameters:** In your text box, write what you want to appear in that red-painted area.
- **Denoise (Editing Strength):** A crucial slider. A value of 0.30 will make subtle changes respecting the original shape; a value of 0.85 or 1.0 will completely destroy what was under the red mask and draw your new prompt from scratch.
- **Mask Blur:** Softens the edges of your red paint so the fusion between the original image and the new generation is seamless.

4.2 Outpainting (Painting Outside)

Allows expanding the physical limits of an image, inventing what would be beyond the original framing.

- **Usage:** Expand the Outpaint panel and indicate how many pixels you want to add Top, Bottom, Left, or Right.
- The AI will analyze the context of the original image and fill the new empty space coherently.

4.3 Productivity Shortcuts in the Viewer

Every finished image that appears in your terminal has a quick action button bar integrated directly into its card:

- **Brush (Inpaint):** Sends the image directly to the main Canvas to draw a mask over it.
- **Face Frame (ReActor):** Sends the image to the Face Swap module to use it as a target face.
- **Double Landscape (IP-Adapter):** Sends the image to the style transfer module to use its color palette and visual aesthetics as a reference in future generations.
- **A/B Comparator (Symmetry):** Loads the image in a split-screen to compare it millimeter by millimeter with a previous generation.

MODULE V: PRO TOOLS (PURE MAGIC)

This module covers the absolute control extensions. These are neural post-processing and conditioning tools that act on the image before, during, or after its generation.

5.1 ControlNet and DWPose (Structural Control)

If a textual prompt isn't enough to define a character's pose or a building's structure, ControlNet takes over.

- **How it works:** Upload a reference image (e.g., a person jumping). The preprocessor (like Lineart or DWPose) will extract a "skeleton" or sketch from that image and force the AI to generate the new image respecting exactly that same structure, regardless of the visual style requested in the text.
- **Advanced DWPose:** Allows enabling or disabling specific detection for the body, face, and hands.

5.2 Style Transfer (IP-Adapter and FLUX Redux)

Instead of cloning the pose, these tools clone the "vibe", color palette, and art style of an image.

- **SDXL and SD1.5 (IP-Adapter):** Allows you to upload an image and adjust the weight (Strength). The engine will inject that style into your new generation.
- **FLUX Redux:** The Next-Gen version of this technology. The interface will automatically mutate when using FLUX to offer you native, flawless style transfer via vector scaling, without the need for complex configurations.

5.3 ReActor (Face Swap and Facial Cloning)

Allows swapping the face of a generated person (or a photo of yours) with another.

- **Precision and Correction:** Includes restoration models (codeformer) so the inserted face doesn't look blurry and integrates perfectly with the environment's lighting. You can define the face index (if there are multiple people) and force gender detection.

5.4 ADetailer (Automatic Repairer)

Generators sometimes fail to draw distant faces or hands. ADetailer acts as an automatic surgeon.

- It uses the YOLOv8 engine to detect where faces are in your finished image, makes an invisible crop, redraws the face at high resolution (using a refining model in the background), and pastes it back seamlessly so you don't notice the edges.

5.5 Upscaler (High-Resolution Scaling)

Increases the size of your images by multiplying their actual pixels, adding detail where there was none before.

- **Tiled Upscale (Classic):** Cuts the image into 512x512 grids and redraws them one by one.
- **AuraSR (GigaGAN):** The VIP route. An advanced neural model that scales the entire image in a single pass, avoiding the dreaded "seams" between grids and generating ultra-realistic textures.

5.6 Direct Editing Tools (Relighting, Rembg, DDColor, LaMa)

- **IC-Light (Neural Lighting):** Allows you to change the lighting of a photographic image as if you were in a 3D studio. Select whether you want light from the left, right, or ambient, adjust the multiplier, and let the engine calculate the new shadows.
- **Rembg:** Removes the background from any image leaving it completely transparent (Alpha channel) in a single click thanks to the U2Net model.
- **DDColor:** Upload an old black and white photo and the neural AI will return its original realistic colors.
- **LaMa Remover (Magic Eraser):** Paint any object in a photo red and the LamaRemover engine will make it disappear by filling the gap with the corresponding background magically, without altering the rest of the image.

5.7 Pure Modes (Bypass)

This is one of the system's most powerful features. Traditionally, all the above tools are applied to images you've just generated via text. But what if you want to apply these tools to your own photo without generating anything new?

- By activating the "Pure Mode" toggle (in Upscale, Rembg, DDColor, Face Swap, or LaMa), the system disables the Auto-Architect.
- The green render button will change color and text (e.g., Red "Erase Selection" button, Orange "Direct Light" button).

- The system will skip the entire text generation process and send your photo directly to the editing engine.

MODULE VI: AUDIOVISUAL (VIDEO, AUDIO, AND VOICEOVER)

The Terminal also features a complete pipeline for automated audiovisual production, connecting video engines with audio engines in a single flow.

6.1 Video Generation (Wan and LTX)

- **Text-to-Video:** Write an idea, adjust the FPS (Frames Per Second) and total frames. The engine will create an animated video clip.
- **Image-to-Video:** Upload a static image. The AI will use it as the first frame and animate it from there.
- **Video Auto-Translator:** If you use prompts in another language, you can activate the quick auto-translation toggle to send it to the video engines (which operate natively in English) without losing descriptive quality.
- **Autoregressive Models (LTX):** The system can detect if you are requesting long sequences (more than 65 frames) and will process them via chained "chunks" to avoid saturating the VRAM.

6.2 Sound Effects Generation (SFX)

Using the Stable Audio Open model, you can type "footsteps in the snow" or "cinematic explosion", indicate the duration in seconds, and get a pure, high-quality audio file.

6.3 Voice Cloning and Design (F5-TTS and OmniVoice)

The Terminal integrates a professional voiceover engine with two action paths:

- **F5-TTS (Cloning):** Upload an audio file of yourself speaking for a few seconds and write the exact text you say in that audio. Then, write your "Script to Voice". The system will clone your voice and read the new script.
- **OmniVoice (Zero-Shot Design):** If you do not want to clone, you can design a voice from scratch using menus: choose Age, Gender, Emotion (Whisper, Cheerful, Melancholic) and the engine will synthesize custom audio.

6.4 Wav2Lip (Automatic Lip-Sync)

- If you generate a video featuring a face, and simultaneously activate the Audio panel, you can check the "Synchronize Audio and Video" box.
- The Terminal will first generate the muted video, then generate the voiceover, and finally merge both using an AI engine that will move the video character's lips to perfectly match the generated audio.

MODULE VII: CHAT, VISION, AND UTILITIES

To complement the graphical area, the system features an independent logical brain, ideal for research and management.

7.1 The LLM Assistant (Chat)

The "Chat" category changes the interface to a messaging-style conversational model.

- **Roles:** You can ask the AI to assume a specific role (Programmer, Screenwriter, Translator, or custom) to condition its responses.
- **Quick Commands:** You can type `/imagen [your idea]` or `/gpu [your idea]` in the chat. This will order the assistant to create a perfect prompt and automatically send it to render on the GPU without you having to leave the chat. The images will appear right in the conversation.

7.2 Document Reader and Reverse Engineering

- If you drag a PDF or DOCX file into the upload box, the AI will extract all its text so you can ask for summaries or analysis in the chat or LLM category.
- In the Vision category, drag an image. The AI will provide a hyper-detailed dump of everything it sees (ideal for extracting hidden prompts from images you find online).

7.3 The GPU Monitor (The Radar)

The server features an asynchronous queue system (The Guardian Angel) that protects the VRAM.

- **Background Execution:** When you launch a heavy task (like a long video), you can switch tabs in your browser. The Radar will continue monitoring the status. When finished, a bell will sound, and you will receive a system notification (if the browser is minimized).
- **Emergency Cancellation:** If you sent something very heavy to render or the task seems stuck, use the "Cancel" button or click on the warning notification. The system will execute a queue cleanup on the server and free up the graphics card immediately.