

Bed_Availability_System

Introduction

- a. Application should be able to show available beds with categories and price
- b. Application should display best deals (packages)
- c. Customer can book a room, based on check in & check out date application should display price
- d. Application should display available services along with (food, gym, swimming)
- e. If Customer avail the service charges needs to be added in the package
- f. Admin can view booking & taken services.
- g. Admin can filter data based on categories, services taken

Food

GET Show All Foods

https://localhost:44379/api/Food

Example Request

https://localhost:44379/api/Food

curl --location --request GET 'https://localhost:44379/api/Food'

Example Response 200 OK

Body Header (5)

GET Food/id

```
https://localhost:44379/api/Food/1
```

```
Example Request New Request
```

```
curl --location --request GET 'https://localhost:44379/api/Food/1'
```

Example Response 200 OK

```
Body Header (5)
```

```
{
  "id": 1,
  "foodName": "gulabjamun",
  "description": "sweet",
  "price": 150,
  "image": null
}
```

POST Create Food

https://localhost:44379/api/Food

BODY raw

```
"foodName": "kaju katli",
   "description": "sweet",
   "price": 150,
   "image": null
}
```

```
Example Request

Curl --location --request POST 'https://localhost:44379/api/Food' \
--data-raw '{

"foodName": "kaju katli",
```

```
"description": "sweet",
"price": 150,
"image": null
}'
```

Example Response 200 OK

Body Header (7)

Successully Added

DEL Delete Food/id

```
https://localhost:44379/api/Food/1
```

```
Example Request New Request
```

```
curl --location --request DELETE 'https://localhost:44379/api/Food/1'
```

Example Response 200 OK

Body Header (7)

Successully Deleted

Documentation Settings

PUT Update Food/id

https://localhost:44379/api/Food/1

BODY raw

```
{
    "foodName": "kaju katli",
    "description": "sweet",
    "price": 150,
    "image": "https://www.cookwithkushi.com/wp-content/uploads/2021/05/d.jpg"
}
```

Example Request Update Food

```
curl --location --request PUT 'https://localhost:44379/api/Food/1' \
--data-raw '{
        "foodName": "kaju katli",
        "description": "sweet",
        "price": 150,
        "image":"https://www.cookwithkushi.com/wp-content/uploads/2021/05/d.jpg"
}'
```

Example Response 200 OK

Body Header (7)

Food Updated



GET Show All Drink

https://localhost:44379/api/Drink

```
Example Request

curl --location --request GET 'https://localhost:44379/api/Drink'

Example Response

200 OK

Body Header (5)

[
{
    "id": 1,
    "drinkName": "Margarita",
    "price": 100,
    "image": "https://hips.hearstapps.com/hmg-prod.s3.amazonaws.com/images/margarita-1592951298.jpg?crop=:
},
```

View More

GET Drink/id

"id": 2,

https://localhost:44379/api/Drink/1

"drinkName": "Cosmopolitan",

```
Example Request

curl --location --request GET 'https://localhost:44379/api/Drink/1'

Example Response

200 OK

Body Header (5)
```

```
Documentation Settings

{
    "id": 1,
    "drinkName": "Margarita",
    "price": 100,
    "image": "https://hips.hearstapps.com/hmg-prod.s3.amazonaws.com/images/margarita-1592951298.jpg?crop=1x\)
}
```

POST Create Drink

https://localhost:44379/api/Drink

BODY raw

```
"drinkName": "Negroni",
    "price": 100,
    "image": "https://hips.hearstapps.com/hmg-prod.s3.amazonaws.com/images/negroni-1592951342.jpg?crop=1>
}
```

Example Request New Request

```
curl --location --request POST 'https://localhost:44379/api/Drink' \
   --data-raw '{
        "drinkName": "Negroni",
        "price": 100,
        "image": "https://hips.hearstapps.com/hmg-prod.s3.amazonaws.com/images/negroni-1592951342.jpg?crop=1x\
}'
```

Example Response 200 OK

Body Header (7)

Successully Added

=

Documentation Settings

DEL Delete Drink/id

https://localhost:44379/api/Drink/1

Example Request Delete Drink/?id

curl --location --request DELETE 'https://localhost:44379/api/Drink/1'

Example Response 200 OK

Body Header (7)

Successully Deleted

PUT Update Drink/Id

https://localhost:44379/api/Drink/1

BODY raw

```
"id": 2,
    "drinkName": "Apple Martini",
    "price": 450,
    "image": "https://www.hangoverweekends.co.uk/media/15499/applemar.gif?width=217px&height=316px"
}
```

Example Request Update Drink

Documentation Settings

200 OK

```
curl --location --request PUT 'https://localhost:44379/api/Drink/1' \
--data-raw ' {
        "id": 2,
        "drinkName": "Apple Martini",
        "price": 450,
        "image": "https://www.hangoverweekends.co.uk/media/15499/applemar.gif?width=217px&height=316px"
    }'
```

Body Header (7)

Example Response

Drink Updated

Room

GET Show All Rooms

https://localhost:44379/api/RoomViewModel

Example Request Get Rooms

curl --location --request GET 'https://localhost:44379/api/RoomViewModel'

Example Response 200 OK

Body Header (5)

Documentation Settings

```
[
{
   "id": 1,
   "number": 104,
   "description": "single bed with ac",
   "type": "Single Bed",
   "charges": 1100,
   "status": "Available",
   "image": "https://images.woodenstreet.de/iview Wore data%2Fsingle-beds-mdf%2Fbartha-single-bed-with-l
},
```

GET Get Room/id

https://localhost:44379/api/RoomViewModel/1

```
Example Request Get Room/?id
```

```
curl --location --request GET 'https://localhost:44379/api/RoomViewModel/1'
```

Example Response 200 OK

```
Body Header (5)
```

```
"id": 1,
"number": 104,
"description": "single bed with ac",
"type": "Single Bed",
"charges": 1100,
"status": "Available",
"image": "https://images.woodenstreet.de/image/cache/data%2Fsingle-beds-mdf%2Fbartha-single-bed-with-box
```

POST Create Room

https://localhost:44379/api/RoomViewModel

BODY raw

```
"number": 111,
    "description": "single bed withou Ac",
    "type": "Single Bed",
    "charges": 800,
    "status": "Available",
    "image": "https://www.luxuryfurnituremr.com/images/tb/7/4/6/74655/14262124892413_w904h3000.jpg"
}
```

Example Request Create Room

```
curl --location --request POST 'https://localhost:44379/api/RoomViewModel' \
--data-raw '{
        "number": 111,
        "description": "single bed withou Ac",
        "type": "Single Bed",
        "charges": 800,
        "status": "Available",
        "image": "https://www.luxuryfurnituremr.com/images/tb/7/4/6/74655/14262124892413_w904h3000.jpg"
        }'
```

Example Response 200 OK

Body Header (7)

Successully Added

DEL Delete Room/id

https://localhost:44379/api/RoomViewModel/1

Example Request Delete Room/?id

```
curl --location --request DELETE 'https://localhost:44379/api/RoomViewModel/1'
```

```
__ Example Response
```

Documentation Se₽00g®K ▼

Body Header (7)

Successully Deleted

PUT Update Room/id

https://localhost:44379/api/RoomViewModel/1

BODY raw

```
"number": 111,
   "description": "single bed withou Ac",
   "type": "Single Bed",
   "charges": 1000,
   "status": "Available",
   "image": "https://www.luxuryfurnituremr.com/images/tb/7/4/6/74655/14262124892413_w904h3000.jpg"
}
```

Example Request Update Room/?id

```
curl --location --request PUT 'https://localhost:44379/api/RoomViewModel/1' \
--data-raw '{
          "number": 111,
          "description": "single bed withou Ac",
          "type": "Single Bed",
          "charges": 1000,
          "status": "Available",
          "image": "https://www.luxuryfurnituremView/Morees/tb/7/4/6/74655/14262124892413_w904h3000.jpg"
}'
```

Example Response 200 OK

Body Header (7)

Room Updated



Reservation

GET Show All Reservations

https://localhost:44379/api/Reservation

AUTHORIZATION

Bearer Token

```
Example Request Get Reservations
```

```
curl --location --request GET 'https://localhost:44379/api/Reservation' \
--data-raw ''
```

Example Response 200 OK

```
Body Header (5)
```

```
[
    "id": 2,
    "description": "single",
    "dateIn": "2022-01-09T00:00:00",
    "dateOut": "2022-01-10T00:00:00",
    "customer_id": 1,
    "room_id": 1,
    "customer": null,
    "room": null
```

View More

GET Get Reservations/id

https://localhost:44379/api/Reservation/2

```
Example Request
```



```
curl --location --request GET 'https://localhost:44379/api/Reservation/2'
```

Example Response 200 OK

```
Body Header(5)

{
    "id": 2,
    "description": "single",
    "dateIn": "2022-01-09T00:00:00",
    "dateOut": "2022-01-10T00:00:00",
    "customer_id": 1,
    "room_id": 1,
    "customer": null,
    "room": null
View More
```

POST Create Reservation

```
https://localhost:44379/api/Reservation
```

BODY raw

```
{
    "description": "Double",
    "dateIn": "2022-01-09T00:00:00",
    "dateOut": "2022-01-10T00:00:00",
    "customer_id": 1,
    "room_id": 1,
    "customer": null,
    "room": null
}
```

Example Request Create Reservation

```
\equiv
```

```
curl --location --request POST 'https://localhost:44379/api/Reservation' \
--data-raw '{
         "description": "Double",
         "dateIn": "2022-01-09T00:00:00",
         "dateOut": "2022-01-10T00:00:00",
         "customer_id": 1,
         "room_id": 1,
         "customer": null,
         "room": null
         View More
}'
```

Example Response 200 OK

Body Header (7)

Successully Added

PUT Update Reservation/id

https://localhost:44379/api/Reservation/2

BODY raw

```
{
  "description": "Triple With AC",
    "dateIn": "2022-01-11T04:36:28.721Z",
    "dateOut": "2022-01-12",
    "customer_id": 1,
    "room_id": 1
}
```

Example Request Update Reservation

```
curl --location --request PUT 'https://localhost:44379/api/Reservation/2' \
--data-raw '{
"description": "Triple With AC",
   "dateIn": "2022-01-11T04:36:28.721Z",
   "dateOut": "2022-01-12",
   "customer_id": 1,
```

1/10/22, 10:57 AM

"room_id": 1 __}'

Documentation Settings

200 OK

Example Response

Body Header (7)

Reservation Updated

DEL Delete Reservation/id

https://localhost:44379/api/Reservation/4

Example Request Delete Reservation

curl --location --request DELETE 'https://localhost:44379/api/Reservation'

Example Response 200 OK

Body Header (7)

Successully Deleted

Account

GET Show All Account

https://localhost:44379/api/Account

Example Request Show All Account

```
Example Response 200 OK

Body Header (5)

[
{
    "city": "Pune",
    "password": "yash5656@",
    "confirmPassword": "yash5656@",
    "id": 1,
    "userName": "yash",
    "normalizedUserName": "string",
    "email": "yashrajtiwari32@gmail.com", View More
    "normalizedEmail": "string",
```

GET Account/id

https://localhost:44379/api/Account/1

```
Example Request
                                                                                                Account/id
curl --location --request GET 'https://localhost:44379/api/Account/1'
Example Response
                                                                                                   200 OK
Body
        Header (5)
  "city": "Pune",
  "password": "yash5656@",
  "confirmPassword": "yash5656@",
  "id": 1,
  "userName": "yash",
  "normalizedUserName": "string",
  "email": "yashrajtiwari32@gmail.com",
  "normalizedEmail": "string",
                                               View More
  "emailConfirmed": true,
```

GET Create Account



Documentation Settings

No request URL found. It will show up here once added.

Example Request New Request

Example Response 200 OK

Body Header (7)

Successully Added

PUT Update Account/id

https://localhost:44379/api/Account/1

BODY raw

Documentation Settings

```
Example Request Update Account
```

```
curl --location --request PUT 'https://localhost:44379/api/Account/1' \
--data-raw '{    "city": "Achalpur",
    "password": "yash8676@",
    "confirmPassword": "yash8676@",

    "userName": "raj9656",
    "normalizedUserName": "raj9656",
    "email": "yashrajtiwari96@gmail.com",
    "normalizedEmail": "yashrajtiwari96@gmail.View More
    "emailConfirmed": true,
```

Example Response 200 OK

Body Header (7)

Successully Updated

GET Delete Account/id

No request URL found. It will show up here once added.

Example Request Delete Account/id

```
curl --location --request GET ''
```

Invoice

GET Show All Invoice

https://localhost:44379/api/InvoiceViewModel

Documentation Settings

```
Example Request

curl --location --request GET 'https://localhost:44379/api/InvoiceViewModel'

Example Response

200 OK

Body Header(5)

[
{
    "id": 1,
    "customer": null,
    "services": null,
    "rooms": null,
    "cost": 150
}

}
```

GET Invoice/id

https://localhost:44379/api/InvoiceViewModel/1

```
Example Request Invoice/id

curl --location --request GET 'https://localhost:44379/api/InvoiceViewModel/1'

Example Response 200 OK

Body Header(5)

{
    "id": 1,
    "customer": null,
    "services": null,
    "rooms": null,
    "cost": 150
```

}

Documentation Settings

PUT Update Invoice/id

https://localhost:44379/api/InvoiceViewModel/1

BODY raw

```
{
   "customer": null,
   "services": null,
   "rooms": null,
   "cost": 250
}
```

Example Request Update Invoice/id

```
curl --location --request PUT 'https://localhost:44379/api/InvoiceViewModel/1' \
--data-raw '{
    "customer": null,
    "services": null,
    "rooms": null,
    "cost": 250
}'
```

Example Response 200 OK

Body Header (7)

Invoice Updated

POST Create Invoice

https://localhost:44379/api/InvoiceViewModel

BODY raw

```
____ Documentation Settings
```

```
{
    "customer": null,
    "services": null,
    "rooms": null,
    "cost": 350
}
```

Example Request Delete Invoice

```
curl --location --request POST 'https://localhost:44379/api/InvoiceViewModel' \
--data-raw '{
    "customer": null,
    "services": null,
    "rooms": null,
    "cost": 350
}'
```

Example Response 200 OK

Body Header (7)

Successully Added

DEL Delete Invoice

https://localhost:44379/api/InvoiceViewModel/2

Example Request Delete Invoice

```
curl --location --request DELETE 'https://localhost:44379/api/InvoiceViewModel/2'
```

Example Response 200 OK

Body Header (7)

Successully Deleted



Documentation Settings

Service

GET Show All Service

```
https://localhost:44379/api/Service
```

```
Example Request Show All Service
```

```
curl --location --request GET 'https://localhost:44379/api/Service'
```

Example Response 200 OK

```
Body Header (5)
```

GET Request/id

https://localhost:44379/api/Service/1

Example Request Request/id

Body

Example Response 200 OK

```
"id": 1,
  "service_Type": "Room",
  "room_NO": 1,
  "status": "Available",
  "service_Date": "2022-01-10T05:06:54.463",
  "description": "Single Bed",
  "cost": 1000,
  "table_No": 1,
  "customer": null,
View More
```

curl --location --request GET 'https://localhost:44379/api/Service/1'

POST Create Service

Header (5)

https://localhost:44379/api/Service

BODY raw

```
"service_Type": "Room",
"room_NO": 1,
"status": "Available",
"service_Date": "2022-01-10T05:06:54.463Z",
"description": "Double Bed",
"cost": 1100,
"table_No": 1
View More
}
```

Example Request Create Service

```
\equiv
```

Example Response 200 OK

Body Header (7)

Successully Added

PUT Update Service/id

https://localhost:44379/api/Service/1

BODY raw

```
{
   "service_Type": "Room",
   "room_NO": 1,
   "status": "Available",
   "service_Date": "2022-01-10T05:06:54.463Z",
   "description": "Single Bed",
   "cost": 1000,
   "table_No": 1
}
```

Example Request Update Service/id

Documentation Settings

```
curl --location --request PUT 'https://localhost:44379/api/Service/1' \
--data-raw '{
    "service_Type": "Room",
    "room_NO": 1,
    "status": "Available",
    "service_Date": "2022-01-10T05:06:54.463Z",
    "description": "Single Bed",
    "cost": 1000,
    "table_No": 1
    View More
}'
```

Example Response 200 OK

Body Header (7)

Service Updated

DEL Delete Service

https://localhost:44379/api/Service/1

Example Request Delete Service

curl --location --request DELETE 'https://localhost:44379/api/Service/1'

Example Response 200 OK

Body Header (7)