

Pimpri Chinchwad College of Engineering, Pune

Defaulter Task

Department – Computer Engineering

Semester – V

Academic Year- 2020-21

Subject – Web Technology

By-

Name – Pratik Kumar Patil

Roll No – TECOC382

Class- TE C

Github- https://github.com/Garuda5611/WT-

Assignments/tree/main/Assignment%205/Login%20and%20Registratio

<u>n</u>

1. index.html

```
Code
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Home Page</title>
<style>
.content
text-align:center;
}
ul, li
display:inline-block;
padding:20px;
font-size:30px;
</style>
</head>
<body>
<div class="content">
<h1>Select Options</h1>
<l
<a href="index.html">Home</a>
```

Register User

Update User Delete User

Login

</div>

</body>

</html>

Output

Select Options

Home Register User Update User Delete User Login

2. register.html

```
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Registration</title>
<style>
.content
text-align:center;
padding:10px;
}
ul, li
display:inline-block;
padding:20px;
font-size:30px;
</style>
</head>
<body>
<div class="content">
<l
<a href="index.html">Home</a>
<a href="register.html">Register User</a>
<a href="update.html">Update User</a>
<a href="delete.html">Delete User</a>
<a href="login.html">Login</a>
<h1>Register User</h1>
<form action="http://localhost:8081/Login and Registration/register">
<input type="text" name="roll" placeholder="Enter your roll no" required><br/><br/>
<input type="password" name="password" placeholder="Enter your password"</pre>
required><br/><br/>>
<input type="text" name="myname" placeholder="Enter your name" required><br/><br/>
<input type="text" name="mobile" placeholder="Enter your mobile no"</pre>
required><br/><br/>>
<textarea name="add" placeholder="Enter your address" required></textarea><br/>
Select class: <select name="class" required>
<option>FE</option>
<option>SE</option>
<option>TE</option>
<option>BE</option>
</select><br/><br/>>
<input type="submit" value="Register">
</form><br/>
Already have account? <a href="login.html">Login Here</a>
</div>
</body>
</html>
```

Output



Home Register User Update User Delete User Login

Register User





3. register.java

Code

```
import java.io.IOException;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import java.io.*;
import java.sql.*;
/**
 * Servlet implementation class register
@WebServlet("/register")
public class register extends HttpServlet {
      private static final long serialVersionUID = 1L;
     * Default constructor.
     */
    public register() {
        // TODO Auto-generated constructor stub
    }
       * @see HttpServlet#doGet(HttpServletRequest request, HttpServletResponse
response)
      protected void doGet(HttpServletRequest request, HttpServletResponse response)
throws ServletException, IOException {
             PrintWriter out=response.getWriter();
             out.println("<html><body>");
```

```
int roll=Integer.parseInt(request.getParameter("roll"));
               String pass=request.getParameter("password");
               String name=request.getParameter("myname");
               String mobile=request.getParameter("mobile");
               String address=request.getParameter("add");
               String classnm=request.getParameter("class");
               try
               {
                       Class.forName("com.mysql.jdbc.Driver");
                       Connection
con=DriverManager.getConnection("jdbc:mysql://localhost:3306/wt","root","root");
                       Statement st=con.createStatement();
                       st.executeUpdate("insert into defstudent values ('"+roll+"',
'"+pass+"', '"+name+"','"+mobile+"','"+address+"','"+classnm+"');");
                       out.println("Registration Success<br/><br/>');
                       out.println("<a href=\"index.html\">Home</a>");
               catch(Exception e)
                       out.println(e);
               out.println("</body></html");</pre>
       }
        * @see HttpServlet#doPost(HttpServletRequest request, HttpServletResponse
response)
       protected void doPost(HttpServletRequest request, HttpServletResponse
response) throws ServletException, IOException {
               // TODO Auto-generated method stub
               doGet(request, response);
       }
Output
W CSS Layout - inlin : x | M Defaulter Take| Ti x | & Div C - Google D: x | W Tryit Editor v3.7 x | G html color picker x 😵 localbost 8081/L: x 🏄 jersey - What is F x | 🚾 28 HTML Form FF: x | + V - G X
← → C O localhost:8081/Login_and_Registration/register?roll=3&password=Pratik%40123&myname=Pratik&mobile=9172604237&add=Palus&class=TE
Type here to search
                         O H 📜 🖪 🕿 🕏 📢 🚺 😂 💢 🌀 🐸 📓 🥒 🛍
                                                                                 32°C ∧ @ ( d₁) ₪ 7:44 PM 4/24/2022 €2
```

4. update.html

```
Code
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Update</title>
<style>
.content
text-align:center;
padding:10px;
ul, li
display:inline-block;
padding:20px;
font-size:30px;
}
</style>
</head>
<body>
<div class="content">
<a href="index.html">Home</a>
<a href="register.html">Register User</a>
<a href="update.html">Update User</a>
<a href="delete.html">Delete User</a>
<a href="login.html">Login</a>
<h1>Update User</h1>
<form action="http://localhost:8081/Login_and_Registration/update">
<input type="text" name="roll" placeholder="Enter your roll no"><br/><br/>
<input type="password" name="password" placeholder="Enter your password"><br/><br/>
<input type="text" name="myname" placeholder="Enter your name"><br/>><br/>
<input type="text" name="mobile" placeholder="Enter your mobile no"><br/><br/><br/>
<textarea name="add" placeholder="Enter your address"></textarea><br/>br/><
Select class: <select name="class">
<option>FE</option>
<option>SE</option>
<option>TE</option>
<option>BE</option>
</select><br/>
<input type="submit" value="Update">
</form><br/>
</div>
</body>
</html>
```

Output



Home Register User Update User Delete User Login

Update User





5. update.java

Code

```
import java.io.IOException;
import java.io.PrintWriter;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.ResultSet;
import java.sql.Statement;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
/**
 * Servlet implementation class update
@WebServlet("/update")
public class update extends HttpServlet {
      private static final long serialVersionUID = 1L;
    /**
     * @see HttpServlet#HttpServlet()
    */
    public update() {
        super();
        // TODO Auto-generated constructor stub
    }
      /**
```

```
* @see HttpServlet#doGet(HttpServletRequest request, HttpServletResponse
response)
      protected void doGet(HttpServletRequest request, HttpServletResponse response)
throws ServletException, IOException {
             // TODO Auto-generated method stub
             PrintWriter out=response.getWriter();
             out.println("<html><body>");
             int roll=Integer.parseInt(request.getParameter("roll"));
             String pass=request.getParameter("password");
             String name=request.getParameter("myname");
             String mobile=request.getParameter("mobile");
             String address=request.getParameter("add");
             String classnm=request.getParameter("class");
             try
             {
                    Class.forName("com.mysql.jdbc.Driver");
                    Connection
con=DriverManager.getConnection("jdbc:mysql://localhost:3306/wt","root","root");
                    Statement st=con.createStatement();
                    ResultSet rs=st.executeQuery("select * from defstudent where
roll='"+roll+"';");
                    if(rs.next())
                          st.executeUpdate("update defstudent set roll='"+roll+"',
password=""+pass+"",
name='"+name+"',mobile='"+mobile+"',address='"+address+"',class='"+classnm+"' where
roll='"+roll+"';");
                          out.println("Updatation Success<br/><br/>");
                          out.println("<a href=\"index.html\">Home</a>");
                    }
                    else
                          out.println("User does not exist<br/>><br/>");
                          out.println("<a href=\"index.html\">Home</a>");
                    }
             catch(Exception e)
             {
                    out.println(e);
             out.println("</body></html");</pre>
      }
       * @see HttpServlet#doPost(HttpServletRequest request, HttpServletResponse
response)
      protected void doPost(HttpServletRequest request, HttpServletResponse
response) throws ServletException, IOException {
             // TODO Auto-generated method stub
             doGet(request, response);
      }
}
```





```
■ O Type here to search

■ O Type here to search
```

6. delete.html

<!DOCTYPE html>

Code

```
<html>
<head>
<meta charset="ISO-8859-1">
<title>Delete</title>
<style>
.content
text-align:center;
padding:10px;
}
ul, li
display:inline-block;
padding:20px;
font-size:30px;
</style>
</head>
<body>
<div class="content">
<l
<a href="index.html">Home</a>
<a href="register.html">Register User</a>
<a href="update.html">Update User</a>
<a href="delete.html">Delete User</a>
<a href="login.html">Login</a>
```

```
<h1>Delete User</h1>
<form action="http://localhost:8081/Login and Registration/delete">
<input type="text" name="roll" placeholder="Enter your roll no"><br/><br/>
<input type="submit" value="Delete">
</form><br/>
</div>
</body>
</html>
Output
w' CSS Jayout - inlin: x | M Defaulter Task | Ti x | \( \builder \) Defaulter Task | Ti x | \( \builder \) Deform C-Google D: x | \( \widetilder \) Tilt Editor v3.7 \( x \) | G Intmit color picker \( x \) \( \text{\end{align*}} \) Defete \( x \) \( \text{\end{align*}} \) gersey - What is (ii. x \) \( \widetilder \) 28 HTML Form (iii. x \) + \( \videtilder \) - \( \overline{\overline{\chi}} \) X
                                                                                                 e ☆ ₹ □ P :
 Home Register User Update User Delete User Login
                                                   Delete User
                                                   Enter your roll no
                                                       Delete
                             O H N 🗑 🖺 🚖 🔊 📢 🐧 🖨 💢 😘 🚳 🚳
                                                                                            ② 32°C ∧ ፬ (((, 0)) ₪ 7:50 PM
Type here to search
7. delete.java
Code
import java.io.IOException;
import java.io.PrintWriter;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.ResultSet;
import java.sql.Statement;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
```

* Servlet implementation class delete

public class delete extends HttpServlet {

private static final long serialVersionUID = 1L;

@WebServlet("/delete")

```
* @see HttpServlet#HttpServlet()
    */
    public delete() {
       super();
       // TODO Auto-generated constructor stub
    }
       * @see HttpServlet#doGet(HttpServletRequest request, HttpServletResponse
response)
      protected void doGet(HttpServletRequest request, HttpServletResponse response)
throws ServletException, IOException {
            PrintWriter out=response.getWriter();
            out.println("<html><body>");
            int roll=Integer.parseInt(request.getParameter("roll"));
            try
            {
                   Class.forName("com.mysql.jdbc.Driver");
                   Connection
con=DriverManager.getConnection("jdbc:mysql://localhost:3306/wt","root","root");
                   Statement st=con.createStatement();
                   ResultSet rs=st.executeQuery("select * from defstudent where
roll='"+roll+"';");
                   if(rs.next())
                         st.executeUpdate("delete from defstudent where
roll=""+roll+"";");
                         "+roll+"<br/><br/>");
                         out.println("<a href=\"index.html\">Home</a>");
                   }
                   else
                         out.println("User does not exist<br/>><br/>");
                         out.println("<a href=\"index.html\">Home</a>");
            catch(Exception e)
            {
                   out.println(e);
            out.println("</body></html");</pre>
      }
      /**
       * @see HttpServlet#doPost(HttpServletRequest request, HttpServletResponse
response)
      protected void doPost(HttpServletRequest request, HttpServletResponse
response) throws ServletException, IOException {
            // TODO Auto-generated method stub
            doGet(request, response);
      }
Output
```



```
Type here to search
8. login.html
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Login</title>
<style>
.content
text-align:center;
padding:10px;
}
ul, li
display:inline-block;
padding:20px;
font-size:30px;
}
</style>
</head>
<body>
<div class="content">
<l
<a href="index.html">Home</a>
<a href="register.html">Register User</a>
<a href="update.html">Update User</a>
<a href="delete.html">Delete User</a>
<a href="login.html">Login</a>
<h1>Login</h1>
<form action="http://localhost:8081/Login_and_Registration/login">
```

```
<input type="text" name="roll" placeholder="Enter your roll no"><br/>><br/>
<input type="password" name="password" placeholder="Enter your password"><br/><br/>
<input type="submit" value="Login">
</form><br/><br/>>
New User? <a href="register.html">Register Here</a>
</div>
</body>
</html>
Output
e ☆ ♥ □ P :
                  Home Register User Update User Delete User Login
                                    Login
                                  Enter your roll no
                                  Enter your password
                                     Login
                                  New User? Register Here
                   Type here to search
9. login.java
import java.io.IOException;
import java.io.PrintWriter;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.ResultSet;
import java.sql.Statement;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
 * <u>Servlet</u> implementation class login
@WebServlet("/login")
public class login extends HttpServlet {
     private static final long serialVersionUID = 1L;
   /**
```

```
* @see HttpServlet#HttpServlet()
     */
    public login() {
        super();
        // TODO Auto-generated constructor stub
    }
       * @see HttpServlet#doGet(HttpServletRequest request, HttpServletResponse
response)
      protected void doGet(HttpServletRequest request, HttpServletResponse response)
throws ServletException, IOException {
             // TODO Auto-generated method stub
             PrintWriter out=response.getWriter();
             out.println("<html><body>");
             int roll=Integer.parseInt(request.getParameter("roll"));
             String pass=request.getParameter("password");
             try
             {
                    Class.forName("com.mysql.jdbc.Driver");
                    Connection
con=DriverManager.getConnection("jdbc:mysql://localhost:3306/wt","root","root");
                    Statement st=con.createStatement();
                    ResultSet rs=st.executeQuery("select * from defstudent where
roll='"+roll+"';");
                    if(rs.next())
                          if(rs.getString(2).equals(pass))
                                 out.println("Login Success<br/><br/>');
                                 out.println("<a href=\"home.html\">Enter</a>");
                          }
                          else
                          {
                                 out.println("Invalid Credentials<br/><br/>');
                                 out.println("<a href=\"index.html\">Home</a>");
                          }
                    }
                    else
                    {
                          out.println("User does not exist");
                          out.println("<a href=\"index.html\">Home</a>");
                    }
             catch(Exception e)
                    out.println(e);
             out.println("</body></html");</pre>
      }
       * @see HttpServlet#doPost(HttpServletRequest request, HttpServletResponse
response)
```

