GarudaIII Release Notes

Garuda III drivers Version	3.2.5
Release date	23-OCT-26

Sl. No	Component Name	Description	Version Info
1	Garuda3_0404_32.dll	J2534 Garuda III DLL	3.0.2.5 R
2	Garuda III Firmware	Garuda III Firmware (REVC)	3.2.5 C
3	Garuda III Firmware	Garuda III Firmware (REVA)	3.2.5 A
4	GarudaConfig.exe	Configuration Utility to detect the Garuda Hardware	3.0.0
5	J2534SDK.exe	Sample Utility Application to test J2534 API's	4.0.0
6	GarudaIIIReflash.exe	Garuda Firmware Reflash Utility	4.0.0

Sl. No	Change Type (Feature / Issue/Improvement)	Description
1	Feature/Issue	• In CANFD periodic messages are now correctly padded to the nearest valid CANFD DLC • Fixed an issue where the CANFD Channel 2 message filter ID failed to reset to 1 after disconnecting and reconnecting the protocol

Capgemini

History

Sl. No	Date	Version No.	Change Type	Description
1	14-OCT-26	3.2.4	Feature/Issue	Implemented IOCTL call to select CANFD channel
2	09-OCT-26	3.2.3	Feature/Issue	CAN and CANFD Flashing Time Optimized – send bulk packet to handle Fixed No Response issue Developed CAN ISOTP driver Fixed Link Control issue – Baudrate change Resolved issue in dll logging
3	20-AUG- 26	3.2.2	Feature/Issue	Implemented Wi-Fi 5G support
4	21-JUL-26	3.2.1	Feature/Issue	Fix CAN FD Padding issue
5	22-JUN-26	3.2.0	Feature/Issue	Implement and integrated BT modules. Fix WiFi Consistency Issues
6	11-JUN-26	3.1.9	Issue	Implement and integrated BT modules.
7	03-JUN-26	3.1.8	Issue	Resolved issue: Fixed CANFD Data corruption, Fixed Channel 2 Communication issue, Introduced ECU Ping Option in SDK, Fixed CAN FD Baud rate configuration
8	28-APR-26	3.1.7	Issue	Resolved issue relating to stmin timing, Optimize flashing time using Reflash Utility.
9	16-MAR-26	3.1.6	Issue	Resolved issue relating to reading OBD2 Voltage. Unified the tgz file for both REVA and REVC.
10	06-FEB-26	3.1.5	Feature/Issue	Implemented/Added KWP protocol in Garuda lll. Implemented DoIP Periodic Messages, fixed support of 4K bytes for DoIP
11	03-FEB-25	3.1.4	Testing	Implemented/Added KWP protocol in Garuda lll. Implemented DoIP Periodic Messages, fixed support of 4K bytes for DoIP
12	20-NOV-25	3.1.3	Issue	Resolved an issue related to VIN fetching.
13	15-NOV-25	3.1.2	Issue	Resolved an issue related to buffer optimization.
14	08-OCT-25	3.1.0	Issue	Resolved an issue related to VIN fetching.
15	20-AUG-25	3.0.9	Issue	Resolved an issue related to RX buffer clearing.

16	16-AUG-25	3.0.8	Issue	Resolved the issue of HPCAP flashing NRC 72.
17	16-AUG-25	3.0.8	Improvement	Previously, the DoIP connection was taking up to 2 minutes, but it has now been reduced to 10 seconds.
18	02-JULY-25	3.0.7	Issue	Resolved the CAN FD communication issue in the write data function.
19	24-JUNE-25	3.0.6	Issue	Resolved the issue of HPCV flashing NRC 72.
20	24-JUNE-25	3.0.6	Issue	Resolved an issue where GarudaIII was incorrectly sending a CAN FD single frame as a CAN FD first frame.
21	21-May-25	3.0.5	Feature	Added New API: "PassThruReadSerailNo" to read the serial no. of the device
22	21-Apr-25	3.0.4	Issue	Resolved the problem with the RNDIS interface that was impacting USB communication, especially during flashing or reprogramming processes.
23	21-Apr-25	3.0.4	Feature	GarudaJ2534SDK Enhancements, After opening the device in GarudaJ2534SDK, it is now possible to read the firmware version and serial number without needing to uninstall the RNDIS driver in the device manger.
24	17-Mar-25	3.0.3	Issue	Resolved the issue of the Mida application crashing while using the "PassThruEnableRNDIS" API.
25	06-Mar-25	3.0.2	Feature	Added New API: "PassThruDOIPSendMsg" for larger bytes data transfer, solving the issue of larger bytes response handling.
26	07-Feb-25	3.0.1	Feature	Added New API: "PassThruEnableRNDIS" to bring-up the Ethernet interface
27	07-Feb-25	3.0.1	Feature	Added New API: "PassThruDisableRNDIS" to bring-down the Ethernet interface