CHANDIGARH UNIVERSITY

Discover. Learn. Empower.

UNIVERSITY INSTITUTE OF ENGINEERING

Project Based Learning in Java

Experiment 7

23CSP-304

Submitted To:
Faculty Name: Er. Deep Prakash

Submitted By:
Name: Garvi Dabas
UID: 23BCS11346
Section: KRG - 2B
Semester: 5th

Experiment 7: JDBC-Based CRUD Operations with Transaction Handling

Aim

To build a Java program that performs CRUD (Create, Read, Update, Delete) operations on a MySQL database table named **Product**, using JDBC with proper transaction handling to ensure data integrity.

Objectives

- Create a **Product** table in MySQL with columns: ProductID, ProductName, Price, and Quantity.
- Establish a **JDBC connection** between Java and MySQL.
- Implement **menu-driven CRUD operations** (Add, View, Update, Delete).
- Use **PreparedStatement** to prevent SQL injection.
- Implement **transaction handling** using commit() and rollback().
- Close all JDBC resources properly in the finally block.

Code Implementation

```
import java.sql.*;
import java.util.Scanner;

public class ProductCRUD {
private static final String URL = "jdbc:mysql://localhost:3306/your_database_name";
private static final String USER = "root";
private static final String PASSWORD = "your_password";

public static void main(String[] args) {
Connection conn = null;
Scanner sc = new Scanner(System.in);

try {
// Step 1: Establish connection
conn = DriverManager.getConnection(URL, USER, PASSWORD);
conn.setAutoCommit(false); // Transaction Handling

while (true) {
System.out.println("\n--- Product Management Menu ---");
System.out.println("1. Add Product");
System.out.println("2. View All Products");
System.out.println("3. Update Product");
System.out.println("4. Delete Product");
System.out.println("5. Exit");
System.out.print("Enter your choice: ");
int choice = sc.nextInt();
```

```
switch (choice) {
case 1:
addProduct(conn, sc);
break;
case 2:
viewProducts(conn);
break;
case 3:
updateProduct(conn, sc);
break;
case 4:
deleteProduct(conn, sc);
break;
case 5:
System.out.println("Exiting...");
conn.close();
System.exit(0);
default:
System.out.println("Invalid choice! Try again.");
}
}
} catch (Exception e) {
e.printStackTrace();
} finally {
try {
if (conn != null) conn.close();
sc.close();
} catch (Exception e) {
e.printStackTrace();
}
}
}

// CREATE Operation
private static void addProduct(Connection conn, Scanner sc) {
try {
System.out.print("Enter Product Name: ");
sc.nextLine(); // Consume newline
String name = sc.nextLine();
System.out.print("Enter Price: ");
double price = sc.nextDouble();
System.out.print("Enter Quantity: ");
int qty = sc.nextInt();
String sql = "INSERT INTO Product (ProductName, Price, Quantity) VALUES (?, ?,
?)";
```

```
PreparedStatement ps = conn.prepareStatement(sql);
ps.setString(1, name);
ps.setDouble(2, price);
ps.setInt(3, qty);

ps.executeUpdate();
conn.commit();
System.out.println("Product added successfully!");

} catch (Exception e) {
try {
conn.rollback();
System.out.println("Transaction rolled back due to an error.");
} catch (SQLException ex) {
ex.printStackTrace();
}
}
}

// READ Operation
private static void viewProducts(Connection conn) {
try {
String sql = "SELECT * FROM Product";
Statement st = conn.createStatement();
ResultSet rs = st.executeQuery(sql);

System.out.println("\n--- Product List ---");
while (rs.next()) {
System.out.println(rs.getInt("ProductID") + " | " +
rs.getString("ProductName") + " | ₹" +
rs.getDouble("Price") + " | Qty: " +
rs.getInt("Quantity"));
}
} catch (SQLException e) {
e.printStackTrace();
}
}

// UPDATE Operation
private static void updateProduct(Connection conn, Scanner sc) {
try {
System.out.print("Enter Product ID to update: ");
int id = sc.nextInt();
System.out.print("Enter new Price: ");
double price = sc.nextDouble();
System.out.print("Enter new Quantity: ");
```

```
int qty = sc.nextInt();
String sql = "UPDATE Product SET Price = ?, Quantity = ? WHERE ProductID = ?";
PreparedStatement ps = conn.prepareStatement(sql);
ps.setDouble(1, price);
ps.setInt(2, qty);
ps.setInt(3, id);

int rows = ps.executeUpdate();
if (rows > 0) {
conn.commit();
System.out.println("Product updated successfully!");
} else {
System.out.println("Product not found!");
}

} catch (Exception e) {
try {
conn.rollback();
System.out.println("Transaction rolled back due to an error.");
} catch (SQLException ex) {
ex.printStackTrace();
}
}
}

// DELETE Operation
private static void deleteProduct(Connection conn, Scanner sc) {
try {
System.out.print("Enter Product ID to delete: ");
int id = sc.nextInt();

String sql = "DELETE FROM Product WHERE ProductID = ?";
PreparedStatement ps = conn.prepareStatement(sql);
ps.setInt(1, id);

int rows = ps.executeUpdate();
if (rows > 0) {
conn.commit();
System.out.println("Product deleted successfully!");
} else {
System.out.println("Product not found!");
}

} catch (Exception e) {
try {
conn.rollback();
```

```
System.out.println("Transaction rolled back due to an error.");
} catch (SQLException ex) {
ex.printStackTrace();

}
}
}
}
```

Output

```
--- Product Management Menu ---
1. Add Product
2. View All Products
3. Update Product
4. Delete Product
5. Exit
Enter your choice: 1
Enter Product Name: Laptop
Enter Price: 80000
Enter Quantity: 10
Product added successfully!
```

Learning Outcomes

- Understood how to connect Java with MySQL using **JDBC API**.
- Learned to perform **CRUD operations** using PreparedStatement.
- Implemented **transaction management** using commit() and rollback().
- Ensured **data integrity** and prevented **SQL injection**.
- Gained experience in writing **menu-driven console applications** with JDBC.