

PRACTICA NRO 1 (Consumo APIs - Git - Consultas BD)

Nombre: Gary Abel Canaviri Huanca


C.I.: 13921031

CONSULTAS GET EN APIS PÚBLICAS (Pokémon y Digimon)

Ejercicios en consola

1. Listar los primeros 20 Pokémon (mostrar id y name)

Ruta API: <https://pokeapi.co/api/v2/pokemon?limit=20&offset=0>



The screenshot shows a web browser window displaying the results of a GET request to the Pokémon API. The browser address bar shows the URL `http://127.0.0.1:5500/api.html`. The page content lists the first three Pokémon: bulbasaur, ivysaur, and venusaur, each with their ID and name. The code editor in the background shows the JavaScript code that fetches the data from the API and displays it in the browser.

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Document</title>
7 </head>
8 <body>
9   <div class="container" id="lista"></div>
10 </body>
11 <script>
12   const lista = document.getElementById('lista');
13   let url = 'https://pokeapi.co/api/v2/pokemon';
14   // Gary Abel Canaviri Huanca
15   for( i=1;i<=20;i++){
16     fetch(url+"/"+i)
17       .then(response=>response.json())
18       .then(datos=>mostrarDatos(datos))
19       .catch(error=>console.log(error))
20   }
21   let div=document.createElement('div');
22   div.innerHTML='<h1>Nombre: Gary Abel Canaviri Huanca</h1>';
23   lista.appendChild(div)
24   function mostrarDatos(datos){
25     let div=document.createElement('div');
26     div.innerHTML='<ul><li>
27       <h2>${datos.name}</h2><p><b>Id: </b>${datos.id}</p>
28       <p><b>Name: </b>${datos.name}</p>
29     </li>
30     </ul>
31   ';
32   lista.appendChild(div);
33 </script>
```

Nombre: Gary Abel Canaviri Huanca

• bulbasaur

Id: 1

Name: bulbasaur

• ivysaur


Id: 2

Name: ivysaur

• venusaur

2. Buscar Digimon por nivel (entrada por CLI: rookie, champion, ultimate, etc.) y listar name + level
Ruta API: <https://digimon-api.vercel.app/api/digimon/level/{nivel}>

```
api.html x
api.html > html > body
2 <html lang="en">
3 <head>
4
5
6 <title>Document</title>
7 </head>
8 <body>
9   <div class="container" id="lista">
10
11   </div>
12 </body>
13 <script>
14   //Gary Abel Canaviri Huanca
15   const lista = document.querySelector('#lista');
16   const url = 'https://digimon-api.vercel.app/api/digimon/level/champion';
17   fetch(url)
18     .then(response => response.json())
19     .then(datos => mostrarDatos(datos))
20     .catch(error => console.log(error))
21
22   let div = document.createElement('div')
23     div.innerHTML = `<h1>Nombre: Gary Abel Canaviri Huanca</h1>`
24     lista.appendChild(div);
25   function mostrarDatos(datos){
26     datos.forEach(digimon => {
27       let div = document.createElement('div')
28       div.innerHTML = `<h2>${digimon.name}</h2>
29         <p><b>Level: </b>${digimon.level}</p>
30         `;
31       lista.appendChild(div);
32     })
33   }
34
```



Obtener los primeros n nombres de Pokémon usando paginación en lotes de 50

Ruta API:

https://pokeapi.co/api/v2/pokemon?limit=50&offset={k*50}

Pokemones lotes de 50

Nombre: Gary Abel Canaviri Huanca C.I.: 13921031

bulbasaur
ivysaur
venusaur
charmander
charmeleon
charizard
squirtle
wartortle
blastoise
caterpie
metapod
butterfree
weedle
kakuna
beedrill