Proximity Measure between Two Vectors: Cosine Similarity

Cosine Similarity of Two Vectors

- A **document** can be represented by a bag of terms or a long vector, with each attribute recording the *frequency* of a particular term (such as word, keyword, or phrase) in the document

Document	*team*	*coach*	*hockey*	*baseball*	*soccer*	*penalty*	*score*	*win*	*loss*	*season*
Document1	5	0	3	0	2	0	0	2	0	0
Document2	3	0	2	0	1	1	0	1	0	1
Document3	0	7	0	2	1	0	0	3	0	0
Document4	0	1	0	0	1	2	2	0	3	0

- Other vector objects: Gene features in micro-arrays
- Applications: Information retrieval, biologic taxonomy, gene feature mapping, etc.
- Cosine measure: If d_1 and d_2 are two vectors (e.g., term-frequency vectors), then

$$cos(d_1, d_2) = \frac{d_1 \bullet d_2}{\| d_1 \| \times \| d_2 \|}$$

where $\bullet$ indicates vector dot product, $||d||$: the length of vector d

Example: Calculating Cosine Similarity

- Calculating Cosine Similarity: $cos(d_1, d_2) = \frac{d_1 \bullet d_2}{\| d_1 \| \times \| d_2 \|}$ $sim(A, B) = \cos(\theta) = \frac{A \cdot B}{\|A\| \|B\|}$



  where • indicates vector dot product, ||*d*|| : the length of vector *d*

- Ex: Find the **similarity** between documents 1 and 2.

  d_1 = (5, 0, 3, 0, 2, 0, 0, 2, 0, 0) d_2 = (3, 0, 2, 0, 1, 1, 0, 1, 0, 1)

  - First, calculate vector dot product

    $d_1 \bullet d_2$ = 5 X 3 + 0 X 0 + 3 X 2 + 0 X 0 + 2 X 1 + 0 X 1 + 0 X 1 + 2 X 1 + 0 X 0 + 0 X 1 = 25

  - Then, calculate ||d_1|| and ||d_2|| $= \sqrt{x_1^2 + x_2^2 + \dots + x_n^2}$

$$\| d_1 \| = \sqrt{5\times5+0\times0+3\times3+0\times0+2\times2+0\times0+0\times0+2\times2+0\times0+0\times0} = 6.481$$

$$\| d_2 \| = \sqrt{3\times3+0\times0+2\times2+0\times0+1\times1+1\times1+0\times0+1\times1+0\times0+1\times1} = 4.12$$

  - Calculate cosine similarity: cos(d_1, d_2) = 26/ (6.481 X 4.12) = 0.94