

Ha movido las carpetas app y la carpeta nginx a una carpeta que ha creado nueva daweb.

```
castillejo@DAW2:~/daweb/ejemplo_nginx$ docker build -t castillejo/miweb .
[+] Building 0.1s (7/7) FINISHED                                docker:default
=> [internal] load build definition from Dockerfile             0.0s
=> => transferring dockerfile: 86B                               0.0s
=> [internal] load .dockerignore                                0.0s
=> => transferring context: 28                                    0.0s
=> [internal] load metadata for docker.io/library/nginx:latest 0.0s
=> [internal] load build context                                0.0s
=> => transferring context: 111B                                   0.0s
=> [1/2] FROM docker.io/library/nginx                          0.0s
=> CACHED [2/2] COPY ./web-nginx /usr/share/nginx/html          0.0s
=> exporting to image                                           0.0s
=> => exporting layers                                           0.0s
=> => writing image sha256:978dc761a7b505b818b246fb64490cc2f3b0742366009 0.0s
=> => naming to docker.io/castillejo/miweb                      0.0s
castillejo@DAW2:~/daweb/ejemplo_nginx$
```



```
castillejo@DAW2:~/daweb/ejemplo_nginx$ docker run -d -p 80:80 --name wen castillejo/miweb
43e4543f14dd09bdb606cce9ffe6b513a9a13aa40993fd5f3b5208641644aa7
castillejo@DAW2:~/daweb/ejemplo_nginx$
```

```
castillejo@DAW2:~/daweb/ejemplo_nginx$ curl localhost
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Ejemplo DAWEB nginx</title>
  <link>
</head>
<body>

  <h1>Ejemplo de web </h1>

  <h2>Lorem</h2>

</body>
</html>castillejo@DAW2:~/daweb/ejemplo_nginx$
```



```
castillejo@DAW2:~/daweb/ejemplo_apache$ docker pull httpd
Using default tag: latest
latest: Pulling from library/httpd
a378f10b3218: Already exists
c20157372e94: Pull complete
073cbcfef663: Pull complete
5f75f8a17f40: Pull complete
39fc6f0c5be2: Pull complete
Digest: sha256:ed6db4a8c394d075c9c59a3dbd61a3818cd302d9948057f1e19046e5bfffec027
Status: Downloaded newer image for httpd:latest
docker.io/library/httpd:latest
castillejo@DAW2:~/daweb/ejemplo_apache$ docker run
```

```
castillejo@DAW2:~/daweb/ejemplo_apache$ docker run -d -p 80:80 -v ./2048:/usr/local/apache2/htdocs/ --name jugando httpd
33a15d7bcfd8ca588979889c6a837d9de3e394ef27f6cf599b90f35ea643c901
docker: Error response from daemon: driver failed programming external connectivity on endpoint jugando (4d9a158840e82fb9a80b0ca0a40d13529a5c5f1fdc9870e82495683a411be607
): Bind for 0.0.0.0:80 failed: port is already allocated.
castillejo@DAW2:~/daweb/ejemplo_apache$ firefox localhost:
castillejo@DAW2:~/daweb/ejemplo_apache$ firefox localhost:8080
castillejo@DAW2:~/daweb/ejemplo_apache$ firefox localhost:80 &
[1] 3912
```