

Industry Project

ML Informed Drug Resistance in MTB

Gauranga Kumar Baishya (MDS202325)

Siddhesh Maheshwari (MDS202347)

November 23, 2024

Outline

- 1 Introduction: TB
- 2 Basics of Genetics
- 3 Drug Resistance
- 4 Pipeline
- 5 Methodology
- 6 Results and Conclusion

- **What is TB?**

- Tuberculosis (TB) is an infectious disease caused by bacteria called *Mycobacterium tuberculosis*.
- It mostly affects the lungs but can spread to other parts of the body.

- **How is TB spread?**

- TB spreads through the air when an infected person coughs, sneezes, or talks.

- **Why is it necessary to understand TB?**

- TB is one of the top 10 causes of death worldwide.
- Drug-resistant TB is becoming a major challenge, making treatment harder.
- Early detection and treatment can save lives and prevent its spread.

- **WHO's End TB Strategy**

- The World Health Organization (WHO) aims to reduce TB deaths by 90% and cases by 80% by 2030.
- This requires better diagnosis, treatment, and understanding of the disease.

TB Spread





Image Credit: <https://www.cdc.gov/tb/causes/index.html>

TB Incidence



The boundaries and names shown and the designations used on this map do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

Source: *Global Tuberculosis Control 2011*. WHO, 2011.



© WHO 2011. All rights reserved.


- **DNA**

- DNA (Deoxyribonucleic Acid) is the molecule that contains the genetic instructions for all living organisms.
- It is like a code that tells cells how to grow, function, and reproduce.

- **Genes**

- Genes are specific segments of DNA that carry the instructions for making proteins.
- Proteins are essential for various functions in the body, such as building structures or fighting infections.

Basic Genetics



- **Drug Resistance**

- Drug resistance occurs when bacteria or other microbes evolve and develop the ability to survive despite the use of antibiotics.
- This happens due to genetic mutations or acquiring resistance genes from other bacteria.

- **Common Antibiotics and Resistance**

- First-line antibiotics are the primary drugs used to treat TB.
- **Isoniazid**: A key first-line antibiotic for TB treatment
- **Rifampicin**: Another first-line antibiotic

- **Example: Rifampicin Resistance and *rpoB* Gene**

- Rifampicin is a key antibiotic for treating TB.
- Resistance to rifampicin occurs due to mutations in the *rpoB* gene.
- Mutations in *rpoB* (prevent rifampicin from binding effectively), allow the bacteria to survive.

Antimicrobial resistance with time




Image Credit: <https://studymind.co.uk/notes/drug-resistance-antivirals-and-antiseptics/>

Compensatory Mutations

- **What are Compensatory Mutations?**

- When bacteria develop resistance to antibiotics, some mutations can weaken their growth or survival.
- Compensatory mutations help the bacteria recover from these negative effects, allowing them to survive better.


- **Example: Rifampicin Resistance and the *rpoB* Gene**

- Mutations in the *rpoB* gene give resistance to rifampicin.
- Compensatory mutations in *rpoC* genes restore bacteria survival while maintaining resistance!

- **Why are Compensatory Mutations Important?**

- Understanding these mutations can help develop better treatment strategies to combat drug-resistant TB.

Compensatory Mutations: *rpoB*, *rpoC*




RAW Whole Genome Sequencing Data

WGS Raw Data

```
222 CCCGCCCGAAGTGAAGCGGCAGGGTGGCTCCGCAATTACCTGGGTCCCTCGCAGCGGGTTCGCTCGAGCGGCATGCAGATCCGGCGCATCGATCCGTGGCGACGCTGAAGGTGCTGCTGCTCCGGTGTCTTCTT
223 +
224 FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF
225 @A00609:384:HV7WKDSX2:3:1101:13566:1501 1:N:0:GAAGCGTT+ACTGAGTG
226 AGGGCTTTCCGCCAGTCGTGAACTAAGCATCAACGGCGCGCGCGCCAGCGGCACCCGAGTACCGGCTCTGTTCCGCCCTCGGGGTCACTGCGCATATCAAGCATCCGTCGATCTCCGCCGATAACAGCGCTCGACGATCG
227 +
228 F:FF:FF:FFFF:FFFFFFFF:F:FFFFF,FF:F::,F:F,F::,FFF:,F:FFFFFFF:::FFFF:FFFFF,FFFFFFFFFFFFFFFFFFFFFFFFF:F:F:FFFFFFFFFFFFFFFF,FFFFF,FFFFFFFFFFFFFFFF
229 @A00609:384:HV7WKDSX2:3:1101:25608:1501 1:N:0:GAAGCGTT+ACTGAGTG
230 ACCTGATCACCCTGACAAGCGAAGGGGACGAATTGCCAAACGCGTCGTGCAATTGTGTCGAACTGAAACCGTCACCACTCTACATTGTCGCCGGCGGAACAAAGAACTTTGTGACGTTGGCCGAGAAGTAGCGGAGGGCTCG
231 +
232 FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF
233 @A00609:384:HV7WKDSX2:3:1101:26485:1517 1:N:0:GAAGCGTT+ACTGAGTG
234 CTGAGGCCACCTCTGCTCATCTCAGCGGGAACTCGAAGGGGATTGACGCGTTGACGGCAATGCTGCTGCTCAGGATGAATTCGACCGCAGCTGCCCACTTTCGAGATCTCGGGTACCCCATCTGTGGAGGAAGTAGCGGTTAC
235 +
236 FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF
237 @A00609:384:HV7WKDSX2:3:1101:27905:1532 1:N:0:GAAGCGTT+ACTGAGTG
238 CTCACGGCCCCGGGCGTCGTCGGCACTCGGCAGCGACGACAGGCGACGGCGCTCGGGCGGCTGCATACCCGAGACCGTGGACTGTGCAAGCCGAGCAGGGCCGCGAGCTCGGCCATGCCGCGGCGCGCTCGCCAGCAGCGC
239 +
240 :FFF:,FF,FFFFFFFF:FFFFFFF::FF:FFFF,FFF,F:F:FF,FF:FF:,F:FFFF,FFFFFFF,FF:FF,,FFFFFFFFF,1,FFFFFFF,FFF,F:FFFFFFFF:FFFFF,FFFFFFFFF,FFF,FFF:FFFF:FFFF
241 @A00609:384:HV7WKDSX2:3:1101:27905:1532 1:N:0:GAAGCGTT+ACTGAGTG
242 CTTCTCCGCTGATCCCCCGACGCCCGCCACCGGATTTGGCAAAATGTCGGCAAGCGCGCGCGCAAGCTGACATTTTGGCCAACTGCGGGGGGTGTACGGGGTCTCGCGGCCGACACGACGCTCGGACGCCCGCGCGCGCTG
243 +
244 FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF
245 @A00609:384:HV7WKDSX2:3:1101:28212:1532 1:N:0:GAAGCGTT+ACTGAGTG
246 CGACACGTCGAGCGCACTGTGGGCTGTGCGGATCAGCACCTCGGGCTTACGAGACAGCGCGCGCGGATGCCGACGCGCTGCTTCGGCCGCCGAGAGCTGCTGGCGGAACCGGCTGCGGTAGCGCGCGCTGCTCGACGCTGTG
247 +
248 FFFFFFFF:FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF
249 @A00609:384:HV7WKDSX2:3:1101:14624:1548 1:N:0:GAAGCGTT+ACTGAGTG
250 CGAGTTCGCGGATCGAGGTGGCGTGATCTCGCGCAGCGGGTCCGGTGGCGTCATCGAGCGCGCGCGCGGCACTCTCTCCAGCAGCTGCTGATTATGCTGCCGATGCGCATACCTTGGCGGGTGTGTCGACGAGATCGTGACCG
251 +
252 FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF
253 @A00609:384:HV7WKDSX2:3:1101:29396:1548 1:N:0:GAAGCGTT+ACTGAGTG
254 CAATGCGCTGCGCGCGCGCGGTTGCCCGCGCGGTGGGCACTCCCGCGCGGATATCGCGCGGCACTCGGGCGTTTCAGTGGGGCGGATCGCGCGAGCTGCTGGCCCTCTGCGCCGATGCTGCTATGTGGATGACTCCAAGGC
255 +
```

Pipeline



Mapping to Reference and Marking Duplicates

- **Mapping with bwa mem**

- Aligns sequencing reads to a reference genome to find their matching locations.
- This helps determine where each read originates in the genome.

- **Sorting and Converting**

- Converts the alignment file to a compressed BAM format for storage and processing.
- Then, sort the reads by their positions in the genome for easier analysis.

- **Marking Duplicates using Picard**

- Identifies and removes duplicate reads created during PCR amplification.
- This ensures the results are not biased by extra copies of the same read.

- **Base Recalibration**

- Fixes errors in the quality scores assigned to each base by the sequencer (machine error).
- Uses known reference variants to adjust and improve base quality accuracy.
- Ensures that base quality scores better reflect the true confidence in the sequencing data.

- **Generating Analysis-Ready Reads**

- After recalibration, creates a high-quality BAM file that is ready for analysis.
- These reads are more accurate and reliable for downstream tasks like variant calling.

- **Variant Calling Process with GATK**

- Identifies SNPs (single nucleotide polymorphisms) and Indels (insertions and deletions) from recalibrated BAM files.
- Generates a VCF (Variant Call Format) file containing the detected variants.

- **Refining Variants**

- Filters variants to remove low-quality or false-positive calls.
- Ensures the final dataset contains only high-confidence SNPs and Indels.

- **Analysis-Ready Variants**

- Produces a final set of variants for downstream interpretation.
- Facilitates accurate genome analysis and better biological insights.

- Goal: Predict Interrelationship Between **rpoB** and **rpoC** Mutations




Figure: Position Of RpoB and RpoC in reference Genome

Primary Data

Name	rpoB
Type	CDS
Position	NC_000962.3:759807..763325 (+ strand)
Length	3,519 bp

Figure: RpoB

Primary Data

Name	rpoC
Type	CDS
Position	NC_000962.3:763370..767320 (+ strand)
Length	3,951 bp

Figure: RpoC

- Goal: Predicting **rpoC** Mutations Based on **rpoB** Mutations.
- The mutations for which we need to predict relationship
 - rpoB_516 rpoB_526 rpoB_531
 - rpoC_332 rpoC_483 rpoC_491 rpoC_525
- Data collection
 - PHLTA, Israel (233)
 - Argentina (117)
- Preprocessing.
 - Ongoing.....

Modeling

Samples	rpoB_516	rpoB_526	rpoB_531	rpoC_332	rpoC_483	rpoC_491	rpoC_525
SRR29356604	1	0	0	1	0	1	0
SRR29356605	0	1	1	0	1	0	0
SRR29356620	1	1	0	0	0	1	0
SRR29356622	0	0	1	0	1	0	0
SRR29356633	1	0	0	0	1	0	0
SRR29356634	1	1	1	1	0	1	0
SRR29356637	0	0	1	0	0	1	0
SRR29356640	1	0	0	0	0	0	0
SRR29356641	1	0	0	0	0	0	0

Figure: Data Preprocessed

- Models will be used for predicting resistance (tentative):
 - Association Rules
 - Logistic Regression
 - Random Forest
 - Gradient Boosting
 - Neural Networks.

Results and Conclusion

- On the way ...