Gaurav Joshi T13 - 50 SEPM EXP 2

```
C:\Users\15L\Desktop\SEPM-T13-50> git --version
git version 2.41.0.windows.3

C:\Users\15L\Desktop\SEPM-T13-50>
```

```
PS C:\Users\15L> cd T13-50-SEPM-GAURAV-JOSHI
PS C:\Users\15L\T13-50-SEPM-GAURAV-JOSHI> git --version
git version 2.41.0.windows.3
PS C:\Users\15L\T13-50-SEPM-GAURAV-JOSHI>
```

```
PS C:\Users\15L\T13-50-SEPM-GAURAV-JOSHI> git commit --amend --reset-author
[master e81b543] Added experiment 2 file
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 experiment2.txt
PS C:\Users\15L\T13-50-SEPM-GAURAV-JOSHI> git show --name-only
commit e81b5438a835c06f443bc7e2bcbc69e05844a9d4 (HEAD -> master)
Author: Gaurav Joshi <tsecjoshi12l@example.com>
Date:   Mon Jan 19 14:06:01 2026 +0530

    Added experiment 2 file

experiment2.txt
PS C:\Users\15L\T13-50-SEPM-GAURAV-JOSHI>
```

```
15L@LAB08-015 MINGW64 ~
$ cd T13-50-SEPM-GAURAV-JOSHI/

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI (master)
$ git --version
git version 2.41.0.windows.3

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI (master)
$
```

Gaurav Joshi T13 - 50 SEPM EXP 2

```
15L@LAB08-015 MINGW64 ~
$ cd T13-50-SEPM-GAURAV-JOSHI/

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI (master)
$ git --version
git version 2.41.0.windows.3

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI (master)
$ mkdir git-dvcs

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI (master)
$ cd git-dvcs

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs (master)
$ git conig --globAL --list
git: 'conig' is not a git command. See 'git --help'.

The most similar command is
        config

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs (master)
$ git config --global --list
user.name=Gaurav Joshi
user.email=tsecjoshi121@example.com

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs (master)
$ cat ~/.gotconfig
cat: /c/Users/15L/.gotconfig: No such file or directory
```

```
15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs (master)
$ git init
Initialized empty Git repository in C:/Users/15L/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/.git/
```

```
15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs (master)
$ ls -al
total 4
drwxr-xr-x 1 15L 197121 0 Jan 19 14:12 ./
drwxr-xr-x 1 15L 197121 0 Jan 19 14:10 ../
drwxr-xr-x 1 15L 197121 0 Jan 19 14:12 .git/
```

```
15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs (master)
$ mkdir git-demo-project

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs (master)
$ cd git-demo-project/

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git init
Initialized empty Git repository in C:/Users/15L/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project/.git/

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ ls -al
total 4
drwxr-xr-x 1 15L 197121 0 Jan 19 14:14 ./
drwxr-xr-x 1 15L 197121 0 Jan 19 14:14 ../
drwxr-xr-x 1 15L 197121 0 Jan 19 14:14 .git/
```

Gaurav Joshi T13 - 50 SEPM EXP 2

```
15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs (master)
$ mkdir git-demo-project

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs (master)
$ cd git-demo-project/

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git init
Initialized empty Git repository in C:/Users/15L/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project/.git/

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ ls -al
total 4
drwxr-xr-x 1 15L 197121 0 Jan 19 14:14 ./
drwxr-xr-x 1 15L 197121 0 Jan 19 14:14 ../
drwxr-xr-x 1 15L 197121 0 Jan 19 14:14 .git/
```


```
15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs (master)
$ mkdir git-demo-project

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs (master)
$ cd git-demo-project/
```

```
15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs (master)
$ mkdir git-demo-project

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs (master)
$ cd git-demo-project/
```

```
15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git init
Initialized empty Git repository in C:/Users/15L/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project/.git/
```

```
15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git init
Initialized empty Git repository in C:/Users/15L/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project/.git/
```

```
15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ ls -al
total 4
drwxr-xr-x 1 15L 197121 0 Jan 19 14:14 ./
drwxr-xr-x 1 15L 197121 0 Jan 19 14:14 ../
drwxr-xr-x 1 15L 197121 0 Jan 19 14:14 .git/
```

Gaurav Joshi T13 - 50 SEPM EXP 2

```
15L@LAB08-015 MINGW64 ~
$ cd T13-50-SEPM-GAURAV-JOSHI/

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI (master)
$ git --version
git version 2.41.0.windows.3

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI (master)
$ mkdir git-dvcs

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI (master)
$ cd git-dvcs

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs (master)
$ git conig --globAL --list
git: 'conig' is not a git command. See 'git --help'.

The most similar command is
        config

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs (master)
$ git config --global --list
user.name=Gaurav Joshi
user.email=tsecjoshi121@example.com

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs (master)
$ cat ~/.gotconfig
cat: /c/Users/15L/.gotconfig: No such file or directory

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs (master)
$ git init
Initialized empty Git repository in C:/Users/15L/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/.git/

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs (master)
$ ls -al
total 4
drwxr-xr-x 1 15L 197121 0 Jan 19 14:12 ./
drwxr-xr-x 1 15L 197121 0 Jan 19 14:10 ../
drwxr-xr-x 1 15L 197121 0 Jan 19 14:12 .git/

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs (master)
$ mkdir git-demo-project

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs (master)
$ cd git-demo-project/

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git init
Initialized empty Git repository in C:/Users/15L/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project/.git/

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ ls -al
total 4
drwxr-xr-x 1 15L 197121 0 Jan 19 14:14 ./
```

Gaurav Joshi T13 - 50 SEPM EXP 2

```
15L@LAB08-015 MINGW64 ~
$ cd T13-50-SEPM-GAURAV-JOSHI/

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI (master)
$ git --version
git version 2.41.0.windows.3

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI (master)
$ mkdir git-dvcs

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI (master)
$ cd git-dvcs

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs (master)
$ git conig --globAL --list
git: 'conig' is not a git command. See 'git --help'.

The most similar command is
        config

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs (master)
$ git config --global --list
user.name=Gaurav Joshi
user.email=tsecjoshi121@example.com

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs (master)
$ cat ~/.gotconfig
cat: /c/Users/15L/.gotconfig: No such file or directory

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs (master)
$ git init
Initialized empty Git repository in C:/Users/15L/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/.git/

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs (master)
$ ls -al
total 4
drwxr-xr-x 1 15L 197121 0 Jan 19 14:12 ./
drwxr-xr-x 1 15L 197121 0 Jan 19 14:10 ../
drwxr-xr-x 1 15L 197121 0 Jan 19 14:12 .git/

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs (master)
$ mkdir git-demo-project

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs (master)
$ cd git-demo-project/

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git init
Initialized empty Git repository in C:/Users/15L/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project/.git/

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ ls -al
total 4
drwxr-xr-x 1 15L 197121 0 Jan 19 14:14 ./
```

Gaurav Joshi T13 - 50 SEPM EXP 2

```
15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ ls -al
total 4
drwxr-xr-x 1 15L 197121 0 Jan 19 14:14 ./
drwxr-xr-x 1 15L 197121 0 Jan 19 14:14 ../
drwxr-xr-x 1 15L 197121 0 Jan 19 14:14 .git/

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git add.
git: 'add.' is not a git command. See 'git --help'.

The most similar command is
        add

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git add .

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git status
On branch master

No commits yet

nothing to commit (create/copy files and use "git add" to track)

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git commit -m "First commit"
On branch master

Initial commit

nothing to commit (create/copy files and use "git add" to track)

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git add .

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git status
On branch master

No commits yet

nothing to commit (create/copy files and use "git add" to track)

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git commit -am"express commit"
On branch master

Initial commit
```

Gaurav Joshi T13 - 50 SEPM EXP 2

```
15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ ls -al
total 4
drwxr-xr-x 1 15L 197121 0 Jan 19 14:14 ./
drwxr-xr-x 1 15L 197121 0 Jan 19 14:14 ../
drwxr-xr-x 1 15L 197121 0 Jan 19 14:14 .git/

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git add.
git: 'add.' is not a git command. See 'git --help'.

The most similar command is
        add

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git add .

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git status
On branch master

No commits yet

nothing to commit (create/copy files and use "git add" to track)

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git commit -m "First commit"
On branch master

Initial commit

nothing to commit (create/copy files and use "git add" to track)

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git add .

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git status
On branch master

No commits yet

nothing to commit (create/copy files and use "git add" to track)

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git commit -am"express commit"
On branch master

Initial commit
```

Gaurav Joshi T13 - 50 SEPM EXP 2

```
15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git status
On branch master

No commits yet

nothing to commit (create/copy files and use "git add" to track)

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git commit -am"express commit"
On branch master

Initial commit

nothing to commit (create/copy files and use "git add" to track)

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ nano index.html

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git add .
warning: in the working copy of 'index.html', LF will be replaced by CRLF the next time Git touches it

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ ^C

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ ^C

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git commit "Added index.html"
error: pathspec 'Added index.html' did not match any file(s) known to git

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ ^C

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git commit -m"Added index.html"
[master (root-commit) 027c6fb] Added index.html
 1 file changed, 2 insertions(+)
 create mode 100644 index.html

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git status
On branch master
nothing to commit, working tree clean

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git log
commit 027c6fbf1cafb466f2506c496797d6edccee8287 (HEAD -> master)
Author: Gaurav Joshi <tsecjoshi12l@example.com>
Date:   Mon Jan 19 14:26:00 2026 +0530
```

Gaurav Joshi T13 - 50 SEPM EXP 2

```
15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git status
On branch master

No commits yet

nothing to commit (create/copy files and use "git add" to track)

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git commit -am"express commit"
On branch master

Initial commit

nothing to commit (create/copy files and use "git add" to track)

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ nano index.html

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git add .
warning: in the working copy of 'index.html', LF will be replaced by CRLF the next time Git touches it

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ ^C

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ ^C

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git commit "Added index.html"
error: pathspec 'Added index.html' did not match any file(s) known to git

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ ^C

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git commit -m"Added index.html"
[master (root-commit) 027c6fb] Added index.html
 1 file changed, 2 insertions(+)
 create mode 100644 index.html

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git status
On branch master
nothing to commit, working tree clean

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git log
commit 027c6fbf1cafb466f2506c496797d6edccee8287 (HEAD -> master)
Author: Gaurav Joshi <tsecjoshi12l@example.com>
Date:   Mon Jan 19 14:26:00 2026 +0530
```

Gaurav Joshi T13 - 50 SEPM EXP 2

```
15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git log
commit 027c6fbf1cafb466f2506c496797d6edccee8287 (HEAD -> master)
Author: Gaurav Joshi <tsecjoshi121@example.com>
Date:   Mon Jan 19 14:26:00 2026 +0530

    Added index.html

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ ^C

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git push origin main\
> ^C

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git push origin main
error: src refspec main does not match any
error: failed to push some refs to 'origin'

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git push -u origin main\
> ^C

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git push -u origin main
error: src refspec main does not match any
error: failed to push some refs to 'origin'

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ ^C

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git push -u origin master
fatal: 'origin' does not appear to be a git repository
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git push
fatal: No configured push destination.
Either specify the URL from the command-line or configure a remote repository using
```

Gaurav Joshi T13 - 50 SEPM EXP 2

```
15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git log
commit 027c6fbf1cafb466f2506c496797d6edccee8287 (HEAD -> master)
Author: Gaurav Joshi <tsecjoshi121@example.com>
Date:   Mon Jan 19 14:26:00 2026 +0530

    Added index.html

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ ^C

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git push origin main\
> ^C

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git push origin main
error: src refspec main does not match any
error: failed to push some refs to 'origin'

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git push -u origin main\
> ^C

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git push -u origin main
error: src refspec main does not match any
error: failed to push some refs to 'origin'

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ ^C

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git push -u origin master
fatal: 'origin' does not appear to be a git repository
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git push
fatal: No configured push destination.
Either specify the URL from the command-line or configure a remote repository using
```

Gaurav Joshi T13 - 50 SEPM EXP 2

```
15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ ^C

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git push -u origin master
fatal: 'origin' does not appear to be a git repository
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git push
fatal: No configured push destination.
Either specify the URL from the command-line or configure a remote repository using

    git remote add <name> <url>

and then push using the remote name

    git push <name>


15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git commit -m"Added index.html finally"
On branch master
nothing to commit, working tree clean

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git log
commit 027c6fbf1cafb466f2506c496797d6edccee8287 (HEAD -> master)
Author: Gaurav Joshi <tsecjoshi12l@example.com>
Date:   Mon Jan 19 14:26:00 2026 +0530

    Added index.html

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ ^C

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project
$ git push -u origin master
fatal: Unable to read current working directory: No such file or directory

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project
$ cd git-dvcs
bash: cd: git-dvcs: No such file or directory

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project
```

Gaurav Joshi T13 - 50 SEPM EXP 2

```
15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ ^C

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git push -u origin master
fatal: 'origin' does not appear to be a git repository
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git push
fatal: No configured push destination.
Either specify the URL from the command-line or configure a remote repository using

    git remote add <name> <url>

and then push using the remote name

    git push <name>


15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git commit -m"Added index.html finally"
On branch master
nothing to commit, working tree clean

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ git log
commit 027c6fbf1cafb466f2506c496797d6edccee8287 (HEAD -> master)
Author: Gaurav Joshi <tsecjoshi12l@example.com>
Date:   Mon Jan 19 14:26:00 2026 +0530

    Added index.html

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$ ^C

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project (master)
$

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project
$ git push -u origin master
fatal: Unable to read current working directory: No such file or directory

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project
$ cd git-dvcs
bash: cd: git-dvcs: No such file or directory

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project
```

Gaurav Joshi T13 - 50 SEPM EXP 2

```
15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project
$ git push -u origin master
fatal: Unable to read current working directory: No such file or directory

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project
$ cd git-dvcs
bash: cd: git-dvcs: No such file or directory

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project
$ cd T13-50-SEPM-GAURAV-JOSHI
bash: cd: T13-50-SEPM-GAURAV-JOSHI: No such file or directory

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project
$ ^C

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project
$ CD ~
bash: CD: command not found

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project
$ cd~
bash: cd~: command not found

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project
$ cd ~

15L@LAB08-015 MINGW64 ~
$ cd T13-50-SEPM-GAURAV-JOSHI/

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI (master)
$ pwd
/c/Users/15L/T13-50-SEPM-GAURAV-JOSHI

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI (master)
$ ls
experiment2.txt  index.html

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI (master)
$ git status
On branch master
nothing to commit, working tree clean

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI (master)
$ git push -u origin master
remote: Permission to Gaurav-Joshi-Tsec/T13-50-SEPM-GAURAV-JOSHI.git denied to AnmolPreetSingh01.
```

Gaurav Joshi T13 - 50 SEPM EXP 2

```
15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project
$ git push -u origin master
fatal: Unable to read current working directory: No such file or directory

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project
$ cd git-dvcs
bash: cd: git-dvcs: No such file or directory

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project
$ cd T13-50-SEPM-GAURAV-JOSHI
bash: cd: T13-50-SEPM-GAURAV-JOSHI: No such file or directory

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project
$ ^C

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project
$ CD ~
bash: CD: command not found

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project
$ cd~
bash: cd~: command not found

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI/git-dvcs/git-demo-project
$ cd ~

15L@LAB08-015 MINGW64 ~
$ cd T13-50-SEPM-GAURAV-JOSHI/

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI (master)
$ pwd
/c/Users/15L/T13-50-SEPM-GAURAV-JOSHI

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI (master)
$ ls
experiment2.txt  index.html

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI (master)
$ git status
On branch master
nothing to commit, working tree clean

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI (master)
$ git push -u origin master
remote: Permission to Gaurav-Joshi-Tsec/T13-50-SEPM-GAURAV-JOSHI.git denied to AnmolPreetSingh01.
```

```
15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI (master)
$ git push -u origin master
remote: Permission to Gaurav-Joshi-Tsec/T13-50-SEPM-GAURAV-JOSHI.git denied to AnmolPreetSingh01.
fatal: unable to access 'https://github.com/Gaurav-Joshi-Tsec/T13-50-SEPM-GAURAV-JOSHI.git/': The requested URL returned error: 403

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI (master)
$ ^C

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI (master)
$ git push -u origin master
```

```
15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI (master)
$ git push -u origin master
remote: Permission to Gaurav-Joshi-Tsec/T13-50-SEPM-GAURAV-JOSHI.git denied to AnmolPreetSingh01.
fatal: unable to access 'https://github.com/Gaurav-Joshi-Tsec/T13-50-SEPM-GAURAV-JOSHI.git/': The requested URL returned error: 403

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI (master)
$ ^C

15L@LAB08-015 MINGW64 ~/T13-50-SEPM-GAURAV-JOSHI (master)
$ git push -u origin master
```

Gaurav Joshi T13 - 50 SEPM EXP 2

```
[master 13cfbe6] Added index.html
 1 file changed, 2 insertions(+)
 create mode 100644 index.html
PS C:\Users\15L\T13-50-SEPM-GAURAV-JOSHI> git remote add origin https://github.com/Gaurav-Joshi-Tsec/T13-50-SEPM-GAURAV-JOSHI.git
error: remote origin already exists.
PS C:\Users\15L\T13-50-SEPM-GAURAV-JOSHI> git remote -v
origin  https://github.com/Gaurav-Joshi-Tsec/T13-50-SEPM-GAURAV-JOSHI.git (fetch)
origin  https://github.com/Gaurav-Joshi-Tsec/T13-50-SEPM-GAURAV-JOSHI.git (push)
PS C:\Users\15L\T13-50-SEPM-GAURAV-JOSHI> git push -u origin master
remote: Permission to Gaurav-Joshi-Tsec/T13-50-SEPM-GAURAV-JOSHI.git denied to AnmolPreetSingh01.
fatal: unable to access 'https://github.com/Gaurav-Joshi-Tsec/T13-50-SEPM-GAURAV-JOSHI.git/': The requested URL returned error: 403
PS C:\Users\15L\T13-50-SEPM-GAURAV-JOSHI> git config --global --unset credential.helper
PS C:\Users\15L\T13-50-SEPM-GAURAV-JOSHI> git push -u origin master
remote: Permission to Gaurav-Joshi-Tsec/T13-50-SEPM-GAURAV-JOSHI.git denied to AnmolPreetSingh01.
fatal: unable to access 'https://github.com/Gaurav-Joshi-Tsec/T13-50-SEPM-GAURAV-JOSHI.git/': The requested URL returned error: 403
PS C:\Users\15L\T13-50-SEPM-GAURAV-JOSHI> git push -u origin master
info: please complete authentication in your browser...
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 20 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (6/6), 520 bytes | 520.00 KiB/s, done.
Total 6 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/Gaurav-Joshi-Tsec/T13-50-SEPM-GAURAV-JOSHI.git
 * [new branch]      master -> master
branch 'master' set up to track 'origin/master'.
PS C:\Users\15L\T13-50-SEPM-GAURAV-JOSHI>
```