

RapidRescue Complete Application File

File: RapidRescue_App.html

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-
scale=1.0, user-scalable=no">
  <title>RapidRescue Dashboard</title>
  <!-- Tailwind CSS -->
  <script src="https://cdn.tailwindcss.com"></script>
  <script>
    tailwind.config = {
      theme: {
        extend: {
          colors: {
            primary: '#f43f5e',
            secondary: '#0f172a',
            surface: '#1e293b',
          },
          animation: {
            'pulse-glow': 'pulseGlow 2s infinite',
            'float': 'float 3s ease-in-out infinite',
          },
          keyframes: {
            pulseGlow: {
              '0%, 100%': { boxShadow: '0 0 25px rgba(244, 63, 94, 0.4)' },
              '50%': { boxShadow: '0 0 60px rgba(244, 63, 94, 0.8)' }
            },
            float: {
              '0%, 100%': { transform: 'translateY(0)' },
              '50%': { transform: 'translateY(-10px)' },
            }
          }
        }
      }
    }
  </script>
  <script src="https://unpkg.com/lucide@latest"></script>
  <style>
body {
  font-family: 'Outfit', sans-serif;

/* Custom Scrollbar */
::-webkit-scrollbar {
  width: 6px;
}

::-webkit-scrollbar-track {
  background: transparent;
}

::-webkit-scrollbar-thumb {
  background: #334155;
  border-radius: 10px;
}

::-webkit-scrollbar-thumb:hover {
  background: #475569;
}

/* Advanced Radar Template Animations */
.radar-active {
```

```
    animation: radarPulse 3s cubic-bezier(0.1, 0.4, 0.4, 1) infinite;
  }
```

```
.radar-active-delayed {
  animation: radarPulse 3s cubic-bezier(0.1, 0.4, 0.4, 1) infinite;
  animation-delay: 1.5s;
}
```

```
@keyframes radarPulse {
  0% {
    transform: scale(0.6);
    opacity: 0;
  }
```

```
  30% {
    opacity: 1;
    border-width: 2px;
    background: rgba(244, 63, 94, 0.05);
  }
```

```
  100% {
    transform: scale(2.5);
    opacity: 0;
    border-width: 1px;
    background: transparent;
  }
}
```

```
</style>
<link href="https://fonts.googleapis.com/css2?family=Outfit:wght@300;400;500;600;700;800&display=swap"
      rel="stylesheet">
</head>
```

```
<body
  class="bg-secondary text-white font-outfit h-screen w-screen overflow-hidden flex
  relative selection:bg-primary selection:text-white">
```

```
<!-- Ambient background glows for Premium Template Feeling -->
<div
  class="absolute top-0 right-0 w-[500px] h-[500px] bg-primary/20 rounded-full mix-
blend-screen filter blur-[150px] opacity-60 pointer-events-none">
</div>
<div
  class="absolute bottom-[-20%] left-[-10%] w-[600px] h-[600px] bg-blue-600/20
rounded-full mix-blend-screen filter blur-[150px] opacity-50 pointer-events-none mb-10">
</div>
```

```
<!-- Sidebar (Desktop focus, hidden on small mobile) -->
<aside class="hidden md:flex flex-col w-72 bg-surface/50 backdrop-blur-xl border-r
border-white/10 h-full p-6 z-20">
  <div class="flex items-center gap-4 mb-12">
    <div
      class="w-12 h-12 rounded-2xl bg-gradient-to-br from-primary to-rose-700
flex items-center justify-center shadow-lg shadow-primary/30">
      <i data-lucide="activity" class="text-white w-6 h-6"></i>
    </div>
    <div>
      <h1 class="text-xl font-bold tracking-tight">RapidRescue</h1>
      <p class="text-xs text-slate-400">Emergency Protocol</p>
    </div>
  </div>
</div>
```

```
<nav class="space-y-4 flex-1">
  <a href="#"
    class="flex items-center gap-4 px-4 py-3 bg-primary/10 text-primary
rounded-xl font-semibold transition hover:bg-primary/20">
    <i data-lucide="shield-alert" class="w-5 h-5"></i>
    Emergency Hub
  </a>
</nav>
```

```

        </a>
        <a href="#"
            class="flex items-center gap-4 px-4 py-3 text-slate-400 rounded-xl font-
medium transition hover:text-white hover:bg-white/5">
            <i data-lucide="map-pin" class="w-5 h-5"></i>
            Live Tracking
        </a>
        <a href="#"
            class="flex items-center gap-4 px-4 py-3 text-slate-400 rounded-xl font-
medium transition hover:text-white hover:bg-white/5">
            <i data-lucide="clipboard-list" class="w-5 h-5"></i>
            Medical Profile
        </a>
        <a href="#"
            class="flex items-center gap-4 px-4 py-3 text-slate-400 rounded-xl font-
medium transition hover:text-white hover:bg-white/5">
            <i data-lucide="settings" class="w-5 h-5"></i>
            Settings
        </a>
    </nav>

```

```

    <div
        class="mt-auto p-5 rounded-2xl bg-gradient-to-br from-surface to-slate-800
border border-white/10 shadow-lg relative overflow-hidden">
        <div class="absolute top-0 right-0 p-3 opacity-20"><i data-lucide="crown"
class="w-12 h-12"></i></div>
        <p class="text-xs text-slate-400 mb-1">Developed by</p>
        <p class="text-base font-bold text-white tracking-widest uppercase relative
z-10">Gaurav Kumar</p>
    </div>
</aside>

```

```

<!-- Main Mobile/Desktop Content -->
<main class="flex-1 h-full flex flex-col relative z-10 overflow-y-auto">
    <!-- Top Navigation -->
    <header class="w-full flex justify-between items-center p-6 md:p-8">
        <div class="md:hidden flex items-center gap-3">
            <div
                class="w-10 h-10 rounded-xl bg-gradient-to-br from-primary to-rose-700
flex items-center justify-center">
                <i data-lucide="activity" class="text-white w-5 h-5"></i>
            </div>
            <h1 class="text-lg font-bold">RapidRescue</h1>
        </div>
        <div class="hidden md:block">
            <h2 class="text-2xl font-bold">Emergency Dashboard</h2>
            <p class="text-sm text-slate-400">Real-time emergency monitoring
system</p>
        </div>
    </header>

```

```

    <div class="flex items-center gap-4">
        <div
            class="hidden sm:flex items-center gap-2 px-4 py-2 rounded-full bg-
green-500/10 border border-green-500/20 text-green-400 text-sm font-semibold">
            <span class="w-2 h-2 rounded-full bg-green-500 animate-pulse"></span>
            System Active
        </div>
        <button id="ai-help-btn"
            class="relative p-3 rounded-full bg-surface border border-white/10
hover:bg-white/5 transition shadow-lg group">
            <i data-lucide="bot" class="w-5 h-5 text-blue-400 group-
hover:scale-110 transition-transform"></i>
            <span
                class="absolute -top-1 -right-1 w-3 h-3 bg-blue-500 rounded-full
border-2 border-secondary"></span>
            </button>
        </div>
    </header>

```

```
<!-- Dynamic Template Content -->
<div class="flex-1 flex flex-col items-center justify-center p-4">
```

```
<!-- Dashboard Grid Template -->
<div class="w-full max-w-5xl grid grid-cols-1 lg:grid-cols-3 gap-8">
```

```
<!-- Left Panel: Medical Info -->
<div class="hidden lg:flex flex-col gap-6">
  <div
    class="bg-surface/40 backdrop-blur-md rounded-3xl p-6 border
border-white/5 hover:border-white/10 transition">
    <div class="flex items-center gap-3 mb-4">
      <i data-lucide="heart-pulse" class="text-primary w-5 h-5"></i>
      <h3 class="font-semibold text-lg">Vital Status</h3>
    </div>
    <div class="space-y-4">
      <div class="flex justify-between items-end border-b border-
white/5 pb-2">
        <span class="text-sm text-slate-400">Heart Rate</span>
        <span class="text-xl font-bold">--<span class="text-sm
text-slate-500 font-normal">
          bpm</span></span>
      </div>
      <div class="flex justify-between items-end border-b border-
white/5 pb-2">
        <span class="text-sm text-slate-400">Blood Type</span>
        <span class="text-xl font-bold">O+</span>
      </div>
      <div class="flex justify-between items-end">
        <span class="text-sm text-slate-400">Allergies</span>
        <span class="text-sm font-semibold text-
rose-400">Penicillin</span>
      </div>
    </div>
  </div>
</div>
```

```
<div class="bg-surface/40 backdrop-blur-md rounded-3xl p-6 border
border-white/5 mt-auto">
  <div class="w-full bg-slate-800 rounded-full overflow-hidden h-1.5
mb-2">
    <div class="bg-green-500 h-1.5 w-full rounded-full"></div>
  </div>
  <p class="text-xs text-center text-slate-400">Location Services
Active</p>
</div>
</div>
```

```
<!-- Center Panel: The SOS Core -->
<div class="col-span-1 lg:col-span-1 flex flex-col items-center justify-
center min-h-[400px]">
  <div id="status-text"
    class="text-center mb-8 flex flex-col items-center opacity-100
transition-opacity duration-300">
    <span
      class="px-4 py-1.5 rounded-full bg-surface border border-
white/10 text-slate-300 text-sm font-medium shadow-lg">
      Hold button to trigger emergency
    </span>
  </div>
```

```
<div class="relative w-72 h-72 flex items-center justify-center mx-
auto">
  <!-- Advanced Radar Sweep (Active later) -->
  <div id="radar-ring-1"
    class="absolute w-[180%] h-[180%] rounded-full border border-
primary/40 opacity-0 scale-50 transition-all duration-1000">
  </div>
  <div id="radar-ring-2"
```

```

        class="absolute w-[250%] h-[250%] rounded-full border border-
primary/20 opacity-0 scale-50 transition-all duration-1000 delay-300">
    </div>

```

```

        <!-- Core Sensor Button -->
        <button id="sos-btn"
            class="relative z-10 w-56 h-56 rounded-full bg-gradient-to-br
from-primary to-rose-900 border-[6px] border-white/10
shadow-[0_0_50px_rgba(244,63,94,0.3)] flex flex-col items-center justify-center gap-3
text-white hover:scale-105 active:scale-95 transition-all duration-300 animate-pulse-glow
group">

            <div
                class="absolute inset-0 rounded-full bg-black/20 opacity-0
group-active:opacity-100 transition-opacity">
            </div>

```

```

        <i data-lucide="triangle-alert" class="w-14 h-14 mb-0 drop-
shadow-lg"></i>

        <span class="text-4xl font-extrabold tracking-widest drop-
shadow-md">SOS</span>

        <span class="text-xs font-semibold text-rose-200 tracking-
wider uppercase">Emergency

            Alarm</span>
        </button>
    </div>

```

```

        <!-- Action Result text -->
        <div id="action-result"
            class="mt-12 text-center h-16 opacity-0 transition-opacity
duration-500 bg-surface/60 backdrop-blur-md px-6 py-3 rounded-2xl border border-white/10">
            <p class="text-lg font-bold text-primary mb-1">Signal
Broadcasted</p>

            <p class="text-xs text-slate-300">Tracking 3 nearest rescue
units...</p>
        </div>
    </div>

```

```

        <!-- Right Panel: Map & Dispatch Template -->
        <div class="hidden lg:flex flex-col gap-6">
            <div
                class="bg-surface/40 backdrop-blur-md rounded-3xl p-6 border
border-white/5 h-64 relative overflow-hidden group">
                <!-- Simulated Map Background -->
                <div
                    class="absolute inset-0 opacity-20
bg-[url('https://www.transparenttextures.com/patterns/cubes.png')] group-hover:scale-110
transition-transform duration-[10s]">
                </div>
                <div class="absolute inset-x-0 bottom-0 h-1/2 bg-gradient-to-t
from-surface to-transparent">
                </div>
            </div>

```

```

            <div class="relative z-10 flex flex-col h-full">
                <h3 class="font-semibold text-lg mb-2">Live Radius</h3>
                <div class="mt-auto flex justify-between items-center">
                    <div class="flex items-center gap-2">
                        <div class="w-3 h-3 rounded-full bg-blue-500 animate-
ping"></div>

                        <span class="text-sm font-medium">Your Location</span>
                    </div>
                    <div class="px-3 py-1 bg-white/10 rounded-full text-xs
backdrop-blur-md">
                        Accuracy: 4m
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        <div
            class="bg-surface/40 backdrop-blur-md rounded-xl p-5 border
border-white/5 flex gap-4 items-center">
            <div
                class="w-12 h-12 rounded-xl bg-orange-500/20 text-orange-400
flex items-center justify-center shrink-0">
                <i data-lucide="phone-call" class="w-6 h-6"></i>
            </div>
            <div>
                <h4 class="font-semibold">Local Dispatch</h4>
                <p class="text-xs text-slate-400">Available 24/7</p>
            </div>
        </div>
    </div>

```

```

    </div>
</div>

```

```

<footer class="md:hidden w-full text-center py-6 mt-auto">
    <p class="text-xs text-slate-500 font-medium">Developed by</p>
    <p class="text-sm font-bold text-white tracking-widest uppercase">Gaurav
Kumar</p>
</footer>
</main>

```

```

<!-- AI Chatbot Overlay Windowed Design (Template Upgrade) -->
<div id="ai-chat-overlay"
    class="fixed right-0 top-0 bottom-0 w-full md:w-[400px] bg-secondary/95 backdrop-
blur-xl z-50 transform translate-x-full transition-transform duration-500 ease-out flex
flex-col border-l border-white/10 shadow-2xl">
    <!-- Chat Header -->
    <div class="p-6 bg-surface/50 border-b border-white/10 flex justify-between items-
center">
        <div class="flex items-center gap-4">
            <div class="relative">
                <div
                    class="w-12 h-12 bg-gradient-to-tr from-blue-600 to-indigo-500
rounded-xl flex items-center justify-center shadow-lg shadow-blue-500/20">
                    <i data-lucide="bot" class="w-6 h-6 text-white"></i>
                </div>
                <div class="absolute -bottom-1 -right-1 w-4 h-4 bg-green-500 border-2
border-surface rounded-full">
                </div>
            </div>
            <div>
                <h3 class="font-bold text-white text-lg">Rescue AI</h3>
                <p class="text-xs text-blue-400 font-medium">Official Assistant</p>
            </div>
        </div>
        <button id="close-chat-btn"
            class="p-2 bg-white/5 rounded-full text-slate-400 hover:text-white
hover:bg-white/10 transition">
            <i data-lucide="minimize-2" class="w-5 h-5"></i>
        </button>
    </div>

```

```

<!-- Chat Messages -->
<div id="chat-messages" class="flex-1 overflow-y-auto p-6 space-y-6">
    <div class="flex items-start gap-3">
        <div
            class="bg-gradient-to-br from-surface to-slate-800 rounded-2xl
rounded-tl-sm p-4 text-sm text-slate-200 shadow-lg border border-white/5 leading-relaxed">
            Welcome to the <strong>RapidRescue</strong> dashboard. I am the AI
responder. You can trigger an
            emergency using the main SOS control, or ask me for first-aid
assistance.
        </div>
    </div>
</div>

```

```
</div>
```

```
    <!-- Chat Input -->
    <div class="p-6 bg-surface/30 border-t border-white/10">
      <form id="chat-form" class="flex gap-3 relative">
        <input type="text" id="chat-input" placeholder="Type your query..."
          class="flex-1 bg-surface border border-white/10 rounded-2xl pl-5 pr-12
py-4 text-sm text-white focus:outline-none focus:border-blue-500 transition shadow-inner"
          autocomplete="off">
        <button type="submit"
          class="absolute right-2 top-2 bottom-2 aspect-square bg-blue-600
hover:bg-blue-500 text-white rounded-xl flex items-center justify-center transition
shadow-lg shadow-blue-500/20">
          <i data-lucide="send" class="w-5 h-5 ml-1"></i>
        </button>
      </form>
    </div>
  </div>
```

```
<script>
// Initialize Lucide icons
lucide.createIcons();
```

```
// DOM Elements
const sosBtn = document.getElementById('sos-btn');
const ring1 = document.getElementById('radar-ring-1');
const ring2 = document.getElementById('radar-ring-2');
const actionResult = document.getElementById('action-result');
const statusText = document.getElementById('status-text');
```

```
let isAlarmActive = false;
let holdTimer = null;
```

```
// AI Chat Elements
const aiHelpBtn = document.getElementById('ai-help-btn');
const aiChatOverlay = document.getElementById('ai-chat-overlay');
const closeChatBtn = document.getElementById('close-chat-btn');
const chatForm = document.getElementById('chat-form');
const chatInput = document.getElementById('chat-input');
const chatMessages = document.getElementById('chat-messages');
```

```
// --- SOS Button Logic ---
function activateAlarm() {
  if (isAlarmActive) return;
  isAlarmActive = true;
```

```
  // Change button appearance
  sosBtn.classList.remove('animate-pulse-glow', 'from-red-500', 'to-red-700');
  sosBtn.classList.add('bg-red-900', 'border-red-500/80', 'scale-95');
  sosBtn.innerHTML = `
    <i data-lucide="check-circle" class="w-12 h-12 mb-1 text-green-400"></i>
    <span class="text-2xl font-black tracking-widest text-white">DISPATCHED</span>
  `;
  lucide.createIcons(); // Re-initialize new icon
```

```
  // Activate radar rings
  ring1.classList.add('radar-active');
  ring2.classList.add('radar-active-delayed');
```

```
  // Update status
  statusText.style.opacity = '0';
  setTimeout(() => {
    statusText.innerHTML = `
      <span class="text-gray-400 text-sm font-medium uppercase tracking-widest
mb-2">System Status</span>
      <span class="px-4 py-1.5 rounded-full bg-red-500/20 text-red-400 border
border-red-500/30 font-bold flex items-center gap-2">
        <span class="w-2 h-2 rounded-full bg-red-500 animate-pulse"></span>
```

```
        Emergency Active
    </span>
    `;
    statusText.style.opacity = '1';
}, 300);
```

```
// Show result text
actionResult.classList.remove('opacity-0');
actionResult.classList.add('opacity-100');
```

```
// Simulate finding ambulances
let dots = 0;
const searchInterval = setInterval(() => {
    dots = (dots + 1) % 4;
    const pts = '.'.repeat(dots);
```

```
    // Randomly "find" ambulances after a few seconds
    if (dots === 3 && Math.random() > 0.5) {
        clearInterval(searchInterval);
        actionResult.innerHTML = `
            <p class="text-xl font-bold text-green-400 mb-1">Ambulances
Dispatched!</p>
            <p class="text-sm text-gray-300">ETA: 3 mins. Stay calm and stay put.</p>
        `;
    }
```

```
    // Add a follow-up message to the AI chat to offer help
    setTimeout(() => {
        addAiMessage("I see you've triggered an emergency. Ambulances are on the
way. Please stay calm and make sure you're in a safe location. Do you need any first-aid
instructions while you wait?");
    }, 2000);
} else {
    actionResult.querySelector('p:nth-child(2)').innerText = `Locating nearest
ambulances\${pts}`;
}
}, 800);
}
```

```
// Support click or hold
sosBtn.addEventListener('mousedown', () => {
    holdTimer = setTimeout(activateAlarm, 400); // Activate after holding for 400ms
});
sosBtn.addEventListener('mouseup', () => clearTimeout(holdTimer));
sosBtn.addEventListener('mouseleave', () => clearTimeout(holdTimer));
```

```
// Fallback for touch devices
sosBtn.addEventListener('touchstart', (e) => {
    e.preventDefault();
    holdTimer = setTimeout(activateAlarm, 400);
});
sosBtn.addEventListener('touchend', (e) => {
    e.preventDefault();
    clearTimeout(holdTimer);
});
sosBtn.addEventListener('click', () => {
    if(!isAlarmActive) activateAlarm(); // Immediate activation on simple click as well
for urgency
});
```

```
// --- AI Chat Logic ---
```

```
aiHelpBtn.addEventListener('click', () => {
    aiChatOverlay.classList.remove('translate-x-full');
});
```

```
closeChatBtn.addEventListener('click', () => {
    aiChatOverlay.classList.add('translate-x-full');
```



```
});

function addAiMessage(text) {
  const msgDiv = document.createElement('div');
  msgDiv.className = "flex items-start gap-3 w-[90%]";
  msgDiv.innerHTML = `
    < div class="bg-gradient-to-br from-surface to-slate-800 rounded-2xl
rounded-tl-sm p-4 text-sm text-slate-200 shadow-lg border border-white/5 leading-relaxed
whitespace-pre-wrap" >
      ${ text }
    </div >
  `;
  chatMessages.appendChild(msgDiv);
  lucide.createIcons();
  chatMessages.scrollTop = chatMessages.scrollHeight;
}

```

```
function addUserMessage(text) {
  const msgDiv = document.createElement('div');
  msgDiv.className = "flex items-start justify-end gap-3 w-full ml-auto";
  msgDiv.innerHTML = `
    < div class="bg-blue-600 rounded-2xl rounded-tr-sm p-4 text-sm text-white shadow-
lg shadow-blue-500/20 max-w-[85%]" >
      ${ text }
    </div >
  `;
  chatMessages.appendChild(msgDiv);
  lucide.createIcons();
  chatMessages.scrollTop = chatMessages.scrollHeight;
}

```

```
const aiKnowledgeBase = [
  { keywords: ['hello', 'hi', 'hey'], response: "Hello! I am here 24/7. In case of a medical emergency, just tap the big red SOS button." },
  { keywords: ['how', 'use', 'work'], response: "Simply press and hold the central SOS button on the home screen. It will instantly broadcast your location to all nearby ambulances." },
  { keywords: ['who', 'ceo', 'creator', 'gaurav'], response: "This application was built and is led by CEO Gaurav Kumar. We are dedicated to providing rapid medical assistance globally." },
  { keywords: ['cost', 'price', 'fee'], response: "The SOS dispatch service is currently provided free of charge for users to ensure rapid medical assistance." },
  { keywords: ['cancel', 'accident', 'mistake'], response: "If you pressed the button by mistake, ambulances are already dispatched. You cannot cancel from the app to prevent bad actors. Please call the emergency dispatch center immediately to abort." },
  { keywords: ['first aid', 'bleeding', 'cpr', 'help'], response: "If someone is bleeding, apply firm pressure to the wound with a clean cloth. If they stopped breathing, start CPR by pushing hard and fast in the center of their chest. An ambulance is on the way if you pressed SOS." }
];

```

```
chatForm.addEventListener('submit', (e) => {
  e.preventDefault();
  const text = chatInput.value.trim();
  if(!text) return;

```

```
  addUserMessage(text);
  chatInput.value = '';

```

```
  // Simulate AI thinking
  setTimeout(() => {
    const lowerText = text.toLowerCase();
    let matchFound = false;

```

```
    for(let kb of aiKnowledgeBase) {
      if(kb.keywords.some(kw => lowerText.includes(kw))) {
        addAiMessage(kb.response);
        matchFound = true;
      }
    }
  });

```

```
        break;
    }
}
```

```
    if(!matchFound) {
        addAiMessage("I'm an AI assistant focused on the RapidRescue app. Please use
the SOS button for emergencies. If you have specific medical questions, wait for the
dispatched paramedics.");
    }
    }, 600 + Math.random() * 600); // 0.6s - 1.2s delay
});
```

```
</script>
</body>
```

```
</html>
```