

```

class Person {
    final int id;
    final String name;
    final String email;
    const Person({
        required this.id,
        required this.name,
        required this.email,
    });

    @override
    String toString()
        => 'Person(id: $id, name: $name, email: $email)';

    Person copyWith({
        int? id,
        String? name,
        String? email,
    }) {
        return Person(
            id: id ?? this.id,
            name: name ?? this.name,
            email: email ?? this.email,
        );
    }
}

```

```

Map<String, dynamic> toJson() {
    return {
        'id': id,
        'name': name,
        'email': email,
    };
}

factory Person.fromJson(Map<String, dynamic> map) {
    return Person(
        id: map['id']?.toInt() ?? 0,
        name: map['name'] ?? '',
        email: map['email'] ?? '',
    );
}

@override
bool operator ==(Object other) {
    if (identical(this, other)) return true;

    return other is Person &&
        other.id == id &&
        other.name == name &&
        other.email == email;
}

@override
int get hashCode
    => id.hashCode ^ name.hashCode ^ email.hashCode;
}

```

**dart data class**

```
graph LR; A[dart data class] --- B[dart data class generator extension]; A --- C[freezed package];
```

**dart data class  
generator extension**

**freezed package**

# Dart Data Class Generator

v0.5.4

hzgood



123,294



(5)

## More Info

Published 2021-11-25,  
19:44:08

Last 2022-7-12,  
released 01:41:39

# Dart Data Class Generator

v0.5.3

dotup



19,172



(5)

## More Info

Published 2021-11-29,  
14:21:08

Last 2021-12-10,  
released 19:28:37

# Dart Data Class Generator

v0.5.9

Ricardo Emerson



14,217



(1)

## More Info

Published 2022-8-6,  
10:21:02

Last 2023-5-25,  
released 22:46:05

Last 2023-6-27,  
updated 11:04:06

```
$ flutter create dart_data_class_generator  
dart_data_class_generator
```

## Before

---

### Quick Fix...

- 💡 Add 'late' modifier
- 💡 Create constructor for final fields, required named
- 💡 Create constructor for final fields

## After

---

### Quick Fix...

- 💡 Add 'late' modifier
- 💡 Create constructor for final fields, required named
- 💡 Create constructor for final fields
- 💡 Generate data class
- 💡 Generate constructor
- 💡 Generate copyWith
- 💡 Generate JSON serialization
- 💡 Generate toString
- 💡 Generate equality