

State Shape

```
graph TD; A[State Shape] --> B[enum based state]; A --> C[sealed class based state];
```

enum based state

sealed class based state

https://twitter.com/remi_rousselet/status/1673259042343452673



Remi Rousselet ✓

@remi_rousselet

Freezed users: Consider migrating your "when"/"map" usages to the Dart 3 pattern matching.

Since it is now an official Dart feature, we should use it :)

6:16 PM · Jun 26, 2023 · **20.1K** Views

https://twitter.com/remi_rousselet/status/1673377517548236800



Remi Rousselet ✓

@remi_rousselet

The next version of Freezed will disable the generation of when/map.

They will still be available by manually enabling them.

But disabling them should remove thousands of lines of generated code.

2:07 AM · Jun 27, 2023 · **7,109** Views

State Shape

```
graph TD; A[State Shape] --> B[enum based state]; A --> C[sealed class based state]; A --> D[AsyncValue];
```

enum based state

sealed class based state

AsyncValue

enum + single state class + copyWith

```
enum ActivityStatus {
```

```
    initial,
```

```
    loading,
```

```
    success,
```


```
    failure,
```

```
}
```

Mutually exclusive

Exhaustive

initial



loading

loading indicator



success

activity data



failure

error data

```
class ActivityState {
```

```
    final ActivityStatus status,
```

```
    final Activity activity,
```

```
    final String error,
```

```
    ...
```

```
    ActivityState copyWith() {},
```

```
}
```