







```
@Riverpod(keepAlive: false)
class Counter extends _$Counter {
  int build() {
    return 0;
  }


  void increment() => state++;
}
```

```
@Riverpod(keepAlive: true)
class Counter extends _$Counter {
  int build() {
    return 0;
  }

  void increment() => state++;
}
```




Lifecycle methods	description
<code>onAddListener(void cb())</code>	• cb is called whenever a new listener is added to the provider
<code>onRemoveListener(void cb())</code>	• cb is called whenever a listener is removed from the provider
<code>onCancel(void cb())</code>	• cb is called when the last listener of the provider is removed
<code>onResume(void cb())</code>	• cb is called when the listener is added to the provider in paused state
<code>onDispose(void cb())</code>	• cb is called right before the provider is destroyed




1

keepAlive: false
(autoDispose)




2

keepAlive: true



3

```
keepAlive: false  
+  
ref.keepAlive()  
+  
Timer  
+  
Lifecycle methods
```



1	<code>keepAlive: false (autoDispose)</code>
2	<code>keepAlive: true</code>
3	<code>keepAlive: false + ref.keepAlive() + Timer + lifecycle methods (sync)</code>
4	<code>keepAlive: false + ref.keepAlive() + Timer + lifecycle methods (async)</code>
5	when a provider watches another provider