



Directions for questions 25 to 29: Answer the questions on the basis of the information given below.

Noida International Airport has twelve check-in counters arranged in a 4×3 grid. Each counter is operated by one of four airlines — A, B, C, and D — and functions during one of three 15-minute consecutive time slots — Slot 1, Slot 2, and Slot 3. In every slot, each counter attends to exactly three passengers. Each passenger has booked a certain number of tickets, which is an integer between 1 and 12, both inclusive. The median number of tickets booked across the three passengers at each counter is recorded, and all twelve median values are distinct integers.

- (1) The total of the median values across all counters in any given slot is the same for every slot.
- (2) In Slot 2, the minimum number of tickets booked among passengers at Airline B's counter is 3.

Table 1 below shows partial information about the median number of tickets booked per counter. Table 2 below shows the number of passengers at each counter who booked more than 6 tickets, along with the total number of tickets booked at each counter.

Table -1				Table -2						
	Slot 1	Slot 2	Slot 3		Slot 1	Total Tickets	Slot 2	Total Tickets	Slot 3	Total Tickets
Airline A	12		5	Airline A	3 #	33	2 ##	22	1 #	13
Airline B		4		Airline B	1 ##	10	1 —	16	2 #	25
Airline C	11			Airline C	3 #	31	1 ##	16	1 #	16
Airline D		10	7	Airline D	1 ##	15	3 #	29	2 ##	20

The number in each cell of Table 2 represents the number of passengers at that counter who booked more than 6 tickets in that slot. That number is followed by # if exactly one of the following conditions is satisfied, and by ## if two conditions are satisfied. — indicates none is satisfied.

- (i) The minimum number of tickets booked among the three passengers at the counter is 1.
- (ii) The median number of tickets booked among the three passengers at the counter is 1.
- (iii) The maximum number of tickets booked among the three passengers at the counter is 12.

Mark for Review & Next

Clear Response

Save & Next

Question No 25.

What is the median number of tickets booked by the three passengers at Airline A's counter in Slot 2?

Backspace

1	2	3
4	5	6
7	8	9
0	.	-

Clear All

Answered

Not Answered

Not Visited

Marked for Review

Answered & Marked for Review (will be considered for evaluation)

DILR

Choose a Question

25	26	27	28
29	30	31	32
33	34	35	36
37	38	39	40
41	42	43	44
45	46		



Directions for questions 25 to 29: Answer the questions on the basis of the information given below.

Noida International Airport has twelve check-in counters arranged in a 4×3 grid. Each counter is operated by one of four airlines — A, B, C, and D — and functions during one of three 15-minute consecutive time slots — Slot 1, Slot 2, and Slot 3. In every slot, each counter attends to exactly three passengers. Each passenger has booked a certain number of tickets, which is an integer between 1 and 12, both inclusive. The median number of tickets booked across the three passengers at each counter is recorded, and all twelve median values are distinct integers.

- (1) The total of the median values across all counters in any given slot is the same for every slot.
- (2) In Slot 2, the minimum number of tickets booked among passengers at Airline B's counter is 3.

Table 1 below shows partial information about the median number of tickets booked per counter. Table 2 below shows the number of passengers at each counter who booked more than 6 tickets, along with the total number of tickets booked at each counter.

Table -1				Table -2						
	Slot 1	Slot 2	Slot 3		Slot 1	Total Tickets	Slot 2	Total Tickets	Slot 3	Total Tickets
Airline A	12		5	Airline A	3 #	33	2 ##	22	1 #	13
Airline B		4		Airline B	1 ##	10	1 —	16	2 #	25
Airline C	11			Airline C	3 #	31	1 ##	16	1 #	16
Airline D		10	7	Airline D	1 ##	15	3 #	29	2 ##	20

The number in each cell of Table 2 represents the number of passengers at that counter who booked more than 6 tickets in that slot. That number is followed by # if exactly one of the following conditions is satisfied, and by ## if two conditions are satisfied. — indicates none is satisfied.

- (i) The minimum number of tickets booked among the three passengers at the counter is 1.
- (ii) The median number of tickets booked among the three passengers at the counter is 1.
- (iii) The maximum number of tickets booked among the three passengers at the counter is 12.

Mark for Review & Next

Clear Response

Save & Next

Question No 26.

What is the sum of the medians of tickets booked across the three slots for Airline C?

Backspace

1	2	3
4	5	6
7	8	9
0	.	-

Clear All

Answered

Not Answered

Not Visited

Marked for Review

Answered & Marked for Review (will be considered for evaluation)

DILR

Choose a Question

25	26	27	28
29	30	31	32
33	34	35	36
37	38	39	40
41	42	43	44
45	46		





Directions for questions 25 to 29: Answer the questions on the basis of the information given below.

Noida International Airport has twelve check-in counters arranged in a 4×3 grid. Each counter is operated by one of four airlines — A, B, C, and D — and functions during one of three 15-minute consecutive time slots — Slot 1, Slot 2, and Slot 3. In every slot, each counter attends to exactly three passengers. Each passenger has booked a certain number of tickets, which is an integer between 1 and 12, both inclusive. The median number of tickets booked across the three passengers at each counter is recorded, and all twelve median values are distinct integers.

- (1) The total of the median values across all counters in any given slot is the same for every slot.
- (2) In Slot 2, the minimum number of tickets booked among passengers at Airline B's counter is 3.

Table 1 below shows partial information about the median number of tickets booked per counter. Table 2 below shows the number of passengers at each counter who booked more than 6 tickets, along with the total number of tickets booked at each counter.

Table -1				Table -2						
	Slot 1	Slot 2	Slot 3		Slot 1	Total Tickets	Slot 2	Total Tickets	Slot 3	Total Tickets
Airline A	12		5	Airline A	3 #	33	2 ##	22	1 #	13
Airline B		4		Airline B	1 ##	10	1 —	16	2 #	25
Airline C	11			Airline C	3 #	31	1 ##	16	1 #	16
Airline D		10	7	Airline D	1 ##	15	3 #	29	2 ##	20

The number in each cell of Table 2 represents the number of passengers at that counter who booked more than 6 tickets in that slot. That number is followed by # if exactly one of the following conditions is satisfied, and by ## if two conditions are satisfied. — indicates none is satisfied.

- (i) The minimum number of tickets booked among the three passengers at the counter is 1.
- (ii) The median number of tickets booked among the three passengers at the counter is 1.
- (iii) The maximum number of tickets booked among the three passengers at the counter is 12.

Mark for Review & Next

Clear Response

Save & Next

Question No 27.

How many counters have at least one passenger who booked 12 tickets?

Backspace

1	2	3
4	5	6
7	8	9
0	.	-

Clear All

Answered

Not Answered

Not Visited

Marked for Review

Answered & Marked for Review (will be considered for evaluation)

DILR

Choose a Question

25	26	27	28
29	30	31	32
33	34	35	36
37	38	39	40
41	42	43	44
45	46		



Directions for questions 25 to 29: Answer the questions on the basis of the information given below.

Noida International Airport has twelve check-in counters arranged in a 4×3 grid. Each counter is operated by one of four airlines — A, B, C, and D — and functions during one of three 15-minute consecutive time slots — Slot 1, Slot 2, and Slot 3. In every slot, each counter attends to exactly three passengers. Each passenger has booked a certain number of tickets, which is an integer between 1 and 12, both inclusive. The median number of tickets booked across the three passengers at each counter is recorded, and all twelve median values are distinct integers.

- (1) The total of the median values across all counters in any given slot is the same for every slot.
- (2) In Slot 2, the minimum number of tickets booked among passengers at Airline B's counter is 3.

Table 1 below shows partial information about the median number of tickets booked per counter. Table 2 below shows the number of passengers at each counter who booked more than 6 tickets, along with the total number of tickets booked at each counter.

Table -1				Table -2						
	Slot 1	Slot 2	Slot 3		Slot 1	Total Tickets	Slot 2	Total Tickets	Slot 3	Total Tickets
Airline A	12		5	Airline A	3 #	33	2 ##	22	1 #	13
Airline B		4		Airline B	1 ##	10	1 —	16	2 #	25
Airline C	11			Airline C	3 #	31	1 ##	16	1 #	16
Airline D		10	7	Airline D	1 ##	15	3 #	29	2 ##	20

The number in each cell of Table 2 represents the number of passengers at that counter who booked more than 6 tickets in that slot. That number is followed by # if exactly one of the following conditions is satisfied, and by ## if two conditions are satisfied. — indicates none is satisfied.

- (i) The minimum number of tickets booked among the three passengers at the counter is 1.
- (ii) The median number of tickets booked among the three passengers at the counter is 1.
- (iii) The maximum number of tickets booked among the three passengers at the counter is 12.

Mark for Review & Next

Clear Response

Save & Next

Question No 28.

For how many counters is the average number of tickets booked across the three passengers more than the median number of tickets booked?

- 1) 3
- 2) 4
- 3) 5
- 4) 6

Answered

Not Answered

Not Visited

Marked for Review

Answered & Marked for Review (will be considered for evaluation)

DILR

Choose a Question

25	26	27	28
29	30	31	32
33	34	35	36
37	38	39	40
41	42	43	44
45	46		





Directions for questions 25 to 29: Answer the questions on the basis of the information given below.

Noida International Airport has twelve check-in counters arranged in a 4×3 grid. Each counter is operated by one of four airlines — A, B, C, and D — and functions during one of three 15-minute consecutive time slots — Slot 1, Slot 2, and Slot 3. In every slot, each counter attends to exactly three passengers. Each passenger has booked a certain number of tickets, which is an integer between 1 and 12, both inclusive. The median number of tickets booked across the three passengers at each counter is recorded, and all twelve median values are distinct integers.

- (1) The total of the median values across all counters in any given slot is the same for every slot.
(2) In Slot 2, the minimum number of tickets booked among passengers at Airline B's counter is 3.

Table 1 below shows partial information about the median number of tickets booked per counter. Table 2 below shows the number of passengers at each counter who booked more than 6 tickets, along with the total number of tickets booked at each counter.

Table -1				Table -2						
	Slot 1	Slot 2	Slot 3		Slot 1	Total Tickets	Slot 2	Total Tickets	Slot 3	Total Tickets
Airline A	12		5	Airline A	3 #	33	2 ##	22	1 #	13
Airline B		4		Airline B	1 ##	10	1 —	16	2 #	25
Airline C	11			Airline C	3 #	31	1 ##	16	1 #	16
Airline D		10	7	Airline D	1 ##	15	3 #	29	2 ##	20

The number in each cell of Table 2 represents the number of passengers at that counter who booked more than 6 tickets in that slot. That number is followed by # if exactly one of the following conditions is satisfied, and by ## if two conditions are satisfied. — indicates none is satisfied.

- (i) The minimum number of tickets booked among the three passengers at the counter is 1.
(ii) The median number of tickets booked among the three passengers at the counter is 1.
(iii) The maximum number of tickets booked among the three passengers at the counter is 12.

Question No 29.

Which of the following statements is/are true?

- I. In more than 2 counters, at least two passengers booked the same number of tickets.
II. Airline B's counter in Slot 3 satisfied condition (i).

- ☐ 1) I only
☐ 2) II only
☐ 3) Both I and II
☐ 4) Neither I nor II

Answered Not Answered
Not Visited Marked for Review
Answered & Marked for Review (will be considered for evaluation)

DILR

Choose a Question

25 26 27 28
29 30 31 32
33 34 35 36
37 38 39 40
41 42 43 44
45 46



Mark for Review & Next

Clear Response

Save & Next



Directions for questions 30 to 33: Answer the questions on the basis of the information given below.

A startup accelerator evaluated five early-stage companies, labeled A through E, across five consecutive funding rounds (Round 1 to Round 5). All five companies participated in every round. After each round, the accelerator assigned a unique score from 1 to 5 to each company. No two companies received the same score in any given round.

At the end of Round 5, the accelerator compiled a summary table reflecting how each company's score changed from one round to the next (i.e., from Round 2 to Round 5, each compared to the previous round).

In the table:

- "+" indicates that the company's score improved compared to the previous round (e.g., from 2 to 4),
· "-" indicates that the company's score dropped compared to the previous round (e.g., from 4 to 2),
· "NC" indicates that the company retained the same score as in the previous round.

Company	Round 2	Round 3	Round 4	Round 5
A	+	NC	—	—
B	—	NC	—	—
C	—	+	NC	+
D	—	+	+	—
E	+	—	NC	NC

Question No 30.

Which company received the second lowest score in round 5?

- ☐ 1) A
☐ 2) E
☐ 3) B
☐ 4) Either B or E

Answered Not Answered
Not Visited Marked for Review
Answered & Marked for Review (will be considered for evaluation)

DILR

Choose a Question

25 26 27 28
29 30 31 32
33 34 35 36
37 38 39 40
41 42 43 44
45 46



Mark for Review & Next

Clear Response

Save & Next

DILR

Time Left: 32:29



Gaurav

Directions for questions 30 to 33: Answer the questions on the basis of the information given below.

A startup accelerator evaluated five early-stage companies, labeled A through E, across five consecutive funding rounds (Round 1 to Round 5). All five companies participated in every round. After each round, the accelerator assigned a unique score from 1 to 5 to each company. No two companies received the same score in any given round.
At the end of Round 5, the accelerator compiled a summary table reflecting how each company's score changed from one round to the next (i.e., from Round 2 to Round 5, each compared to the previous round).

In the table:

- "+" indicates that the company's score improved compared to the previous round (e.g., from 2 to 4),
- "-" indicates that the company's score dropped compared to the previous round (e.g., from 4 to 2),
- "NC" indicates that the company retained the same score as in the previous round.

Company	Round 2	Round 3	Round 4	Round 5
A	+	NC	-	-
B	-	NC	-	-
C	-	+	NC	+
D	-	+	+	-
E	+	-	NC	NC

Question No 31.

What is the score of company D in round 2?

Backspace

1	2	3
4	5	6
7	8	9
0	.	-

Clear All

Answered

Not Answered

Not Visited

Marked for Review

Answered & Marked for Review
(will be considered for evaluation)

DILR

Choose a Question

25	26	27	28
29	30	31	32
33	34	35	36
37	38	39	40
41	42	43	44
45	46		



Mark for Review & Next

Clear Response

Save & Next

DILR

Time Left: 32:26



Gaurav

Directions for questions 30 to 33: Answer the questions on the basis of the information given below.

A startup accelerator evaluated five early-stage companies, labeled A through E, across five consecutive funding rounds (Round 1 to Round 5). All five companies participated in every round. After each round, the accelerator assigned a unique score from 1 to 5 to each company. No two companies received the same score in any given round.
At the end of Round 5, the accelerator compiled a summary table reflecting how each company's score changed from one round to the next (i.e., from Round 2 to Round 5, each compared to the previous round).

In the table:

- "+" indicates that the company's score improved compared to the previous round (e.g., from 2 to 4),
- "-" indicates that the company's score dropped compared to the previous round (e.g., from 4 to 2),
- "NC" indicates that the company retained the same score as in the previous round.

Company	Round 2	Round 3	Round 4	Round 5
A	+	NC	-	-
B	-	NC	-	-
C	-	+	NC	+
D	-	+	+	-
E	+	-	NC	NC

Question No 32.

How many companies received a lower score than company A in at least four rounds?

Backspace

1	2	3
4	5	6
7	8	9
0	.	-

Clear All

Answered

Not Answered

Not Visited

Marked for Review

Answered & Marked for Review
(will be considered for evaluation)

DILR

Choose a Question

25	26	27	28
29	30	31	32
33	34	35	36
37	38	39	40
41	42	43	44
45	46		



Mark for Review & Next

Clear Response

Save & Next

DILR

Time Left: 32:24



Gaurav

Directions for questions 30 to 33: Answer the questions on the basis of the information given below.

A startup accelerator evaluated five early-stage companies, labeled A through E, across five consecutive funding rounds (Round 1 to Round 5). All five companies participated in every round. After each round, the accelerator assigned a unique score from 1 to 5 to each company. No two companies received the same score in any given round.
At the end of Round 5, the accelerator compiled a summary table reflecting how each company's score changed from one round to the next (i.e., from Round 2 to Round 5, each compared to the previous round).

In the table:

- "+" indicates that the company's score improved compared to the previous round (e.g., from 2 to 4),
- "-" indicates that the company's score dropped compared to the previous round (e.g., from 4 to 2),
- "NC" indicates that the company retained the same score as in the previous round.

Company	Round 2	Round 3	Round 4	Round 5
A	+	NC	-	-
B	-	NC	-	-
C	-	+	NC	+
D	-	+	+	-
E	+	-	NC	NC

Question No 33.

A company that receives a score of at most 2 in three consecutive rounds will definitely not be funded by the startup accelerator. Which of the following sets accurately defines the complete set of all such companies?

- ☐ 1) {C, E}
☐ 2) {E}
☐ 3) {C, D, E}
☐ 4) {C, D}

Mark for Review & Next

Clear Response

Save & Next

☒ Answered
☐ Not Answered
☐ Not Visited
☐ Marked for Review
☐ Answered & Marked for Review (will be considered for evaluation)

DILR

Choose a Question

25 26 27 28
 29 30 31 32
 33 34 35 36
 37 38 39 40
 41 42 43 44
 45 46



DILR

Time Left: 32:21



Gaurav

Directions for questions 34 to 38: Answer the questions on the basis of the information given below.

A residential society has 9 houses arranged in 3 rows and 3 columns. The distance between two adjacent houses from east to west (or west to east) is 30 m, and the distance between two adjacent houses from north to south (or south to north) is 40 m. Nine people, named A to I, each live in a different house, and each buys a different whole number quantity of milk ranging from 1 to 9 liters. Gokul, the milkman, arrives at the society at exactly 6:00 AM, carrying just enough milk for all 9 houses. He walks at a steady speed of 10 meters per minute and spends exactly 2 minutes at each house for delivery. He visits all 9 houses exactly once and never retraces his steps.

The following clues are given:

- His first delivery is at a corner house, which belongs to B. His last delivery is at C's house, which is not a corner house. At some point before reaching H's house, he walks in the eastward direction.
- At one stage during his route, he walks to two houses in a straight line heading south, and immediately after that, he walks to two houses in a straight line heading north-west. Apart from these, no two consecutive houses on his route are approached from the same direction.
- At 6:14 AM, he leaves I's house, and by this point he has already delivered a total of 15 liters of milk. At 6:40 AM, he leaves A's house, and at this point he still has 15 liters of milk left to deliver.
- Within their row, A and G are the immediate neighbors of E, who buys the least quantity of milk among all nine people. Similarly, within their column, B and I are the immediate neighbors of G, who buys the largest quantity of milk.
- H buys exactly double the quantity that D buys, and I buys exactly double the quantity that B buys. Within his row, C buys one liter less than one of his neighbors.

Question No 34.

What is the total quantity of milk delivered to C's house and the houses of C's immediate neighbors along the same row?

Backspace
 1 2 3
 4 5 6
 7 8 9
 0 . -
 Clear All

Mark for Review & Next

Clear Response

Save & Next

☒ Answered
☐ Not Answered
☐ Not Visited
☐ Marked for Review
☐ Answered & Marked for Review (will be considered for evaluation)

DILR

Choose a Question

25 26 27 28
 29 30 31 32
 33 34 35 36
 37 38 39 40
 41 42 43 44
 45 46



DILR

Time Left: 32:14



Gaurav

Directions for questions 34 to 38: Answer the questions on the basis of the information given below.

A residential society has 9 houses arranged in 3 rows and 3 columns. The distance between two adjacent houses from east to west (or west to east) is 30 m, and the distance between two adjacent houses from north to south (or south to north) is 40 m. Nine people, named A to I, each live in a different house, and each buys a different whole number quantity of milk ranging from 1 to 9 liters. Gokul, the milkman, arrives at the society at exactly 6:00 AM, carrying just enough milk for all 9 houses. He walks at a steady speed of 10 meters per minute and spends exactly 2 minutes at each house for delivery. He visits all 9 houses exactly once and never retraces his steps.

The following clues are given:

- His first delivery is at a corner house, which belongs to B. His last delivery is at C's house, which is not a corner house. At some point before reaching H's house, he walks in the eastward direction.
- At one stage during his route, he walks to two houses in a straight line heading south, and immediately after that, he walks to two houses in a straight line heading north-west. Apart from these, no two consecutive houses on his route are approached from the same direction.
- At 6:14 AM, he leaves I's house, and by this point he has already delivered a total of 15 liters of milk. At 6:40 AM, he leaves A's house, and at this point he still has 15 liters of milk left to deliver.
- Within their row, A and G are the immediate neighbors of E, who buys the least quantity of milk among all nine people. Similarly, within their column, B and I are the immediate neighbors of G, who buys the largest quantity of milk.
- H buys exactly double the quantity that D buys, and I buys exactly double the quantity that B buys. Within their row, C buys one liter less than one of his neighbors.

Question No 35.

After delivering at whose house does the quantity of milk remaining in Gokul's wagon first become less than the total quantity of milk he has already delivered?

- D
- H
- A
- E

☒ Answered
 ☐ Not Answered
 ☐ Not Visited
 ☐ Marked for Review
 ☐ Answered & Marked for Review (will be considered for evaluation)

DILR

Choose a Question

25	26	27	28
29	30	31	32
33	34	35	36
37	38	39	40
41	42	43	44
45	46		



Mark for Review & Next

Clear Response

Save & Next

DILR

Time Left: 32:12



Gaurav

Directions for questions 34 to 38: Answer the questions on the basis of the information given below.

A residential society has 9 houses arranged in 3 rows and 3 columns. The distance between two adjacent houses from east to west (or west to east) is 30 m, and the distance between two adjacent houses from north to south (or south to north) is 40 m. Nine people, named A to I, each live in a different house, and each buys a different whole number quantity of milk ranging from 1 to 9 liters. Gokul, the milkman, arrives at the society at exactly 6:00 AM, carrying just enough milk for all 9 houses. He walks at a steady speed of 10 meters per minute and spends exactly 2 minutes at each house for delivery. He visits all 9 houses exactly once and never retraces his steps.

The following clues are given:

- His first delivery is at a corner house, which belongs to B. His last delivery is at C's house, which is not a corner house. At some point before reaching H's house, he walks in the eastward direction.
- At one stage during his route, he walks to two houses in a straight line heading south, and immediately after that, he walks to two houses in a straight line heading north-west. Apart from these, no two consecutive houses on his route are approached from the same direction.
- At 6:14 AM, he leaves I's house, and by this point he has already delivered a total of 15 liters of milk. At 6:40 AM, he leaves A's house, and at this point he still has 15 liters of milk left to deliver.
- Within their row, A and G are the immediate neighbors of E, who buys the least quantity of milk among all nine people. Similarly, within their column, B and I are the immediate neighbors of G, who buys the largest quantity of milk.
- H buys exactly double the quantity that D buys, and I buys exactly double the quantity that B buys. Within their row, C buys one liter less than one of his neighbors.

Question No 36.

Which of the following statements is true about Gokul at 6:35 AM?

- He is walking towards the East.
- He is delivering milk at H's house.
- He is delivering milk at A's house.
- He is walking towards the South-West.

☒ Answered
 ☐ Not Answered
 ☐ Not Visited
 ☐ Marked for Review
 ☐ Answered & Marked for Review (will be considered for evaluation)

DILR

Choose a Question

25	26	27	28
29	30	31	32
33	34	35	36
37	38	39	40
41	42	43	44
45	46		



Mark for Review & Next

Clear Response

Save & Next

DILR

Time Left: 32:07



Gaurav

Directions for questions 34 to 38: Answer the questions on the basis of the information given below.

A residential society has 9 houses arranged in 3 rows and 3 columns. The distance between two adjacent houses from east to west (or west to east) is 30 m, and the distance between two adjacent houses from north to south (or south to north) is 40 m. Nine people, named A to I, each live in a different house, and each buys a different whole number quantity of milk ranging from 1 to 9 liters. Gokul, the milkman, arrives at the society at exactly 6:00 AM, carrying just enough milk for all 9 houses. He walks at a steady speed of 10 meters per minute and spends exactly 2 minutes at each house for delivery. He visits all 9 houses exactly once and never retraces his steps.

The following clues are given:

- His first delivery is at a corner house, which belongs to B. His last delivery is at C's house, which is not a corner house. At some point before reaching H's house, he walks in the eastward direction.
- At one stage during his route, he walks to two houses in a straight line heading south, and immediately after that, he walks to two houses in a straight line heading north-west. Apart from these, no two consecutive houses on his route are approached from the same direction.
- At 6:14 AM, he leaves I's house, and by this point he has already delivered a total of 15 liters of milk. At 6:40 AM, he leaves A's house, and at this point he still has 15 liters of milk left to deliver.
- Within their row, A and G are the immediate neighbors of E, who buys the least quantity of milk among all nine people. Similarly, within their column, B and I are the immediate neighbors of G, who buys the largest quantity of milk.
- H buys exactly double the quantity that D buys, and I buys exactly double the quantity that B buys. Within his row, C buys one liter less than one of his neighbors.

Question No 37.

If it takes five minutes to prepare tea after the milk is delivered, what is the earliest time at which H can have tea?

- 6:28 AM
- 6:38 AM
- 6:33 AM
- 6:41 AM

☒ Answered
 ☐ Not Answered
 ☐ Not Visited
 ☐ Marked for Review
 ☐ Answered & Marked for Review (will be considered for evaluation)

DILR

Choose a Question

25	26	27	28
29	30	31	32
33	34	35	36
37	38	39	40
41	42	43	44
45	46		



Mark for Review & Next

Clear Response

Save & Next

DILR

Time Left: 32:04



Gaurav

Directions for questions 34 to 38: Answer the questions on the basis of the information given below.

A residential society has 9 houses arranged in 3 rows and 3 columns. The distance between two adjacent houses from east to west (or west to east) is 30 m, and the distance between two adjacent houses from north to south (or south to north) is 40 m. Nine people, named A to I, each live in a different house, and each buys a different whole number quantity of milk ranging from 1 to 9 liters. Gokul, the milkman, arrives at the society at exactly 6:00 AM, carrying just enough milk for all 9 houses. He walks at a steady speed of 10 meters per minute and spends exactly 2 minutes at each house for delivery. He visits all 9 houses exactly once and never retraces his steps.

The following clues are given:

- His first delivery is at a corner house, which belongs to B. His last delivery is at C's house, which is not a corner house. At some point before reaching H's house, he walks in the eastward direction.
- At one stage during his route, he walks to two houses in a straight line heading south, and immediately after that, he walks to two houses in a straight line heading north-west. Apart from these, no two consecutive houses on his route are approached from the same direction.
- At 6:14 AM, he leaves I's house, and by this point he has already delivered a total of 15 liters of milk. At 6:40 AM, he leaves A's house, and at this point he still has 15 liters of milk left to deliver.
- Within their row, A and G are the immediate neighbors of E, who buys the least quantity of milk among all nine people. Similarly, within their column, B and I are the immediate neighbors of G, who buys the largest quantity of milk.
- H buys exactly double the quantity that D buys, and I buys exactly double the quantity that B buys. Within his row, C buys one liter less than one of his neighbors.

Question No 38.

If Gokul considers taking a different route on another day, which of the following routes would result in the maximum saving in travel time, given that he still starts from B's house and ends at C's house?

- B-H-D-A-F-E-G-I-C
- B-G-I-E-H-D-A-F-C
- B-E-F-A-D-H-G-I-C
- B-H-G-I-E-D-A-F-C

☒ Answered
 ☐ Not Answered
 ☐ Not Visited
 ☐ Marked for Review
 ☐ Answered & Marked for Review (will be considered for evaluation)

DILR

Choose a Question

25	26	27	28
29	30	31	32
33	34	35	36
37	38	39	40
41	42	43	44
45	46		



Mark for Review & Next

Clear Response

Save & Next

DILR

Time Left: 32:01



Gaurav

Directions for questions 39 to 42: Answer the questions on the basis of the information given below.

At an international conference on emerging data science technologies, ten renowned researchers — A, B, C, D, E, F, G, H, J, and P — have been invited to present their groundbreaking work. These researchers have collaborated in pairs on various discoveries and will deliver their presentations in pairs during a special session. The session consists of 5 consecutive presentation slots. Each slot is occupied by a pair of speakers. Each researcher subscribes to exactly one OTT platform: Netflix, Prime, or JioHotstar. It is ensured that no two researchers presenting together as a pair share the same OTT subscription. These 10 researchers are sitting in a circular arrangement facing the center on 10 seats numbered 1, 2, ..., 10, such that the Slot 1 pair occupies seats 1 and 2, the Slot 2 pair occupies seats 3 and 4, and so on, until Slot 5 occupies seats 9 and 10. The order of presentations must be determined based on the following conditions:

- D and F present together as a pair, and their presentation occurs either at the beginning or at the end of the session.
- C and P subscribe to the same OTT platform. Their respective presentation slots (with their partners) are scheduled as far apart as possible in the sequence.
- B and E present together and occupy the third slot.
- G and his partner present before P. Additionally, H and his partner present after C and his partner but before J and his partner.
- E and J sit opposite each other and both have a subscription to JioHotstar. F sits opposite G and they have subscriptions to different OTT platforms.
- None of F's immediate neighbors have a subscription to Netflix. In Slot 2, no one has a subscription to Prime.
- No two people sitting adjacent to each other have a subscription to the same OTT platform.

Question No 39.

Which two researchers will present in Slot 4?

- ☐ 1) H - G
- ☐ 2) H - A
- ☐ 3) P - J
- ☐ 4) C - G

☒ Answered
 ☐ Not Answered
 ☐ Not Visited
 ☐ Marked for Review
 ☐ Answered & Marked for Review (will be considered for evaluation)

DILR

Choose a Question

25	26	27	28
29	30	31	32
33	34	35	36
37	38	39	40
41	42	43	44
45	46		



Mark for Review & Next

Clear Response

Save & Next

DILR

Time Left: 31:58



Gaurav

Directions for questions 39 to 42: Answer the questions on the basis of the information given below.

At an international conference on emerging data science technologies, ten renowned researchers — A, B, C, D, E, F, G, H, J, and P — have been invited to present their groundbreaking work. These researchers have collaborated in pairs on various discoveries and will deliver their presentations in pairs during a special session. The session consists of 5 consecutive presentation slots. Each slot is occupied by a pair of speakers. Each researcher subscribes to exactly one OTT platform: Netflix, Prime, or JioHotstar. It is ensured that no two researchers presenting together as a pair share the same OTT subscription. These 10 researchers are sitting in a circular arrangement facing the center on 10 seats numbered 1, 2, ..., 10, such that the Slot 1 pair occupies seats 1 and 2, the Slot 2 pair occupies seats 3 and 4, and so on, until Slot 5 occupies seats 9 and 10. The order of presentations must be determined based on the following conditions:

- D and F present together as a pair, and their presentation occurs either at the beginning or at the end of the session.
- C and P subscribe to the same OTT platform. Their respective presentation slots (with their partners) are scheduled as far apart as possible in the sequence.
- B and E present together and occupy the third slot.
- G and his partner present before P. Additionally, H and his partner present after C and his partner but before J and his partner.
- E and J sit opposite each other and both have a subscription to JioHotstar. F sits opposite G and they have subscriptions to different OTT platforms.
- None of F's immediate neighbors have a subscription to Netflix. In Slot 2, no one has a subscription to Prime.
- No two people sitting adjacent to each other have a subscription to the same OTT platform.

Question No 40.

For how many researchers can you uniquely determine the OTT platform they subscribe to?

1	2	3
4	5	6
7	8	9
0	.	-

☒ Answered
 ☐ Not Answered
 ☐ Not Visited
 ☐ Marked for Review
 ☐ Answered & Marked for Review (will be considered for evaluation)

DILR

Choose a Question

25	26	27	28
29	30	31	32
33	34	35	36
37	38	39	40
41	42	43	44
45	46		



Mark for Review & Next

Clear Response

Save & Next

DILR

Time Left: 31:57 Attempts: 0



Gaurav

Directions for questions 39 to 42: Answer the questions on the basis of the information given below.

At an international conference on emerging data science technologies, ten renowned researchers — A, B, C, D, E, F, G, H, J, and P — have been invited to present their groundbreaking work. These researchers have collaborated in pairs on various discoveries and will deliver their presentations in pairs during a special session. The session consists of 5 consecutive presentation slots. Each slot is occupied by a pair of speakers. Each researcher subscribes to exactly one OTT platform: Netflix, Prime, or JioHotstar. It is ensured that no two researchers presenting together as a pair share the same OTT subscription. These 10 researchers are sitting in a circular arrangement facing the center on 10 seats numbered 1, 2, ..., 10, such that the Slot 1 pair occupies seats 1 and 2, the Slot 2 pair occupies seats 3 and 4, and so on, until Slot 5 occupies seats 9 and 10. The order of presentations must be determined based on the following conditions:

- D and F present together as a pair, and their presentation occurs either at the beginning or at the end of the session.
- C and P subscribe to the same OTT platform. Their respective presentation slots (with their partners) are scheduled as far apart as possible in the sequence.
- B and E present together and occupy the third slot.
- G and his partner present before P. Additionally, H and his partner present after C and his partner but before J and his partner.
- E and J sit opposite each other and both have a subscription to JioHotstar. F sits opposite G and they have subscriptions to different OTT platforms.
- None of F's immediate neighbors have a subscription to Netflix. In Slot 2, no one has a subscription to Prime.
- No two people sitting adjacent to each other have a subscription to the same OTT platform.

Question No 41.

How many possible combinations of OTT subscriptions can the researchers sitting on seats 6 and 7 respectively have?

Backspace

1	2	3
4	5	6
7	8	9
0	.	-

Clear All

- ☒ Answered
- ☐ Not Answered
- ☐ Not Visited
- ☐ Marked for Review
- ☐ Answered & Marked for Review (will be considered for evaluation)

DILR

Choose a Question

25	26	27	28
29	30	31	32
33	34	35	36
37	38	39	40
41	42	43	44
45	46		



Mark for Review & Next

Clear Response

Save & Next

DILR

Time Left: 31:54



Gaurav

Directions for questions 39 to 42: Answer the questions on the basis of the information given below.

At an international conference on emerging data science technologies, ten renowned researchers — A, B, C, D, E, F, G, H, J, and P — have been invited to present their groundbreaking work. These researchers have collaborated in pairs on various discoveries and will deliver their presentations in pairs during a special session. The session consists of 5 consecutive presentation slots. Each slot is occupied by a pair of speakers. Each researcher subscribes to exactly one OTT platform: Netflix, Prime, or JioHotstar. It is ensured that no two researchers presenting together as a pair share the same OTT subscription. These 10 researchers are sitting in a circular arrangement facing the center on 10 seats numbered 1, 2, ..., 10, such that the Slot 1 pair occupies seats 1 and 2, the Slot 2 pair occupies seats 3 and 4, and so on, until Slot 5 occupies seats 9 and 10. The order of presentations must be determined based on the following conditions:

- D and F present together as a pair, and their presentation occurs either at the beginning or at the end of the session.
- C and P subscribe to the same OTT platform. Their respective presentation slots (with their partners) are scheduled as far apart as possible in the sequence.
- B and E present together and occupy the third slot.
- G and his partner present before P. Additionally, H and his partner present after C and his partner but before J and his partner.
- E and J sit opposite each other and both have a subscription to JioHotstar. F sits opposite G and they have subscriptions to different OTT platforms.
- None of F's immediate neighbors have a subscription to Netflix. In Slot 2, no one has a subscription to Prime.
- No two people sitting adjacent to each other have a subscription to the same OTT platform.

Question No 42.

Which of the following cannot be true about H?

- H sits opposite the one who subscribes to JioHotstar.
- H subscribes to JioHotstar.
- H and F subscribe to the same OTT platform.
- H and B subscribe to the same OTT platform.

- ☒ Answered
- ☐ Not Answered
- ☐ Not Visited
- ☐ Marked for Review
- ☐ Answered & Marked for Review (will be considered for evaluation)

DILR

Choose a Question

25	26	27	28
29	30	31	32
33	34	35	36
37	38	39	40
41	42	43	44
45	46		



Mark for Review & Next

Clear Response

Save & Next



Directions for questions 43 to 46: Answer the questions on the basis of the information given below.

XYZ Limited, a technology company, analyzed the computing usage of five AI research teams—T1, T2, T3, T4, and T5—during a particular period. These teams train machine learning models using four different GPU cloud platforms: Alpha, Beta, Gamma, and Delta.

The table below shows the total number of GPU compute sessions used by each team during this period, aggregated across all four cloud platforms. It also provides the total amount paid (in Rs.) by each team for using GPU resources on the four platforms during this period. Each platform charges a fixed cost per GPU compute session, which is the same for all teams but different across platforms.

AI Research Team	Total GPU Compute Sessions Used	Amount Paid (in Rs.) for GPU Resources Across Cloud Platforms			
		Alpha	Beta	Gamma	Delta
T1	56	6000	2400	3500	1500
T2	40	4500	1600	2250	1200
T3	24	2400	800	2000	600
T4	20	1500	1200	1000	750
T5	40	3600	2000	2500	1200

In addition to the standard charges, the cloud providers offer usage credits:

- (i) For every 5th GPU session used on cloud platforms Alpha, Beta, Gamma, and Delta, the teams receive Rs. 90, Rs. 80, Rs. 60, and Rs. 50, respectively, as usage credits.
- (ii) The five teams together used exactly 60 GPU sessions on Cloud Alpha during the given period.

Question No 43.

How many sessions did Team T2 use on the cloud platform Delta?

Backspace

1 2 3

4 5 6

7 8 9

0 . -

Clear All

Answered

Not Answered

Not Visited

Marked for Review

Answered & Marked for Review (will be considered for evaluation)

DILR

Choose a Question

25 26 27 28

29 30 31 32

33 34 35 36

37 38 39 40

41 42 43 44

45 46



Mark for Review & Next

Clear Response

Save & Next



Directions for questions 43 to 46: Answer the questions on the basis of the information given below.

XYZ Limited, a technology company, analyzed the computing usage of five AI research teams—T1, T2, T3, T4, and T5—during a particular period. These teams train machine learning models using four different GPU cloud platforms: Alpha, Beta, Gamma, and Delta.

The table below shows the total number of GPU compute sessions used by each team during this period, aggregated across all four cloud platforms. It also provides the total amount paid (in Rs.) by each team for using GPU resources on the four platforms during this period. Each platform charges a fixed cost per GPU compute session, which is the same for all teams but different across platforms.

AI Research Team	Total GPU Compute Sessions Used	Amount Paid (in Rs.) for GPU Resources Across Cloud Platforms			
		Alpha	Beta	Gamma	Delta
T1	56	6000	2400	3500	1500
T2	40	4500	1600	2250	1200
T3	24	2400	800	2000	600
T4	20	1500	1200	1000	750
T5	40	3600	2000	2500	1200

In addition to the standard charges, the cloud providers offer usage credits:

- (i) For every 5th GPU session used on cloud platforms Alpha, Beta, Gamma, and Delta, the teams receive Rs. 90, Rs. 80, Rs. 60, and Rs. 50, respectively, as usage credits.
- (ii) The five teams together used exactly 60 GPU sessions on Cloud Alpha during the given period.

Question No 44.

How much more or less total amount (in Rs.) did Team T1 receive as usage credits compared to Team T5?

Backspace

1 2 3

4 5 6

7 8 9

0 . -

Clear All

Answered

Not Answered

Not Visited

Marked for Review

Answered & Marked for Review (will be considered for evaluation)

DILR

Choose a Question

25 26 27 28

29 30 31 32

33 34 35 36

37 38 39 40

41 42 43 44

45 46



Mark for Review & Next

Clear Response

Save & Next

DILR



Gaurav

Time Left: 31:45

Directions for questions 43 to 46: Answer the questions on the basis of the information given below.

XYZ Limited, a technology company, analyzed the computing usage of five AI research teams—T1, T2, T3, T4, and T5—during a particular period. These teams train machine learning models using four different GPU cloud platforms: Alpha, Beta, Gamma, and Delta.

The table below shows the total number of GPU compute sessions used by each team during this period, aggregated across all four cloud platforms. It also provides the total amount paid (in Rs.) by each team for using GPU resources on the four platforms during this period. Each platform charges a fixed cost per GPU compute session, which is the same for all teams but different across platforms.

AI Research Team	Total GPU Compute Sessions Used	Amount Paid (in Rs.) for GPU Resources Across Cloud Platforms			
		Alpha	Beta	Gamma	Delta
T1	56	6000	2400	3500	1500
T2	40	4500	1600	2250	1200
T3	24	2400	800	2000	600
T4	20	1500	1200	1000	750
T5	40	3600	2000	2500	1200

In addition to the standard charges, the cloud providers offer usage credits:

- (i) For every 5th GPU session used on cloud platforms Alpha, Beta, Gamma, and Delta, the teams receive Rs. 90, Rs. 80, Rs. 60, and Rs. 50, respectively, as usage credits.
(ii) The five teams together used exactly 60 GPU sessions on Cloud Alpha during the given period.

Question No 45.


If usage credits were not provided to any team, then the percentage increase in the amount paid by Team T4 during the given period, compared to the net amount it would have paid if usage credits had been given, is closest to the integer _____.

- ☐ 1) 4%
☐ 2) 5%
☐ 3) 6%
☐ 4) 7%



DILR

Choose a Question



Mark for Review & Next

Clear Response

Save & Next

DILR



Gaurav

Time Left: 31:42

Directions for questions 43 to 46: Answer the questions on the basis of the information given below.

XYZ Limited, a technology company, analyzed the computing usage of five AI research teams—T1, T2, T3, T4, and T5—during a particular period. These teams train machine learning models using four different GPU cloud platforms: Alpha, Beta, Gamma, and Delta.

The table below shows the total number of GPU compute sessions used by each team during this period, aggregated across all four cloud platforms. It also provides the total amount paid (in Rs.) by each team for using GPU resources on the four platforms during this period. Each platform charges a fixed cost per GPU compute session, which is the same for all teams but different across platforms.

AI Research Team	Total GPU Compute Sessions Used	Amount Paid (in Rs.) for GPU Resources Across Cloud Platforms			
		Alpha	Beta	Gamma	Delta
T1	56	6000	2400	3500	1500
T2	40	4500	1600	2250	1200
T3	24	2400	800	2000	600
T4	20	1500	1200	1000	750
T5	40	3600	2000	2500	1200

In addition to the standard charges, the cloud providers offer usage credits:

- (i) For every 5th GPU session used on cloud platforms Alpha, Beta, Gamma, and Delta, the teams receive Rs. 90, Rs. 80, Rs. 60, and Rs. 50, respectively, as usage credits.
(ii) The five teams together used exactly 60 GPU sessions on Cloud Alpha during the given period.

Question No 46.

If the five teams together used 180 GPU compute sessions on Cloud platform Gamma during the given period, while maintaining the same proportion of sessions across the teams as given in the table, then how many sessions did Team T3 use on Cloud platform Beta?

Backspace


1 2 3

4 5 6

7 8 9


0 . -

Clear All



DILR

Choose a Question



Mark for Review & Next

Clear Response

Save & Next