

Hello jdlskj



CDC Flexi 03 - 2026

Question PaperInstructions

QA

Time Left: 39:16

**Gaurav**

Answered

Not Answered

Not Visited

Marked for Review

Answered & Marked for Review
(will be considered for evaluation)

QA

Choose a Question

47484950

51525354

55565758

59606162

63646566

6768



Mark for Review & NextClear ResponseSave & Next



CDC Flexi 03 - 2026

Question PaperInstructions

QA

Time Left: 39:14

**Gaurav**

Answered

Not Answered

Not Visited

Marked for Review

Answered & Marked for Review
(will be considered for evaluation)

QA

Choose a Question

47484950

51525354

55565758

59606162

63646566

6768



Mark for Review & NextClear ResponseSave & Next

Question No 48.

Three passengers board a train at the starting station. The train travels through 9 stations ahead but does not stop at the 2nd, 4th, and 6th stations. In how many different ways can the three passengers get down at three distinct stations?

☐ 1) 20

☐ 2) 60

☐ 3) 120

☐ 4) 240

Question No 49.

A retailer marks up the price of an electronic gadget by 50% above its cost price. During a festive sale, he offers a 20% discount on the marked price. Additionally, due to a promotional offer, he provides a cashback of Rs.600 per unit after the sale, and still earns a 10% profit. What percentage above the cost price should the retailer mark his gadgets to earn a 15% profit, after offering a 25% discount and a cashback of Rs.525?

☐ 1) 72%

☐ 2) 65%

☐ 3) 60%

☐ 4) 55%

QA



Gaurav

Time Left: 39:11

Question No 50.

Quadrilateral ABCD has $AB = 18$ cm and $CD = 24$ cm. Its diagonals AC and BD intersect at E, where $AC = 28$ cm and ΔAED and ΔBEC have equal areas. What is the length, in cm, of EC?

- ☐ 1) 12
- ☐ 2) 14
- ☐ 3) 16
- ☐ 4) 18

Mark for Review & Next

Clear Response

Save & Next

☒ Answered
 ☐ Not Answered
 ☐ Not Visited
 ☐ Marked for Review
 ☒ Answered & Marked for Review (will be considered for evaluation)

QA

Choose a Question

47	48	49	50
51	52	53	54
55	56	57	58
59	60	61	62
63	64	65	66
67	68		



QA



Gaurav

Time Left: 39:07

Question No 51.

Among the whole numbers 1 to 100, a subset S is formed such that for any two elements $a, b \in S$, $|a - b|$ is not equal to 1, 3, or 4. Find the maximum possible value of $n(S)$.

- ☐ 1) 27
- ☐ 2) 28
- ☐ 3) 29
- ☐ 4) 31



Mark for Review & Next

Clear Response

Save & Next

☒ Answered
 ☐ Not Answered
 ☐ Not Visited
 ☐ Marked for Review
 ☒ Answered & Marked for Review (will be considered for evaluation)

QA

Choose a Question

47	48	49	50
51	52	53	54
55	56	57	58
59	60	61	62
63	64	65	66
67	68		



QA



Gaurav

Time Left: 39:03

Question No 52.

Five friends pool money to go for a weekend movie, with each contributing consecutive positive integer amounts. Later, one of them backs out and takes back their contribution. The total amount remaining with the other four friends is Rs.2,845. What was the maximum amount (in Rs.) contributed by any friend in the group?

Backspace

1	2	3
4	5	6
7	8	9
0	.	-

Clear All

Mark for Review & Next

Clear Response

Save & Next

Answered

Not Answered

Not Visited

Marked for Review

Answered & Marked for Review (will be considered for evaluation)

QA

Choose a Question

47	48	49	50
51	52	53	54
55	56	57	58
59	60	61	62
63	64	65	66
67	68		

QA



Gaurav

Time Left: 38:59

Question No 53.

Let P and Q be the roots of the equation $12x^2 - 20x + 3k = 0$. If $1/2 \leq |Q - P| \leq 3/2$, then how many integral values of k are possible?

Backspace

1	2	3
4	5	6
7	8	9
0	.	-

Clear All

Mark for Review & Next

Clear Response

Save & Next

Answered

Not Answered

Not Visited

Marked for Review

Answered & Marked for Review (will be considered for evaluation)

QA

Choose a Question

47	48	49	50
51	52	53	54
55	56	57	58
59	60	61	62
63	64	65	66
67	68		



QA



Gaurav

Time Left: 38:57

Question No 54.

Rohit prepares two blends using saffron powder and cardamom powder. In Blend A, saffron and cardamom are combined in the ratio 3:7. In Blend B, they are combined in the ratio 2:3. He combines Blend A and Blend B in the ratio 3:5 to form Blend C. Finally, Blend C is combined with twice its quantity of milk powder. What is the percentage of cardamom powder in the final blend?

- ☐ 1) 21.25%
- ☐ 2) 20%
- ☐ 3) 18.75%
- ☐ 4) 22.5%

Mark for Review & Next

Clear Response

Save & Next

☒ Answered
 ☐ Not Answered
 ☐ Not Visited
 ☐ Marked for Review
 ☒ Answered & Marked for Review (will be considered for evaluation)

QA

Choose a Question

47	48	49	50
51	52	53	54
55	56	57	58
59	60	61	62
63	64	65	66
67	68		



QA



Gaurav

Time Left: 38:53

Question No 55.

If a , b , and c are non-negative integers such that $a + 5 = k$, $b + 3 = k$, $c + 1 = k$, $a + b + c < 2k + 4$, what is the maximum possible value of $3a + 2b + c$?

- ☐ 1) 44
- ☐ 2) 50
- ☐ 3) 56
- ☐ 4) 62

Mark for Review & Next

Clear Response

Save & Next

☒ Answered
 ☐ Not Answered
 ☐ Not Visited
 ☐ Marked for Review
 ☒ Answered & Marked for Review (will be considered for evaluation)

QA

Choose a Question

47	48	49	50
51	52	53	54
55	56	57	58
59	60	61	62
63	64	65	66
67	68		



QA



Gaurav

Time Left: 38:51

Question No 56.

Square ABCD has a side length of 2 cm. Points P, Q, R, and S each lie on a side of ABCD such that APQCRS is an equilateral hexagon. If this equilateral hexagon APQCRS is converted into a regular hexagon, what is its area (in sq. cm)?

- ☐ 1) $6\sqrt{3}(3 - 2\sqrt{2})$
- ☐ 2) $12\sqrt{3}(3 - \sqrt{2})$
- ☐ 3) $6\sqrt{3}(2 - \sqrt{2})$
- ☐ 4) $12\sqrt{3}(3 - 2\sqrt{2})$

Mark for Review & Next

Clear Response

Save & Next

☒ Answered
 ☐ Not Answered
 ☐ Not Visited
 ☐ Marked for Review
 ☒ Answered & Marked for Review (will be considered for evaluation)

QA

Choose a Question

47	48	49	50
51	52	53	54
55	56	57	58
59	60	61	62
63	64	65	66
67	68		



QA



Gaurav

Time Left: 38:48

Question No 57.

The units digit of $(1 + 4 + 4^2 + 4^3 + \dots + 4^{2007})$ is:

- ☐ 1) 1
- ☐ 2) 5
- ☐ 3) 0
- ☐ 4) 7

Mark for Review & Next

Clear Response

Save & Next

☒ Answered
 ☐ Not Answered
 ☐ Not Visited
 ☐ Marked for Review
 ☒ Answered & Marked for Review (will be considered for evaluation)

QA

Choose a Question

47	48	49	50
51	52	53	54
55	56	57	58
59	60	61	62
63	64	65	66
67	68		



QA



Gaurav

Time Left: 38:41

Question No 58.

Let x be the largest real number satisfying $\sqrt{x - 1/x} = x - 1$. What is the value of $(2x - 1)^2$?

- ☐ 1) $9 + 4\sqrt{2}$
- ☐ 2) $8 + 2\sqrt{2}$
- ☐ 3) $8 + 4\sqrt{2}$
- ☐ 4) $7 + 2\sqrt{2}$

Mark for Review & Next

Clear Response

Save & Next

☒ Answered
 ☐ Not Answered
 ☐ Not Visited
 ☐ Marked for Review
 ☒ Answered & Marked for Review (will be considered for evaluation)

QA

Choose a Question

47	48	49	50
51	52	53	54
55	56	57	58
59	60	61	62
63	64	65	66
67	68		



QA



Gaurav

Time Left: 38:39

Question No 59.

Rohan can complete a certain task alone in 90 days, which is 50% more time than the time taken by Rohan and Suresh working together. Suresh alone takes 50% more time to complete the same task than the time taken by Suresh and Tarun working together. They start working on 1st January 2026 and follow a repeating work pattern: Day 1: Rohan and Suresh, Day 2: Suresh and Tarun, Day 3: Tarun and Rohan, Day 4: Rohan, Suresh, and Tarun together. On which date in 2026 will the task be completed?

- ☐ 1) 9th March
- ☐ 2) 10th March
- ☐ 3) 11th March
- ☐ 4) 28th February

Mark for Review & Next

Clear Response

Save & Next

☒ Answered
 ☐ Not Answered
 ☐ Not Visited
 ☐ Marked for Review
 ☒ Answered & Marked for Review (will be considered for evaluation)

QA

Choose a Question

47	48	49	50
51	52	53	54
55	56	57	58
59	60	61	62
63	64	65	66
67	68		



QA



Gaurav

Time Left: 38:36

Question No 60.

If $g(x) = 2x^2 + 3x - 4$, $f(0) = -3$, where $f(x)$ is a linear function, and $g(f(x)) = 2x^2 - 9x + 5$, what is the value of $f(g(2))$?

- ☐ 1) -13
- ☐ 2) 6
- ☐ 3) 7
- ☐ 4) 17/2

Mark for Review & Next

Clear Response

Save & Next

☒ Answered
 ☐ Not Answered
 ☐ Not Visited
 ☐ Marked for Review
 ☐ Answered & Marked for Review (will be considered for evaluation)

QA

Choose a Question

47	48	49	50
51	52	53	54
55	56	57	58
59	60	61	62
63	64	65	66
67	68		



QA



Gaurav

Time Left: 38:33

Question No 61.

One day, Iran had more than 16 short-range missiles and some long-range missiles before launching two strikes—Strike 1 and Strike 2—against the US. In Strike 1, Iran launched one-third of its short-range missiles and one-fourth of its long-range missiles. In Strike 2, it launched one-fourth of the remaining short-range missiles and one-fifth of the remaining long-range missiles. After both strikes, the number of remaining long-range missiles exceeded the number of remaining short-range missiles by exactly 6. What is the minimum total number of missiles Iran had that day?

Backspace

1	2	3
4	5	6
7	8	9
0	.	-

Clear All

Mark for Review & Next

Clear Response

Save & Next

☒ Answered
 ☐ Not Answered
 ☐ Not Visited
 ☐ Marked for Review
 ☐ Answered & Marked for Review (will be considered for evaluation)

QA

Choose a Question

47	48	49	50
51	52	53	54
55	56	57	58
59	60	61	62
63	64	65	66
67	68		



QA



Gaurav

Time Left: 38:31

Question No 62.

An arithmetic progression and a geometric progression with common ratio < 1 both have first term $1/2$. The sum of their second terms is $1/2$, and the sum of their third terms is $1/8$. What is the sum to infinity of the geometric progression?

Backspace

1	2	3
4	5	6
7	8	9
0	.	-

Clear All

Mark for Review & Next

Clear Response

Save & Next

☒ Answered
 ☐ Not Answered
 ☐ Not Visited
 ☐ Marked for Review
 ☐ Answered & Marked for Review (will be considered for evaluation)

QA

Choose a Question

47	48	49	50
51	52	53	54
55	56	57	58
59	60	61	62
63	64	65	66
67	68		



QA



Gaurav

Time Left: 38:27

Question No 63.

Nisha has a total amount of Rs.10x. She invests one-fifth of this amount in two schemes, A and B, in the ratio 2:3, respectively. From the remaining amount, she spends Rs.20,000 and invests the rest in a startup. Scheme A offers SI at 8% p.a., Scheme B offers SI at 10% p.a., and the startup provides 20% p.a. compounded annually. If the total interest from A and B together is Rs.6,900, what will be the total amount (in Rs.) with Nisha at the end of three years?

- ☐ 1) 138240
- ☐ 2) 163240
- ☐ 3) 170140
- ☐ 4) 182400

Mark for Review & Next

Clear Response

Save & Next

☒ Answered
 ☐ Not Answered
 ☐ Not Visited
 ☐ Marked for Review
 ☐ Answered & Marked for Review (will be considered for evaluation)

QA

Choose a Question

47	48	49	50
51	52	53	54
55	56	57	58
59	60	61	62
63	64	65	66
67	68		



QA



Gaurav

Time Left: 38:25

Question No 64.

Let B be the largest integer such that the equation $(x - 3)^2 + 4Bx + 29 = 0$ has no real roots. If C is a positive number, what is the least possible value of $(B/8C) + 18C$?

Backspace

1	2	3
4	5	6
7	8	9
0	.	-

Clear All

Mark for Review & Next

Clear Response

Save & Next

Answered

Not Answered

Not Visited

Marked for Review

Answered & Marked for Review (will be considered for evaluation)

QA

Choose a Question

47	48	49	50
51	52	53	54
55	56	57	58
59	60	61	62
63	64	65	66
67	68		



QA



Gaurav

Time Left: 38:22

Question No 65.

Let $\triangle ABC$ be an isosceles triangle inscribed in a circle with center O, where AD is a diameter and $AB = AC$. The line AD intersects BC at M, and N is the midpoint of OM. If BD is parallel to NC and $BC = 4\sqrt{10}$ cm, what is the length of CD (in cm)?

- ☐ 1) $2\sqrt{3}$
- ☐ 2) $4\sqrt{2}$
- ☐ 3) $2\sqrt{5}$
- ☐ 4) $4\sqrt{3}$

Mark for Review & Next

Clear Response

Save & Next

Answered

Not Answered

Not Visited

Marked for Review

Answered & Marked for Review (will be considered for evaluation)

QA

Choose a Question

47	48	49	50
51	52	53	54
55	56	57	58
59	60	61	62
63	64	65	66
67	68		



QA



Gaurav

Time Left: 38:20

Question No 66.

If the minimum value of the function $x^4 - nx^2$ is -9 , where n is a real number, what is the minimum value of the function $x^2 - nx + 6$?

- ☐ 1) -3
- ☐ 2) $6 - 3\sqrt{2}/2$
- ☐ 3) $3/2$
- ☐ 4) $9/2$

☒ Answered
 ☐ Not Answered
☐ Not Visited
 ☐ Marked for Review
☒ Answered & Marked for Review
 (will be considered for evaluation)

QA

Choose a Question

47	48	49	50
51	52	53	54
55	56	57	58
59	60	61	62
63	64	65	66
67	68		



Mark for Review & Next

Clear Response

Save & Next

QA



Gaurav

Time Left: 38:17

Question No 67.

The speed of a motorcycle is twice that of a bicycle, whose speed is $(12 + x)$ km/h. The bicycle starts from town P at 7:00 AM and reaches town Q at 6:00 PM, making four 15-minute stoppages. If the motorcycle travels $(240 + 2x)$ km from P to Q, and at the same time the bicycle starts from Q to P with its speed increased by one-third of its original speed, after how many hours will they meet?

Backspace

1	2	3
4	5	6
7	8	9
0	.	-

Clear All

Mark for Review & Next

Clear Response

Save & Next

☒ Answered
 ☐ Not Answered
 ☐ Not Visited
 ☐ Marked for Review
 ☒ Answered & Marked for Review (will be considered for evaluation)

QA

Choose a Question

47	48	49	50
51	52	53	54
55	56	57	58
59	60	61	62
63	64	65	66
67	68		



QA



Gaurav

Time Left: 38:16 Attempts: 0

Question No 68.

Vessel A contains 24 liters of a milk-water mixture in the ratio 1:2. Vessel B contains 36 liters in the ratio 5:4. The entire contents of vessel A and exactly half of the contents of vessel B are poured into an empty vessel C. A certain quantity is drawn from vessel C and replaced with equal volume of pure milk. If the resulting ratio of milk to water in vessel C becomes 5:2, what is the quantity (in liters) drawn out and replaced?

Backspace

1	2	3
4	5	6
7	8	9
0	.	-

Clear All

Mark for Review & Next

Clear Response

Save & Next

☒ Answered
 ☐ Not Answered
 ☐ Not Visited
 ☐ Marked for Review
 ☒ Answered & Marked for Review (will be considered for evaluation)

QA

Choose a Question

47	48	49	50
51	52	53	54
55	56	57	58
59	60	61	62
63	64	65	66
67	68		

